



## EB3FX - FilterFlow Counter-top Automatic Water Boiler - W 250 mm - 3.0 kW

Efficient both in its use of space and in its use of energy, the high-powered FilterFlow Automatic Water Boiler is perfect for busy staff rooms and anywhere where employees have to wait for the kettle to boil.

- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

### Specifications

| Summary              |                                   | Power and Performance     |            |
|----------------------|-----------------------------------|---------------------------|------------|
| Range Name           | FilterFlow                        | Hot and Cold Water Output | No         |
| Power Type           | Electric                          | Rapid Draw Off Litres     | 11.0       |
| Unit Type            | Counter-top                       | Total Power kW            | 3.0        |
| Available in UK Only | No                                | Temperature Range °C      | 70 - 98    |
| UK Warranty          | 2 Years Parts and Labour Warranty | IP Rating                 | IP23       |
| Export Warranty      | Contact your local dealer         | Rapid Draw Off Cups       | 55         |
| GTIN Code            | 5056105101376                     | Hourly Output Litres      | 31         |
|                      |                                   | Hourly Output Cups        | 155        |
|                      |                                   | Temperature Control       | Electronic |

| Key Specifications |            | Weights and Dimensions    |      |
|--------------------|------------|---------------------------|------|
| Capacity Litres    | 15.0       | Unit Height (External) mm | 596  |
| Outlet             | Single-tap | Unit Width (External) mm  | 250  |
| Dispense Lock      | No         | Unit Depth (External) mm  | 525  |
| WRAS Approved      | Yes        | Net Weight Kg             | 13.4 |

| Supply Connections             |       | Shipping         |      |
|--------------------------------|-------|------------------|------|
| Requires Installation          | No    | Packed Weight Kg | 16   |
| UK 3 Pin Plug                  | Yes   | Packed Height cm | 53   |
| Requires Hardwiring            | No    | Packed Width cm  | 69.5 |
| Electrical Supply Rating Watts | 3,000 | Packed Depth cm  | 36.6 |
| Single Phase Amps              | 13.0  |                  |      |
| Single Phase Voltage           | 230   |                  |      |
| Water Connection BSPT          | 3/4"  |                  |      |
| Water Connection Pressure Bar  | 6.0   |                  |      |

### Available Accessories




- BR55 EB3FX AND EB4FX WALL BRACKET
- DP10 DESCALER POWDER

## Available Accessories

FC04

EBFX WATER FILTER - FROM 2015

## Technical Picture



#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 503250

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm