



F52/500 - IMC Vulture 525 In-tabling Food Waste Disposer - 1 Phase - W 330 mm - 0.5 kW

Reliable, efficient, safe and easy to operate, the compact 525 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- ✓ Fast and efficient disposal of up to 200kg of food waste per hour.
- ✓ Handles up to 400 covers per sitting - ideal for small to medium kitchens.
- ✓ For soft waste (plate waste, vegetables and peelings, meat and fish scraps).
- ✓ Compact design allows unit to be table-mounted, for quick and easy loading.
- ✓ Manually reversible motor to extend operational life.
- ✓ Comes with rubber housing to minimise noise.
- ✓ Suitable for small to medium kitchens with single-phase power supply.

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.55
Range	Vulture	HP	0.75
Series	500 Series	IP Rating	IP55
Power Type	Electric		
Unit Type	Welded into tabling		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
Mounting	In-tabling		
GTIN	5056105199489		

Key Specifications		Capacity	
Operator Safety	Interlocks	Type of Waste	Soft waste
WRAS Approved	WRAS Compliant [if cistern fed]	Covers Per Sitting	400
Airbreak	No	Capacity Kg per Hour	200

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	630	Requires Installation	Yes
Unit Width (External) mm	330	Requires Electrical Supply	Yes
Unit Depth (External) mm	355	UK 3 Pin Plug	No
Net Weight Kg	19.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	550
		Single Phase Amps	5.2
		Single Phase Voltage	230
		Water Supplied From	Storage cistern
		Water Connection Pressure Bar	0.4
		Drain Connection	1.5" rubber housing
		Water Connection	15mm

Shipping

Packed Weight Kg	22
Packed Height cm	77
Packed Width cm	40
Packed Depth cm	50


Available Options

WATER FLOW CONTROL

VS354

525 WATER FLOW CONTROL

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm