

SAFETY DATA SHEET Bright Spark Butane/Propane Mix Gas Cartridge

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Bright Spark Butane/Propane Gas Cartridge

Chemical name Petroleum gases, liquefied

Product number BS3656

Synonyms; trade names Hydrocarbons C3-C4, LPG

Container size 220g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fuel

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Go Gas Ltd.

Unit 1 B.

East Tame Business Park,

Newton, Hyde, Cheshire, SK14 4GX UK.

www.go-system.co.uk T: +44 (0) 161 367 1315 F: +44 (0) 161 367 1316 info@gogas.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 161 367 1315

Mon - Fri 09:00-17:00h (UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Flam. Gas 1 - H220 Press. Gas, Liquefied - H280

Health hazards Not Classified
Environmental hazards Not Classified

Classification (67/548/EEC or F+; R12

1999/45/EC)

2.2. Label elements

Pictogram





Signal word

Danger

Hazard statements

H220 Extremely flammable gas.

Exemptions from CLP Article

Precautionary statements

H280 Contains gas under pressure; may explode if heated. The following are not required for labelling:, H280, - 1.3.2. Gas containers intended for propane, butane or liquefied petroleum gas (LPG)

231

17 [Article 29(2); Article

P102 Keep out of reach of children.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50° C/122° F.

P403 Store in a well-ventilated place.

Contains

liquefied (<0.1%,1,3-butadiene)

Supplementary precautionary statements

Petroleum gases, liquefied (<0.1% 1,3-butadiene)
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P381 Eliminate all ignition sources if safe to do so.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.1 Substances

Petroleum gases, liquefied (<0.1% 1, 3-butadiene)

CAS number: 68476-85-7 EC number: 270-704-2

REACH registration number: 01-

2119486557-22-XXXX

Classification Flam. Gas 1 - H220 Classification (67/548/EEC or 1999/45/EC)

F+: R12

Press. Gas, Liquefied -

H280

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Product name Bright Spark Butane-Propane Mix Gas Cartridge

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the

medical personnel. Keep affected person away from heat, sparks and flames.

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

Ingestion

In the event of an incident leading to contact with the liquid contents: Remove person to fresh air and keep comfortable for breathing. Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell.

Skin contact In the event of an incident leading to contact with the liquid contents: Rinse with

water. Thaw frosted parts with lukewarm water. Do not rub affected area.

Eye contact In the event of an incident leading to contact with the liquid contents: Rinse with

water. Get medical attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and

the length of exposure.

Inhalation No specific symptoms known. Overexposure may cause the following adverse effects:

Drowsiness, dizziness, disorientation, vertigo.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur.

No specific symptoms known. In the event of an incident leading to contact with the liquid contents: Contact with liquid form may cause frostbite. Skin contact

No specific symptoms known. In the event of an incident leading to contact with the liquid contents: Contact with liquid form may cause frostbite.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Suitable extinguishing media

Unsuitable extinguishing

media

Eye contact

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure

build-up.

Vapours may accumulate on the floor and in low-lying areas. Vapours may form explosive

mixtures with air.

Hazardous combustion

products

Hydrocarbons. Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for

firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. If involved in a fire, shut off flow if it can be done without risk. Large fires: Allow fire to burn out. Small fires: Fight fire remotely due to the risk of explosion. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical

incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Vapours may form explosive mixtures with air. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

6.2. Environmental precautions

Environmental precautions Exposure to aquatic environment unlikely.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight.

Storage class

Flammable compressed gas storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³ Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation.

controls

Revision date: 04/01/2022 Supersedes date: 31/08/2016 Revision: 2

Bright Spark Gas Cartridge

Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Eye/face protection

No specific requirements are anticipated under normal conditions of use. In the event of an incident leading to contact with the liquid contents: Wear protective gloves. Hand protection

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

No specific recommendations. Provide adequate ventilation. Large Spillages: If Respiratory protection

ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Colour Colourless. Characteristic. 0dour Hydrocarbons. pH Not.

relevant.

Melting point Not relevant. Initial boiling point and range -42° C @ 768 mm Hg Flash point < 40° C CC (Closed cup). Evaporation rate Not

determined.

Flammable Gas

Flammability (solid, gas) Upper/lower flammability or

Lower flammable/explosive limit: 5 % Upper flammable/explosive limit: 15 % REACH dossier information. Estimated value.

explosive limits

4.1 bar @ 20° C Vapour pressure 2.07 (butanes) 1.56 Vapour density ~ 0.5 @ 15° C (propane) Relative density

Solubility (ies) Not

relevant. Partition coefficient Not relevant. Auto-ignition temperature 410/550° C Decomposition Temperature Not

known. Viscosity Not relevant.

Explosive properties Vapours may form explosive mixtures with air.

Oxidising properties There are no chemical groups present in the product that are associated with

oxidising properties.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Revision date: 04/01/2022 Supersedes date: 31/08/2016 Revision: 2

Bright Spark Gas Cartridge

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react strongly with the product: Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Containers can burst violently or

explode when heated, due to excessive pressure build-up.

10.5. Incompatible materials

Materials to avoid Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD $_{50}$) Not relevant.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not relevant.

Acute toxicity - inhalation

520, 400. 0 Acute toxicity inhalation

(LC 5 0

gases ppmV)

Species Mouse

Based on available data the classification criteria are Notes (inhalation LC₅₀)

not met. ATE inhalation (gases ppm) 520, 400.0

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Human skin model test Not irritating. Contact with liquid form may cause frostbite.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Bright Spark Butane Gas Cartridge

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information. Based on available data

the classification criteria are not met.

Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met. Genotoxicity - in vivo

Carcinogenicity

Carcinogenicity NOAEL 10000 ppm, Inhalation, Mouse REACH dossier information, Based on available data the

classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - NOAEC 9000 ppm, Inhalation, Rat F1 REACH dossier information. Based

on available data the classification criteria are not met.

Reproductive toxicity - development

Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

NOAEC 10000 ppmV/4hr/day, Inhalation, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure. STOT - repeated exposure

Aspiration hazard

Aspiration hazard Not relevant. Gas.

General information The severity of the symptoms described will vary dependent on the concentration and

the length of exposure.

Inhalation No specific symptoms known. Overexposure may cause the following adverse effects:

Drowsiness, dizziness, disorientation, vertigo.

Due to the physical nature of this product, it is unlikely that ingestion will Ingestion

occur.

No specific symptoms known. In the event of an incident leading to contact with the liquid contents: Contact with liquid form may cause frostbite. Skin contact

No specific symptoms known. In the event of an incident leading to contact with the liquid contents: Contact with liquid form may cause frostbite. Eve contact

Route of entry Inhalation Skin and/or eye contact

Target organs No specific target organs known.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

12.1. Toxicity

Toxicity Aguatic toxicity is unlikely to occur. Based on available data the classification criteria

are not met.

Acute toxicity - fish LC₅₀, 96 hours: 147.54 mg/l, Freshwater fish

Estimated value.

Bright Spark Butane Gas Cartridge

Acute toxicity - aquatic

EC₅₀, 48 hours: 16.33 mg/l, Daphnia magna

invertebrates

Estimated value.

Acute toxicity - aquatic plants EC₅₀, 96 hours: 11.89 mg/l, Freshwater algae

Estimated value.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

Biodegradation Water - Degradation 100%: 385.5 hours

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not relevant.

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken

handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous. Do not puncture or incinerate, even when empty.

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Disposal methods

SECTION 14: Transport information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section. General

14.1. **UN** number

UN No. (ADR/RID) 2037 UN No. (IMDG) 2037 UN No. (ICAO) 2037 UN No. (ADN) 2037

14.2. UN proper shipping name

Proper shipping name RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

(ADR/RID)

Proper shipping name

RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

(IMDG)

Proper shipping name (ICAO) RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

Proper shipping name (ADN) RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)

14.3. Transport hazard class(es)

ADR/RID class 2. 1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Transport labels



14.4. Packing group

ADR/RID packing group Not relevant. IMDG packing group Not relevant. ADN packing group Not relevant. ICAO packing group Not relevant.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS

F-D, S-U ADR transport category

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

15. 2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data

sheet

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

NOAEC - No Observed Adverse Effect Concentration EC50 - Half maximal Effective Concentration PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent, Very Bioaccumulative

General information

products.

Classification procedures according to Regulation (EC)

1272/2008

Product is labelled as per regulation (EC) 1272/2008 Section 1.3.2, regarding LPG

Flam. Gas 1 - H220: Press. Gas, Liquefied - H280: Expert judgement.

Training advice Read and follow manufacturer's recommendations.

Revision comments Classification according to EC 1272/2008

04/06/2015 (CLP). Revision date

Revision 1

01/12/2014 Supersedes date SDS number 3251

Risk phrases in full R12 Extremely

flammable. Hazard statements in full H220 Extremely

flammable gas.

H280 Contains gas under pressure; may explode if heated.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.