Lincat

LINCAT BLU REFRIGERATED CHEF BASE - W 914 MM - 600 W

MODEL: BD20036



Designed to accommodate heavy-duty Opus 800 series equipment such as chargrills, griddles and induction hobs, the unit has self-closing, heavy-duty drawers capable of holding 1/1 GN 100mm-deep containers, providing convenient bulk storage for meat and fish. The Blu° chef bases are powered by a three-pin plug, therefore requiring no installation. For ease of cleaning, the units have removable drawers, rounded interior corners and removable rubber magnetic door gaskets. They are supplied on castors, making it simple to pull the unit out for a deep clean. As with all Lincat products, the Blu° chef bases come with a two-year warranty.

PRODUCT FEATURES

- Designed to accommodate heavy equipment, including Opus 800 Series chargrills, griddles and hobs
- Drawers hold 1/1 GN 100mm deep containers
- · Allows bulk storage and easy access to food at point of cooking
- · Ideal for meat and fish
- Adjustable thermostat -2° to +8°C
- · Self closing heavy duty drawers
- Supplied on castors as standard









MODEL: BD20036

WEIGHTS & DIMENSIONS	
Width	916 mil
Depth	826 mil
Height	614 mil
Weight	127 kg

SHIPPING DETAILS	
Ship Width	106 cm
Ship Depth	97 cm
Ship Height	75 cm
Ship Weight	139.7 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	1.5
Electrical Voltage	230 volts
Electrical Watts	600
Electrical Phase	Single
Kilowatts	0.6 kW
Number of Electrical Conductor Wires	1

Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Dedicated Circuit Required	No
Annual Energy Consumption	982 kWh/Annum
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Ambient Temperature Maximum	40 °C
Application Type	Refrigerator
Control Type	Electronic
Defrost Method	Automatic
Door Hinge Type	Not Applicable
Gastronorm Capacity	2 x GN1/1
Insulated	Yes
Insulation Material Thickness	60 mm

Insulation Material Type	Cyclopentane
Lockable Door	No
Number of Drawers	2
Number of Pans	2
Pan Arrangement	Vertical
Refrigerant Type	R-452A
Temperature Maximum	8°C
Temperature Minimum	-2 °C

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







MODEL: BD20036


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024