



SEAL

PRODUCT FEATURES

- Using precise thermostatic control this unit holds food from 3°C - 7°C. It enables the user to accurately monitor the temperature of product for the absolute best results
- Digital display which gives clear indication of temperature to the user
- The unit is double glazed which keeps the cool air locked in, this in turn gives the customer better results while also saving money through energy efficiency.
- Provides daylight balanced illumination, which lights up the units interior and spotlights each product
- Options for self service or back service are also available.
- Spacious unit enabling you to showcase a wide variety of product

Make maximum use of limited space with the Seal 500 Range Refrigerated Merchandiser's generous capacity. Perfect for cafes and small canteens, the spacious unit allows you to showcase sandwiches, baguettes, yoghurts, fruit and drinks. Using precise thermostatic control, this unit holds food from 3°C - 7°C. It enables the user to accurately monitor the temperature of the products in order to ensure perfect results. The self-service unit is double glazed which keeps the cool air locked in, which not only delivers fresher food to the customer, but also saves you money through energy efficiency.

A/A FILE NUMBER:

ITEM NUMBER:



**LINCAT SEAL 500 SERIES COUNTER-TOP REFRIGERATED
MERCHANDISER - SELF-SERVICE - W 1000 MM - 0.6 KW**

MODEL: D5R/100S

WEIGHTS & DIMENSIONS

Width	1000 mil
Depth	500 mil
Height	575 mil
Weight	70 kg

SHIPPING DETAILS

Ship Width	115 cm
Ship Depth	75 cm
Ship Height	89 cm
Ship Weight	77 kg
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Number of Electrical Plugs	1
Electrical Total Amperage	2.6 A	Electrical Connection Type	Cord and Plug
Electrical Volts	230V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	602 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.6 kW	Electrical Remarks	Single
Electrical Plug Type	UK 3-Pin Plug		

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Number of Shelves	1
Control Type	Electronic	Rack Type	Static
Display Case Front Design Style	Straight Glass Front	Refrigerant Type	R-452A
Display Case Service Type	Customer Self Service	Shelf Depth	375 mm
Display Case Type	Refrigerated	Shelf Width	650 mm
Heated Base	No	Type of Lighting	Fluorescent
Lighted	Yes	Temperature Maximum	7 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

