



Opus 800

Combining raw power with energy efficiency, the Opus 800 4 Zone Induction Hob delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob. Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals, the hob is suitable for any busy commercial kitchen, large pubs and restaurants, large hospitals, school canteens, care homes and high-volume production kitchens. The hob features an automatic pan detection function which cuts power when no pan is present, preventing harm to users and saving energy at the same time. Built to last, it also comes with multiple internal cooling fans and overheat protection.

A/A FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- FI36 AIR FILTER OPUS INDUCTION
- OA8917/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8917 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm
- OA8972/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm
- OA8972 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm
- LK11 OPUS 800 LONG LEG KIT

PRODUCT FEATURES

- Powerful 5kW, 220mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Easy to change filter built into the base of the unit

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	800 mil
Height	308 mil
Weight	49 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	85 cm
Ship Height	65 cm
Ship Weight	53.9 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	L1=30.7; L2=30.7; L3=30.7	Electrical Connection Type	Direct Hardwired
Electrical Voltage	400 volts	Electrical Plug Type	Hardwired
Electrical Watts	21200	Number of Electrical Plugs	Not Applicable
Electrical Phase	Three	Dedicated Circuit Required	Yes
Kilowatts	21.2 kW	Energy Saving	Yes

ADDITIONAL SPECIFICATIONS

Control Type	Electronic, Rotary Control Knob	Number of Heating Zones	4
Cooking Plate Finish Material Type	Ceran Glass	Number of Hot Top Burners	4
Exterior Finish Color	Stainless Steel	Number of Shelves	Not Applicable
Exterior Trim Finish Color	Stainless Steel	Open or Sealed Burners	Not Applicable
High Altitude Kit Available	No	Style	Countertop
		Watts Per Element	5300

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE-MENT	WIDTH	DEPTH
Induction Burner 1	4		5 Center	220 mm	220 mm



LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 600
MM - 21.2 KW

MODEL: OE8014

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

BIDDING SPECIFICATIONS
Bidding Specifications Not Available.



TECHNICAL DRAWING

