





OD8007/N - Opus 800 Dual Fuel [Natural Gas] Free-standing Oven Range - 6 Burners - W 900 mm - 45.0 kW This powerful Opus 800 dual fuel oven is built to deliver high volumes of top quality food and will withstand the rigours of even the busiest kitchen.

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Powerful 6kW twin fan assisted oven for even cooking results
- Large 6 x GN1/1 capacity oven enabling six different foods to be cooked simultaneously
- Dual Fuel Oven Ranges

Summary		Power and Performance	
Range Name	Opus 800	BTU per Hour	153,546
Power Type	Dual Fuel	Gastronorm Capacity	6 x GN1/1
Gas Type	Natural Gas	Total Power kW	45.0
Unit Type	Free-standing	Temperature Range °C	120 - 280
Available in UK Only	No	IP Rating	IP24
UK Warranty	2 Years Parts and Labour Warranty	Temperature Control	Mechanical
Export Warranty	Contact your local dealer	Rating per Hob kW	7.5
GTIN Code	5056105102328	Oven Rating kW	6.0
Key Specifications		Weights and Dimensions	
Number of Shelves included	3	Unit Height (External) mm	912
Number of Shelf Positions	5	Unit Width (External) mm	900
Number of Hobs	6	Unit Depth (External) mm	800
Shape of Hob	Square	Height (Internal) mm	410
		Width (Internal) mm	825
		Depth (Internal) mm	530
		Shelf Dimensions Width mm	770
		Shelf Dimensions Depth mm	530
		Hob Dimensions mm	300 x 300
		Net Weight Kg	186





Supply Connections		Shipping	Shipping	
Requires Installation	Yes	Packed Weight Kg	201	
Requires Electrical Supply	Yes	Packed Height cm	107	
UK 3 Pin Plug	No	Packed Width cm	100	
Requires Hardwiring	Yes	Packed Depth cm	85	
Electrical Supply Rating Watts	6,060			
Single Phase Amps	26.0			
Single Phase Voltage	230			
Three Phase Amps	L1=9.0; L2=8.7; L3=8.7			
Three Phase Voltage	400			
Gas Connection BSP	3/4"			
Gas Consumption at full rate Natural m ³ per Hour	4.06			
Gas Pressure Natural mbar	20.0			
Total heat input at full rate Natural kW	45.0			
Total heat input at full rate Natural BTU per hour	153,546			

Available Accessories

CH01 CATERFLEX HOSE 1/2* 1 METRE
CH02 CATERFLEX HOSE 1/2* 1.5 METRE
LK06 OPUS 800 LEG KIT


OA8985 SPLASHBACK/SHELF - OD8007


Technical Picture


Product Code: 0D8007/N Page Number: 2 Print Date: 09/05/2019













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm