


## Modular Flake-Ice Machine up to 200 Kg



PS plastic top cover



Electronic Controls




Stainless Steel



MF 36+SB193  
(sold separately)


MF 36+SB322  
(sold separately)

MF 36+SB393+Top  
(sold separately)



MF 36+SB530+Top  
(sold separately)

MF 36+SB550+Top  
(sold separately)



MF 36+RBC Stand  
(sold separately)

MF 36+SIS300  
(sold separately)

MF 36+SIS700  
(sold separately)

This product qualifies for the following listings:



**2** Years Warranty

Subject to certain limitations and exclusions



### Features

- Modular Flake-ice machine, production up to 200 kg in 24 hours.
- Stainless steel "scotch-brite" finish; rounded corners for enhanced aesthetics and ergonomics; top cover in PS plastic.
- Removable side panels on all four sides to aid routine maintenance and servicing.
- Sturdy evaporator in stainless steel AISI304, auger in AISI430.
- State of the art ice Breaker in special alloy.
- Reduced-maintenance, self-lubricating gear-reducer.
- Oversized hermetic compressor.
- Choice of air or water-cooled condenser.
- Electronic control board with self diagnostic and malfunction alarms.
- Produces Flake Ice, extruded at a temperature just below 0°C, with 25% residual water content, hence very rich in moisture.
- CFC free R-404A Refrigerant

### MF 36 Technologies



	+C° -C°	24h		21°: 15°C		 [WxDxH mm] 564x536x531	
		[kg]	[lbs]	[kg]	[lbs]		
MF 36 AS		200	441	185	408	[WxDxH inches] 223/16" x 211/8" x 207/8"	
MF 36 WS		200	441	190	418		
						 [v/Hz/ph] 230/50/1	 R 404 A



Residual water contents 25%


Ice in its most natural form, made at a temperature just below zero degrees Celsius, contains 25% residual water content, making it very moist. Its flake shape makes it extremely versatile and very simple to use effectively.

Certified ISO 9001

[www.scotsman-ice.it](http://www.scotsman-ice.it)  
[www.scotsman-ice.com](http://www.scotsman-ice.com)

Models and specifications are subject to change without notice.

## Modular Flake-Ice Machine up to 200 Kg



### MF 36 AIR COOLED

°C / °F	50° / 10°		60° / 15°		70° / 21°		90° / 32°	
	10°	200	193	186	172	kg		
50°	441	425,5	410	379	lbs			
21°	192	185	178	164	kg			
70°	423	408	392	362	lbs			
32°	169	162	155	141	kg			
90°	372,5	357	342	311	lbs			
38°	153	146	139	125	kg			
100	337	322	306	275,5	lbs			



### MF 36 WATER COOLED

°C / °F	50° / 10°		60° / 15°		70° / 21°		90° / 32°	
	10°	200	193	186	172	kg		
50°	441	425,5	410	379	lbs			
21°	197	190	183	169	kg			
70°	434	419	403	372,5	lbs			
32°	189	182	175	161	kg			
90°	417	401	386	355	lbs			
38°	183	176	169	155	kg			
100	403	388	372,5	342	lbs			



Minimum	Maximum
10°C (50°F)	40°C (104°F)
5°C (41°F)	35°C (95°F)
-10%	+10%
1 BAR 14 psi	5 BAR 70 psi

	Icon	Unit	Value	Unit	Value	Unit	Value	Unit	Value	Unit	Value	Unit	
MF 36 AS	Air Cooled	[Btu/h] [W]	6400 1875	[Ømm²]	3 x 1,5	[W]	760	FUSE	10 A	[kWh] - 100 Kg	11	[l/h] [gal/h]	6.5 1.7
MF 36 WS	Water Cooled	[Btu/h] [W]	6400 1875	[Ømm²]	3 x 1,5	[W]	760	FUSE	10 A	[kWh] - 100 Kg	9.7	[l/h] [gal/h]	102 27

**IMPORTANT NOTICE:**  
 Models and specifications are subject to change without notice.  
 This spec sheet is meant for commercial purpose only.  
 For technical documentation please refer to our service manuals.

[www.scotsman-ice.it](http://www.scotsman-ice.it)  
[www.scotsman-ice.com](http://www.scotsman-ice.com)