



## EB4FX - FilterFlow Counter-top Automatic Water Boiler - W 250 mm - 4.5 kW

Efficient both in its use of space and in its use of energy, the high-powered FilterFlow Automatic Water Boiler is perfect for busy staff rooms and anywhere where employees have to wait for the kettle to boil.

- ✓ Higher power model delivering an increased output per hour compared to the EB3FX
- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

### Specifications

#### Summary

Range Name	FilterFlow
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN Code	5056105105558

#### Power and Performance

Hot and Cold Water Output	No
Rapid Draw Off Litres	11.0
Total Power kW	4.5
Temperature Range °C	70 - 98
IP Rating	IP23
Rapid Draw Off Cups	55
Hourly Output Litres	45
Hourly Output Cups	225
Temperature Control	Electronic

#### Key Specifications

Capacity Litres	15.0
Outlet	Single-tap
Dispense Lock	No
WRAS Approved	Yes

#### Weights and Dimensions

Unit Height (External) mm	596
Unit Width (External) mm	250
Unit Depth (External) mm	525
Net Weight Kg	13.4

#### Supply Connections

Requires Installation	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	4,500
Single Phase Amps	20.0
Single Phase Voltage	230
Water Connection BSPT	3/4"
Water Connection Pressure Bar	6.0

#### Shipping

Packed Weight Kg	16
Packed Height cm	53
Packed Width cm	69.5
Packed Depth cm	36.6

### Available Accessories



BR55	EB3FX AND EB4FX WALL BRACKET
DP10	DESCALER POWDER

## Available Accessories

FC04

EBFX WATER FILTER - FROM 2015

## Technical Picture



#### Lincat Limited

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



#### Customer Care

**Tel:** +44 1522 875500

**Email:** [care@lincat.co.uk](mailto:care@lincat.co.uk)

#### Export Customers

**Tel:** +44 1522 503250

**Email:** [export@lincat.co.uk](mailto:export@lincat.co.uk)

#### Opening Hours

**Monday – Friday:**

8.30am – 5pm