



Safety Data Sheet

acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

1 Identification

- **Product identifier**
- **Trade name:** *Liquid Dezcal*
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** *Coffee/Esspresso machine/equipment cleaner*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

<i>Urnex Brands, Inc.</i>	<i>Urnex Brands, Inc.</i>
<i>700 Executive Blvd.</i>	<i>29 Harley Street, London, W1G 9QR</i>
<i>Elmsford, NY 10523 USA</i>	<i>United Kingdom</i>
<i>Phone: +1-914-963-2042</i>	<i>Tel: +44 (0)20 7927 6881</i>
<i>Fax: +1-914-963-2145</i>	
<i>Email: info@urnex.com</i>	
- **Information department:**

<i>Urnex Brands, Inc.</i>
<i>700 Executive Blvd.</i>
<i>Elmsford, NY 10523 USA</i>
<i>Phone: +1-914-963-2042</i>
<i>Fax: +1-914-963-2145</i>
<i>Email: info@urnex.com</i>
- **Emergency telephone number:**
Tel.: International: +1 (352) 323-3500

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**

<i>P102</i>	<i>Keep out of reach of children.</i>
<i>P264</i>	<i>Wash thoroughly after handling.</i>
<i>P305+P351+P338</i>	<i>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
<i>P362</i>	<i>Take off contaminated clothing.</i>
<i>P332+P313</i>	<i>If skin irritation occurs: Get medical advice/attention.</i>
<i>P337+P313</i>	<i>If eye irritation persists: Get medical advice/attention.</i>
<i>P302+P352</i>	<i>If on skin: Wash with plenty of water.</i>

(Contd. on page 2)



Safety Data Sheet

acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: *Liquid Dezcal*

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not determined
- **vPvB:** Not determined

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Dangerous components:**

5329-14-6	sulphamidic acid	< 20%
-----------	------------------	-------

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Take affected persons out of danger area and lay down.
Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Remove contact lenses, if present and easy to do. Continue rinsing.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

**Safety Data Sheet**
acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: Liquid Dezcal

(Contd. of page 2)

In case of fire, the following can be released:

Carbon monoxide

Carbon dioxide

· **Advice for firefighters**

· **Protective equipment:** *Wear self-contained respiratory protective device.*

· **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective clothing.

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** *Keep respiratory protective device available.*

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** *Store only in the original receptacle.*

· **Information about storage in one common storage facility:** *Store away from oxidizing agents.*

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store under lock and key and out of the reach of children.

· **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

Trade name: Liquid Dezcal

(Contd. of page 3)

- Avoid contact with the eyes and skin.
- The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

- Avoid direct contact with the chemical/ the product/ the preparation by organizational measures.
- To avoid skin problems reduce the wearing of gloves to the required minimum.
- Check protective gloves prior to each use for their proper condition.
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

> 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Fluorocarbon rubber (Viton)

· **As protection from splashes gloves made of the following materials are suitable:** Natural rubber, NR

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odour threshold:	Not determined.

· **pH-value (10 g/l) at 20 °C (68 °F):** 2 - 2.5

· **Change in condition**

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	Not determined.

· **Flash point:** Not determined.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

(Contd. on page 5)



Safety Data Sheet

acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: *Liquid Dezcal*

(Contd. of page 4)

· Oxidizing properties	No
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

5329-14-6 sulphamidic acid

Oral	LD50	3160 mg/kg (Rat)
------	------	------------------

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

USA

(Contd. on page 6)



Safety Data Sheet acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: *Liquid Dezcal*

(Contd. of page 5)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not determined
- **vPvB:** Not determined
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|--|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |

(Contd. on page 7)

**Safety Data Sheet**
acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: Liquid Dezcal

(Contd. of page 6)

· UN "Model Regulation": -

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Chemservice GmbH
Herrnsheimer Hauptstrasse 1b
D-67550 Worms
Tel.: +49 (0)6241-95480-0
Fax: +49 (0)6241-95480-25
Email: sds@chemservice-group.com

· Date of preparation / last revision 01/30/2015 / 5

· Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
UN: United Nations (also UNO: United Nations Organization)

(Contd. on page 8)

**Safety Data Sheet**
acc. to OSHA HCS

Printing date 01/30/2015

Version No: 6

Reviewed on 01/30/2015

Trade name: Liquid Dezcal

(Contd. of page 7)

*NOEC: No Observed Effect Concentration**OECD: Organisation for Economic Co-operation and Development**ASTM: American Society for Testing and Materials**WAF: Water Accommodated Fraction**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A**** Data compared to the previous version altered.**

USA