

MODEL: FDB6



Prepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Display Bar. Holding food at 3°C-7°C in ambient conditions up to 25°C, its low profile enables it to hold 100 mm gastronorm containers.

SEAL

PRODUCT OPTIONS AND ACCESSORIES

- BSG6 BACK SERVICE GLASS FOR FDB6
- DBWB FDB WALL BRACKET

PRODUCT FEATURES

- The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- Holds food at 3°C-7°C in ambient conditions up to 25°C
- The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- Fully welded stainless steel construction which gives the unit a stylish look but also means that it's hygienic and easy to clean
- Optional back service glass; self-service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids
- Its low profile enables it to hold 100 mm gastronorm containers







LINCAT SEAL COUNTER-TOP FOOD DISPLAY BAR - REFRIGERATED - W 1399 MM - 0.175 KW

MODEL: FDB6

WEIGHTS & DIMENSIONS	
Width	1399 mil
Depth	377 mil
Height	245 mil
Weight	25.5 kg

SHIPPING DETAILS	
Ship Width	150 cm
Ship Depth	56 cm
Ship Height	40 cm
Ship Weight	28.05 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS		
Water Line Required	No	
Drain Line Required	No	

PRODUCT CERTIFICATIONS



ENERGY SPECS		
Primary Energy Type	Electric	Electrical Plug Type
Electrical Total Amperage	0.8 A	Number of Electrical Plugs
Electrical Volts	230V	Electrical Connection Type
Electrical Total Wattage	175 W	Number of Electrical Conductor Wires
Electrical Kilowatts	0.175 kW	Dedicated Circuit Required
Electrical Phase	1-Phase	Electrical Remarks

ADDITIONAL SPECIFICATIONS	
Construction Materials	Stainless Steel
Control Type	Electronic
Gastronorm Capacity	6 x GN1/3

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025

UK 3-Pin Plug

Cord and Plug

No Single









MODEL: FDB6

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 24, 2025

