

Multideck Range

R Series
M Series

Professional Product Display
Standard and slimline product display cases



Flexible

with a choice of finishes available



Visible

display with tempered glass sides



Secure

with double lock security shutters



R65-SCS



R100-WCN



R125-SCS



R100-SCN

MAXIMISE EVERY INCH OF RETAIL SPACE, WITH OUR SLIMLINE DISPLAY FITTING INTO THE SMALLEST OF FOOTPRINTS.

MULTIDECK PRODUCT DISPLAY

Williams offer a range of multideck display cases in a slimline or standard depth, both ideal for front-of-house open display of drinks, snacks and other 'grab & go' products.

Customer access is easy and product display the key focus. To enhance the range, a variety of options are available, including snack selection baskets, lockable security night shutters and rear loading doors.

Features and Benefits

Available in a variety of finishes to suit surrounding decor

Forced air refrigeration provides even distribution of air to hold temperature

LED strip lighting fitted as standard - offering great energy savings and superb improved visibility of merchandise

Adjustable shelving with detachable EPOS ticket strips for maximum flexibility

Double wheel castors for easy positioning

Double lock security shutter for increased overnight protection

Digital controller with clear temperature display

Optional rear loading doors provide easy access for restocking

Chrome impulse snack basket for improved merchandising available


Tempered glass sides for all round visibility

OUR DISPLAY CABINETS AT A GLANCE

	Security Shutter Models	Nightblind Models
✓ Standard - Not available o Optional extra		
Choice of white or polished stainless steel	✓	✓
Operating temperature +3/+5°C in 25°C ambient (Climate Class 3)	✓	✓
Thermostatically controlled, forced air refrigeration for even temperature control	✓	✓
Adjustable shelves with detachable ticket strips	✓	✓
Top mounted full width fluorescent tubes with independent light switch	✓	✓
Double lock security shutter	✓	-
Retracting nightblind with soft opening feature	-	✓
Tempered glass side panels	-	✓
Internal evaporative tray to avoid drain connection	✓	✓
Supplied on double wheel castors	✓	✓
Rear loading doors	o	o
Chrome impulse snack basket	o	o
Glass Shelves	o	o
NEW - LED strip lighting	✓	✓
NEW - Full range of colours and finishes available	o	o
NEW - Removable EPOS tickets	✓	✓

TECHNICAL SPECIFICATION

Model	Dimensions (WxDxH)	Temp °C	Power Input		Shelves	Net Capacity ltrs (cu.ft)
			HP	Running Amps		
R-Series - Night Blind						
R65-SCN	665 x 615 x 1825	+3/+5	1/2	6.5	3	187 (6.6)
R100 -SCN	960 x 615 x 1825	+3/+5	3/4	4.5	3	279 (10)
R125-SCN	1250 x 615 x 1825	+3/+5	1	6	3	370 (13)
R150-SCN	1510 x 615 x 1825	+3/+5	1	6	3	451 (16)
R180-SCN	1856 x 615 x 1825	+3/+5	1 1/8	6.5	3	559 (19.5)
R-Series - Security Shutter						
R65-SCS	665 x 670 x 1860	+3/+5	1/2	6.5	3	187 (6.6)
R100-SCS	960 x 670 x 1860	+3/+5	3/4	4.5	3	279 (10)
R125-SCS	1250 x 670 x 1860	+3/+5	1	6	3	370 (13)
R150-SCS	1510 x 670 x 1860	+3/+5	1	6	3	451 (16)
R180-SCS	1856 x 670 x 1860	+3/+5	1 1/8	6.5	3	559 (19.7)
M-Series - Night Blind						
M100-SCN	960 x 770 x 2080	+3/+5	3/4	4.5	4	458 (16)
M125-SCN	1250 x 770 x 2080	+3/+5	1	5	4	607 (21.5)
M150-SCN	1510 x 770 x 2080	+3/+5	1	6	4	740 (26)
M180-SCN	1856 x 770 x 2080	+3/+5	1 1/8	6.5	4	917 (32.4)
M-Series - Security Shutter						
M100-SCS	960 x 825 x 2115	+3/+5	3/4	4.5	4	458 (16)
M125-SCS	1250 x 825 x 2115	+3/+5	1	5	4	607 (21.5)
M150-SCS	1510 x 825 x 2115	+3/+5	1	6	4	740 (26)
M180-SCS	1856 x 825 x 2115	+3/+5	1 1/8	6.5	4	917 (32.4)



www.williams-refrigeration.co.uk

Installation of all Williams' products requires adequate ventilation. Williams reserves the right to modify the design, materials and finish in accordance with its progressive development policy.

MK/Lit/BRO/MD/0512 v3

Bryggen Road
North Lynn Industrial Estate
Kings Lynn
Norfolk PE30 2HZ
T +44 (0) 1553 817 000
F +44 (0) 1553 817 111
E info@williams-refrigeration.co.uk