Lincat frifri



DF33 - Lincat Silverlink 600 Electric Counter-top Single Tank Fryer - 1 Basket - W 300 mm - 3.0 kW The Silverlink 600 Electric Counter Top Fryer delivers 12kg of chips per hour, and it's perfect for use in cafes, pubs and restaurants.

SILVERLINK 600

- Delivering 12kg of chips per hour, perfect for cafes, pubs and restaurants
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil
- Plug and play for an easy installation

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3.0
Range	Silverlink 600	Temperature Range °C	130-190
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
JK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100027		
Key Specifications		Capacity	
Capacity Litres	9.0	Product Output per Hour	8kg chips - 12mm [frozen], 12kg chips -
Number of Baskets	1		12mm[chil
Number of Tanks	1		
Gravity Filtration	No		
Pumped Filtration	No		
Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Jnit Width (External) mm	300	Requires Electrical Supply	Yes
Jnit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	13	Requires Hardwiring	No
		Electrical Supply Rating Watts	3,000
		Single Phase Amps	13.0
		Single Phase Voltage	

Page Number:1

17

495

70

40


lincat frifri


SILVERLINK 600


Available Accessories


BA96	BASKET SPUN DFSMALL		
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm		
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm		
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW		
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW		
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm		

Technical Picture













Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm