

## Atosa YCF9401GR Slimline Refrigerated Unit with Glass Door



The Atosa YCF9401GR Slimline Refrigerated Unit with Glass Door is constructed with a High Grade Stainless Steel Exterior & Interior and is equipped with a Heavy Duty Top Mounted Compressor Unit.

- Heavy Duty Top Mounted Compressor Unit
- 𝐼 High Grade Stainless Steel Construction Interior
- 𝞯 High Grade Stainless Steel Construction Exterior
- 𝒮 Recessed door handle
- Solution Easy to clean interior with rounded corner design
- 𝔄 LED Lighting
- ✓ Pre-installed castors

- $\bigcirc$  Slimline design reduced footprint
- ${\displaystyle \textcircled{\sc op}}$  Self-closing and stay open door
- ${igodot}$  Standard safety door lock
- Magnetic door gaskets
- 𝐼 Climate Class 4 product
- 𝒮 Pre-installed shelves

| S P E C I F I C A T I O N S |                 |                           |                       |  |
|-----------------------------|-----------------|---------------------------|-----------------------|--|
| Summary                     |                 | Power and Performan       | Power and Performance |  |
| Brand                       | Atosa           | Voltage (V/HZ/PH)         | 220/50/1              |  |
| Model                       | YCF9401GR       | Power (Watts)             | 290                   |  |
| Shelf Quantity              | 3               | Electrical Current (Amps) | 1.5                   |  |
| Material External           | Stainless Steel | kWh/annum                 | 1253                  |  |
| Material Internal           | Stainless Steel |                           |                       |  |
| Lighting                    | Yes             |                           |                       |  |
| Door lock                   | Yes             |                           |                       |  |

| Key Specifications        |                       | Weights and Dimensions         |                  |
|---------------------------|-----------------------|--------------------------------|------------------|
| Climate Class             | 4                     | Net Weight (kg)                | 90               |
| Energy Efficiency Class   | В                     | Gross Weight (kg)              | 100              |
| Defrost Method            | Air Defrost           | Shelf Loading Capacity (kg pc) | 40               |
| Refrigerant Type / Amount | R600a / 80 g          | Shelf Dimensions mm            | 485 x 525        |
| Cooling Method            | Ventilated            | Exterior Dimension (WxDxH) mm  | 600 x 745 x 1945 |
| Inner Temperature (°C)    | +2°C to +8°C          | Interior Dimension (WxDxH) mm  | 500 x 540 x 1380 |
| Insulation                | Polyurethane foam     | Packing Dimension (WxDxH) mm   | 640 x 774 x 2050 |
| Foaming Material          | C5H10                 |                                |                  |
| Castors                   | 4 (2 Braked on front) |                                |                  |
| Gross Capacity (Litre)    | 410                   |                                |                  |
| Net Capacity (Litre)      | 280                   |                                |                  |



