



VALUE IN
WEIGHING

A Range of
Catering Scales
for the Retail Industry





A wide range of kitchen scale that are accurate and reliable at an exceptional value.

Compact Kitchen Scales



EPB Series: Is a convenient, compact and portable scale. It offers unparalleled weighing performance, with the advantage of low cost and affordability.

- **Capacity:** 500 g x 0.01 g, 3000 g x 0.1 g
- **Construction:** ABS plastic with stainless steel weighing platter and plastic protector cover
- **Platform Dimension:** 4" x 4" / 100 mm x 100 mm
- **Power:** Two AAA batteries (included)



6030: This IP67 scale lessens the amount of food scrapped by accurately weighing the ingredients and portions served.

311: This simple, weight-only electronic NSF scale is perfect for precise measurements for recipes.



- **Capacity:** 11 lb x 0.1 oz, 5000 g x 1 g
- **Construction:** ABS plastic injection molded case and platter (150% overload protection)
- **Platform Dimension:** 5.875" / 149 mm diameter
- **Power:** Four AA batteries (included)
- **Certification:** NSF

- **Capacity:** 10 lb x 0.002 lb, 10 lb x 0.05 oz, 160 oz x 0.5 oz, 5000 g x 1 g
- **Construction:** Food grade stainless steel upper cover and removable stainless steel platter for easy cleaning
- **Platform Dimension:** 5.9" x 4.7" / 150 mm x 120 mm
- **Power:** 9V alkaline battery (included)
- **Certification:** NSF pending



Easy-to-use scale great for use in food operations to build consistent products and help control ingredient costs.

Portion Control Scales



Model 430: This scale helps lessen the food scrapped by accurately weighing applications for food prep and portion control applications.

- **Capacity:** 15 lb x 0.001 lb / 7 kg x 0.0005 kg
30 lb x 0.002 lb / 15 kg x 0.001 kg
- **Construction:** ABS plastic housing with food grade 304 stainless steel weight platter
- **Platform Dimension:** 10.3" x 8" / 263 mm x 204 mm
- **Power:** AC power adapter (included) and rechargeable battery (approx. 60 hrs.)



C3235: This waterproof NSF scale rapidly indicates weight and over, under, accept tolerances in washdown environment.

- **Capacity:** 6 lb x 0.02 oz / 3 kg x 0.5 g
12 lb x 0.05 oz / 6 kg x 1 g
30 lb x 0.1 oz / 15 kg x 2 g
- **Construction:** Washable and corrosion free ABS/stainless steel housing with food safe stainless steel weigh platter
- **Platform Dimension:** 9" x 7½" x 0.5"
229 mm x 190 mm x 13 mm
- **Power:** Internal main/AC adapter and rechargeable battery (approx. 20 hours)
- **Certification:** NSF


IP66

Model 405-LCD: This scale is ideal where portion control of ingredients is essential.



- **Capacity:** 12 lb x 0.05 oz / 6 kg x 1 g
30 lb x 0.1 oz / 15 kg x 2 g
- **Construction:** ABS plastic housing with food grade 304 stainless steel weight platter
- **Platform Dimension:** 8.5" x 9.5" / 215 mm x 245 mm
- **Power:** AC power adapter (included) or four AA batteries (not included) with up to 38 hrs of battery life
- **Certification:** NSF pending

C3236: Designed for speed and efficiency allowing you to quickly and easily view data before pressing tare between ingredients.



- **Capacity:** 6 lb x 0.01 oz / 3 kg x 0.2 g
15 lb x 0.02 oz / 7 kg x 0.5 g
30 lb x 0.05 oz / 15 kg x 1 g
- **Construction:** Food grade 304 stainless steel housing and top pan and IP68 (NEMA4X) water ingress protection
- **Platform Dimension:** 7.5" x 10" / 190 mm x 110 mm
- **Power:** Removable AC power adapter (included) and rechargeable battery (approx. 62 hrs.)


IP68



These scales can easily be linked to ECR, point of sale software in a few simple steps or can be used in back counter for rapid and precise portion control applications.

POS / Price Computing Scales



6700U Series (USB):

This NSF approved scale provides accurate weight measurements saving on ingredient costs and maintain product quality.

- **Capacity:** 5 lb / 2.5 kg, 15 lb / 7.5 kg, 30 lb / 15 kg, 60 lb / 30 kg, 150 lb / 68 kg
- **Construction:**
6702U/6710U: Aluminum plate understructure and stainless steel platter
6720U: Heavy duty cast aluminum X shape support and stainless steel platter
- **Platform Dimension:**
6702U: 6" x 10" / 152 mm x 254 mm
6710U: 10" x 10" / 254 mm x 254 mm
6720U: 12" x 14" / 305 mm x 355 mm
- **Power:** AC power adapter with center positive (included) or USB (VCP) cable (not included)
- **Certification:** NTEP, MC, NSF

PC3060: Fast and simple to operate with easy to enter unit prices and ten stored PLU's for recalling the most commonly used unit prices.



- **Capacity:** 30/60 lb x 0.01/0.02 lb
15/30 kg x 0.005/0.01 kg
- **Construction:** ABS housing with food grade 304 stainless steel weighing platter
- **Platform Dimension:** 8" x 10.3" / 204 mm x 263 mm
- **Power:** AC power adapter (included) and rechargeable battery (approx. 40 hrs.)
- **Certification:** NTEP

Rugged, light capacity bench scales for accurately weighing of any item up to 600 lb capacity.

Shipping/Receiving Scales



3900LP Series: Is an NTEP approved 5000 division bench base scale with a pole mounted indicator that can be used for a wide range of general purpose floor or bench base applications.

- **Capacity:** 100 lb x 0.02 lb / 45 kg x 0.01 kg
250 lb x 0.05 lb / 113 kg x 0.02 kg
600 lb x 0.2 lb / 272 kg x 0.1 kg
- **Construction:** Carbon steel fabricated frame with food grade 304 stainless steel top pan and NTEP approved, ABS housed indicator
- **Platform Dimension:** 10.3" x 8" / 263 mm x 204 mm
- **Power:** AC power adapter and rechargeable battery (approx. 107 hrs.)
- **Certification:** NTEP

LPS Series: These low profile, portable and affordable scales with high accuracy (non-legal for trade). The scale comes standard with RS-232 port and interfaces to most common shipping software, including UPS™ Worldship Online.



- **Capacity:** 30 lb x 0.01 lb / 15 kg x 0.005 kg
150 lb x 0.05 lb / 68 kg x 0.02 kg
400 lb x 0.2 lb / 182 kg x 0.1 kg
- **Construction:** Low profile stainless steel platform with mild steel understructure, and stainless steel/ABS indicator with wall bracket and desk mount (included)
- **Platform Dimension:**
15" x 12" x 1" / 380 mm x 305 mm x 27 mm
- **Power:**
LPS15/LPS150: Four AAA batteries or AC power adapter (both included)
LPS400: Four AAA batteries (included)



Shipping/Receiving Scales



B140: Is a robust, highly accurate, NSF counting scale ideal for use in any busy receiving/shipping areas or easy food portioning.

- **Capacity:** 12 lb x 0.0005 lb / 6 kg x 0.02 g
30 lb x 0.001 lb / 15 kg x 0.05 g
60 lb x 0.002 lb / 30 kg x 1 g
- **Construction:** Rugged ABS base with stainless steel weight platter
- **Platform Dimension:** 8.5" x 9.5" / 215 mm x 245 mm
- **Power:** AC adapter and rechargeable battery (approx. 20 hrs.)
- **Certification:** NSF



PS-USB: Is a strong, robust, and accurate range of NTEP scales particularly suited to a wide variety of weighing applications.

- **Capacity:** 30 lb x 0.01 lb / 15 kg x 0.005 kg
70 lb x 0.02 lb / 30 kg x 0.01 kg
150 lb x 0.05 lb / 60 kg x 0.02 kg
- **Construction:** Durable cast aluminum upper load cell supporter and cast aluminum base with removable stainless steel platter
- **Platform Dimension:** 14" x 12" / 355 mm x 305 mm
- **Power:** AC power adapter with center positive (included) or four AA batteries (not included) or USB (VCP) cable (included)
- **Certification:** NTEP, MC, NSF

Accessories:



CP103:

Represents the latest in compact printing technology. Despite compact, handheld size, this printer is packed with features. Time and date is standard with customize logo affixation, invert printing and RS-232.

- **Thermal printer**
- **Small footprint**
- **Power:** AC adapter or battery
- **RS-232 comm port**