



Lock in maximum flavour with the 3kW Lynx 400 Contact Grill. Designed to seal in the juices, the quick-heating grill produces mouthwatering results every time, whether you're making toasted sandwiches or grilling succulent meats. Perfect for cafes and pubs, the compact yet sturdy grill is high-powered and delivers greater capacity during busy periods. Featuring smooth plates on the top and bottom for an even colour, the grill is designed to plug in and play, so you'll be delivering delicious dishes in no time.

#### PRODUCT OPTIONS AND ACCESSORIES

- OS1 OMELETTE SPACER - FOR GG1
- SS1 SANDWICH SPACER - FOR GG1

#### PRODUCT FEATURES

- Heavy duty, higher powered griddle
- Smooth plates top and bottom for an even colour
- Higher capacity for increased output in busy periods
- Ideal for front of house use
- Great for sealing in juices and flavour for succulent results - and minimal shrinkage
- Cast aluminium plates give an even heat distribution
- Non stick coated plates for easy cleaning
- Plug and play for an easy installation

**WEIGHTS & DIMENSIONS**

Width	395 mil
Depth	356 mil
Height	276 mil
Weight	23.1 kg

**SHIPPING DETAILS**

Ship Width	48.5 cm
Ship Depth	48.5 cm
Ship Height	42 cm
Ship Weight	25.41 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	13	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	3000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	3 kW	Energy Saving	No

**ADDITIONAL SPECIFICATIONS**

Control Type	Rotary Control Knob
Lower Platen Surface Type (multi-select)	Iron, Smooth
Panini Top Type	Single Top
Timer Type	Mechanical/Traditional Timer
Upper Platen Surface Type (multi-select)	Iron, Smooth

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

#### TECHNICAL DRAWING

