# Fryer boil-out Saftety data sheet



### VITO tabs - Fryer boil-out Only 3 steps for a clean deep fryer

Intensive cleaner in tab form, individually packed as tabs. Effective cleaning of commercial deep fryers.



Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation: Cleaning agent / Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer / Supplier:

VITO AG Phone: +49 (0)7461 962890 Eltastraße 6 Fax: +49 (0)7461 9628919

D-78532 Tuttlingen

- · E-mail address of the competent person responsible for the Safety Data Sheet: sdb@csb-online.de
- · Informing department: Sales
- · 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Sodium hydroxide

Disodium carbonate, compound with hydrogen peroxide (2:3)

Alkyl(C10-C13)benzenesulfonic acid, sodium salt

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

#### Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 1)

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	Sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314	50 - 100%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	Sodium carbonate  © Eye Irrit. 2, H319	10-<25%
CAS: 29329-71-3 EINECS: 249-559-4	1-Hydroxyethanediphosphonic acid, sodium salt  • Acute Tox. 4, H302; Eye Irrit. 2, H319	2.5-<10%
CAS: 15630-89-4 EINECS: 239-707-6	Disodium carbonate, compound with hydrogen peroxide (2:3) Ox. Sol. 2, H272; Eye Dam. 1, H318; Acute Tox. 4, H302	2.5-<10%
CAS: 68411-30-3 EINECS: 270-115-0	Alkyl(C10-C13)benzenesulfonic acid, sodium salt ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315	≤ 2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

· Ingredients according to Regulation (EC) No 648/2004:

phosphonates, oxygen-based bleaching agents, anionic surfactants

<5%

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Personal protection for the person providing first aid.

Immediately remove any clothing contaminated by the product.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact:

Instantly rinse with water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do.

Use eye protection.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting - Danger of perforation!

Call a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents Water
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Oxides of phosphorus (PxOy)

Sulphur oxides (SOx)

Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>)

Sodium oxide (Na<sub>2</sub>O)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid causing dust.

Do not breathe dust.

Avoid contact with skin and eyes.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Send for recovery or disposal in suitable containers.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

Do not breathe dust.

When diluting, always stir the product into standing water.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- · Requirements to be met by storerooms and containers:

Store in the original container.

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store container in a well ventilated position.

Store in a locked cabinet and out of the reach of children.

(Contd. on page 4)

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 3)

Store in cool, dry conditions in well sealed containers.

Store and transport upright.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters

	l parameters	
· Componen	nts with critical values that require monitori	ng at the workplace:
1310-73-2	Sodium hydroxide (50-100%)	
WEL (Gree	at Britain) Short-term value: 2 mg/m³	
· DNELs	,	
1310-73-2	Sodium hydroxide	
Inhalative	DNEL long-term exposure - local effects	1 mg/m³ (general population)
		I mg/m³ (worker)
497-19-8 S	Sodium carbonate	
Inhalative	DNEL long-term exposure - local effects	10 mg/m³ (general population)
		10 mg/m³ (worker)
68411-30	3 Alkyl(C10-C13)benzenesulfonic acid, sod	um salt
Oral	DNEL long-term exposure - systemic effects	0.85 mg/kg bw/d (general population)
Dermal	DNEL long-term exposure - systemic effects	85 mg/kg bw/d (general population)
		170 mg/kg bw/d (worker)
Inhalative	DNEL long-term exposure - systemic effects	3 mg/m³ (general population)
		12 mg/m³ (worker)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands during breaks and at the end of the work.

Use skin protection cream for preventive skin protection.

Do not breathe dust.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

#### Breathing equipment:

Use breathing protection in case of dust formation.

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

#### Protection of hands:

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* 

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)
- · Body protection:

Protective work clothing

Body protection must be chosen depending on activity and possible exposure.

SECTION 9: Physical and chemic	cal properties
9.1 Information on basic physical and cl	hemical properties
General Information	
Appearance:	W. 1.1.
Form:	Tablets
Colour:	white
Smell: Odour threshold:	characteristic not determined
pH-value (100 g/l) at 20 °C:	13
<u> </u>	15
Change in condition	
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable
Inflammability (solid, gaseous)	Not determined.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	not classified as oxidising
Vapor pressure:	Not applicable.
Density:	not determined
Relative density	Not determined.
Vapour density (AIR = 1):	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	soluble
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
9.2 Other information	No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity see 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Heating occurs when water is added

(Contd. on page 6)

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 5)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Strong oxidizing agents

Strong acids

· 10.6 Hazardous decomposition products:

Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)

Sulphur oxides (SOx)

Carbon monoxide (CO) and Carbon dioxide (CO2)

Sodium oxide (Na₂O)

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
1310-73-2 Sodium hydroxide		
Oral	LD50	2000 mg/kg (rat)
497-19-8 S	Sodium ca	rbonate
Oral	LD50	4090 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/2h	2300 mg/m³ (rat, male)
29329-71	3 1-Hydro	xyethanediphosphonic acid, sodium salt
Oral	LD50	940 mg/kg (rat)
15630-89-	4 Disodiui	m carbonate, compound with hydrogen peroxide (2:3)
Oral	LD50	1034 mg/kg (rat)
68411-30-3 Alkyl(C10-C13)benzenesulfonic acid, sodium salt		
Oral	LD50	200 - 2000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin corr. 1A

Eye Dam. 1

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

According to present knowledge no CMR-effects known.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

GB

Revision: 06.09.2019 Printing date 06.09.2019 Version number 1

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 6)

#### SECTION 12: Ecological information

· 12.1 Toxicii	· 12.1 Toxicity		
· Aquatic tox	icity:		
1310-73-2 S	1310-73-2 Sodium hydroxide		
LC50/96 h	99 mg/l (bluegill (lepomis macrochirus))		
	45.4 mg/l (rainbow trout (oncorhynchus mykiss))		
LC50/48 h	133 - 189 mg/l (leuciscus idus)		
497-19-8 Sa	odium carbonate		
LC50/96 h	740 mg/l (gambusia affinis)		
	300 mg/l (bluegill (lepomis macrochirus))		
EC50/48 h	256 mg/l (water flea (daphnia magna))		
29329-71-3	29329-71-3 1-Hydroxyethanediphosphonic acid, sodium salt		
LC50/96 h	> 250 mg/l (salmo gairdneri)		
EC50/48 h	> 500 mg/l (water flea (daphnia magna))		
15630-89-4	Disodium carbonate, compound with hydrogen peroxide (2:3)		
LC50	70.7 mg/l (fathead minnow (pimephales promelas))		
EC50	4.9 mg/l (Daphnia pulex)		
NOEC	2.0 mg/l (Daphnia pulex) (NOEC/48 h)		
NOEC/96 h	7.4 mg/l (fathead minnow (pimephales promelas))		
68411-30-3	Alkyl(C10-C13)benzenesulfonic acid, sodium salt		
LC50/96 h	1 - 10 mg/l (carp (cyprinus carpio))		
EC50/48 h	1 - 10 mg/l (water flea (daphnia magna))		
EC50/72 h	10 - 100 mg/l (algae (Scenedesmus subspicatus))		
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 2 (Self-assessment): hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue:

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packagings:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 7)

14.1 UN-Number ADR, IMDG, IATA	UN1823
14.2 UN proper shipping name ADR IMDG, IATA	UN1823 SODIUM HYDROXIDE, SOLID MIXTURE SODIUM HYDROXIDE, SOLID MIXTURE
14.3 Transport hazard class(es)	
ADR	
Class	9 (C6) Connecing substances
Class Label	8 (C6) Corrosive substances. 8
IMDG, IATA	<del>-</del>
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	NO
14.6 Special precautions for user Kemler Number:	Warning: Corrosive substances. 80
Kemier Number: EMS Number:	60 F-A,S-B
Segregation groups	Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	1 kg
Excepted quantities (EQ)	Code: E2  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 500 g
Transport category: Tunnel restriction code:	2 E
IMDG	11.
Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 50 g  Maximum net quantity per outer packaging: 500 g
UN ''Model Regulation'':	UN 1823 SODIUM HYDROXIDE, SOLID MIXTURE,

Printing date 06.09.2019 Version number 1 Revision: 06.09.2019

Trade name: VITO tabs fryer boil-out / VITO tabs Fritteusenreiniger

(Contd. of page 8)

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- Information about limitation of use: Employment restrictions concerning young persons must be observed.
- Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water
- · Other regulations, limitations and prohibitive regulations

Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

The(se) H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the product.

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

#### Department issuing SDS:

C.S.B. GmbH Phone: +49 - 2151 - 652086-0 Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9

47809 Krefeld / Germany

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2