

# Product Code: XR1300H 33-186 xtra by Foster 1300 Litre Upright Refrigerated Cabinet



# Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty


Shelving		Doors		Refrigeration	
6 shelves (GN2/1)	Standard	Left and right hinged door	Standard	R290 - Energy Efficient	Standard
Electrical & Service	Data	Solid	Standard	Integral Refrigeration System	Standard
Connect Load	550	Specification	1	Finish	
230/50/1	Standard	Refrigerator +2/+8°C	Standard	s/s ext & alu int	Standard
220/60/1 Electrical Supply	Option	Width (mm)	1390		
Fuse Required (A)	10	Depth (mm)	850		
Energy		Height (mm)	1985		
kWh (24 hours)	4.4565	Gross Volume (Ltr)	1300		
AEC	1626.62				
Nett Volume	880.5420				
Energy Grade	Е				
Global Warming Potential	3				
Energy Efficiency Index	79.13				

# **Footnotes**

- Extra shelf and pair of trayslides available as an option
- Supplied with side integrated door handles in lieu of recessed black plastic handles.

# **Energy Performance Data and information**







### **Application**

This appliance is intended for use in ambient temperatures up to {1}°C

### Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.