

LINCAT OPUS PROPANE GAS FREE-STANDING OVEN RANGE [DROP-DOWN DOOR] - 6 BURNERS - W 900 MM - 50.5 KW

MODEL: OG8002/P/DD



The first thing that strikes you about this Opus 800 gas oven range is its power. It's built to withstand the rigours of even the busiest kitchen. Whether you're cooking in a restaurant, a large pub, or a school canteen, the large 4 x GN1/1 capacity oven is up to the task of delivering high volumes of top quality food, and even enables four different foods to be cooked simultaneously. The oven's mighty dual concentric burners are built for focused heat distribution from a fast boil to a low simmer, while there's a low flue to allow use of the complete hob top. Strong and sturdy, the oven also comes with individual heavy-duty single cast iron supports.

PRODUCT OPTIONS AND ACCESSORIES

- LK12 Legs
- OA8902 Splashback/shelf

PRODUCT FEATURES

- Powerful 7.5kW dual concentric burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Powerful 9.5kW oven
- Large 4 x GN1/1 capacity oven enabling four different foods to be cooked simultaneously
- Gas Oven Ranges







LINCAT OPUS PROPANE GAS FREE-STANDING OVEN RANGE [DROP-DOWN DOOR] - 6 BURNERS - W 900 MM - 50.5 KW

MODEL: OG8002/P/DD

WEIGHTS & DIMENSIONS					
Width	900 mm				
Depth	800 mm				
Height	920 mm				
Weight	153.8 kg				

SHIPPING DETAILS	
Ship Width	100 cm
Ship Depth	800 cm
Ship Height	107 cm
Ship Weight	169.18 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS				
Primary Energy Source Type Gas		Gas Inlet Size	0.75 in	
Kilowatts	50.5 kW Gas Inlet Pressure Required		37 mBar	
Electrical Connection Type	Not Applicable	Gas Total BTUs	167870 BTU	
Electrical Plug Type	Not Applicable	Gas Consumption at Max Use Per Hour	3.61 m ³	
Number of Electrical Plugs	Not Applicable	Total Heat Input at Max Use	50.5 kW, 167870 BTU	
Dedicated Circuit Required	No	Total fleat illput at Max Ose	per hour	
Gas Type	Propane	Energy Saving	No	

ADDITIONAL SPECIFICATIONS				
Control Type Mechanical		Open or Sealed Burners	Sealed	
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Power Rating	8.5 kW	
Exterior Finish Color	Stainless Steel	Oven Temperature Maximum	260 °C	
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Minimum	120 °C	
Gastronorm Capacity	4 x GN1/1	Safety Features		
High Altitude Kit Available	No	Shelf Depth	512 mm	
Number of Heating Zones	6	Shelf Width	710 mm	
Number of Hot Top Burners	6	Watts Per Element	7500	
Number of Shelf Positions	5	Cooking Equipment	Sealed Burner	
Number of Shelves	2	BTUs Per Burner	7.5 KW	

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





LINCAT OPUS PROPANE GAS FREE-STANDING OVEN RANGE [DROP-DOWN DOOR] - 6 BURNERS - W 900 MM - 50.5 KW

MODEL: OG8002/P/DD

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		6		Center	300 mm	300 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1		715 mm	800 mm	405 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


lincat




MODEL: OG8002/P/DD

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

