Blizzard

CATERING EQUIPMENT

The Smart Buyers Choice

BC01 CONVECTION OVEN

Dimensions: (HxWxD) 570x600x600mm *Cavity Size — H:* 355 *W:*460 *D:*375mm *Weiaht:* 37.6ka

- Stainless Steel Exterior
- Easy to clean enamelled Interior
- Removable Double Glazed Door
- Removable Racks for Easy Cleaning
- Internal Illumination
- Manual Thermostat
- Temp Range +50 to 300°C
- Timer 0 120 mins
- 4 Trays Supplied (440x315mm)
- 220-240v/50Hz/13amp Power Supply
- 2670 watts
- Ideal for Baking, Cooking, Reheating & Warming





BIH1 SINGLE INDUCTION HOB

Dimensions: (HxWxD) 120x340x430mm *Weight:* 7kg

- Stainless Steel Construction
- Glass Hob
- Timer: 0 180 mins with LCD display
- Temp Range +60 to 240°C
- 220-240v/50Hz/13amp Power Supply
- 3100 watts

BSG1 SALAMANDER GRILL

Dimensions: (HxWxD) 285x610x300mm *Grill Dimensions:* 258x450mm

Weight: 17Kg

- Stainless Steel construction
- Can be wall mounted
- Chrome Plated Grill Rack with Handles
- 4 Cooking Height Levels
- Integrated Crumb Tray
- Timer 0 15 mins
- Variable Heat Control
- 220-240v/50Hz/13amp Power Supply
- 2000 watts



BBM1 1/1GN WET BAIN MARIE WITH DRAIN TAP

Dimensions: (HxWxD) 235x350x580mm Weight: 10.5Kg

- Stainless Steel Construction
- Temp Range Variable
- Supplied with 3 x 1/3 100mm Gastronorm Containers c/w Lids
- Suitable for Containers up to 150mm Deep
- Built in drain tap for quick and easy cleaning
- Manual Thermostat
- 220-240v/50Hz/13amp Power Supply
- 1200 watts



BCT2 CONVEYOR TOASTER

Dimensions: (HxWxD) 425x365x420mm Weight: 16kg

- Stainless Steel Construction
- Adjustable Speed Control
- 3 Temp Settings: Warm/Top Element Only/Top and Bottom Element
- Front or Rear Chute Options
- Removable Crumb Tray
- 'V' Shaped Heat Deflectors
- Adjustable Legs: 105 140mm
- Maximum Approx 360 Slices per hour Output
- 25 Second Cycle Time
- 220-240v/50Hz/13amp Power Supply
- 2240 watts



BG1 SINGLE FLAT TOP GRIDDLE

Dimensions: (HxWxD) 235x550x490mm Weight: 23kg

- Stainless Steel Construction
- Temp Range +50 to 300°C
- Steel Plate top
- Manual Adjustable Thermostat
- 220-240v/50Hz/13amp **Power Supply**
- 3000 watts
- Removable **Drip Tray**



BG2 DOUBLE FLAT TOP GRIDDLE

Dimensions: (HxWxD) 235x730x500mm Weight: 32Kg

- Stainless Steel Construction
- Temp Range +50 to 300°C
- Steel Plate top
- 2 x Manual Adjustable Thermostats
- 220-240v/50Hz/13amp Power Supply
- 2x 2200 watts (Requires 2x13amp Supplies)
- Removable Drip Tray





CATERING EQUIPMENT The Smart Buyers Choice

BRSCG1 SINGLE CONTACT GRILL

Dimensions: (HxWxD) 200x290x370mm

Plate Dimensions: 230x238mm Weight: 16kg

Stainless Steel Construction

Manual Thermostat

Ribbed Upper and Flat bottom Grill Plates

Temp Range +50 to 300°C Supplied with Wire Cleaning Brush

Cast Iron Plates Counter Balanced

Top Plate

Removable Drip Tray

220-240v/50Hz/13amp **Power Supply**

1800 watts

BRRCG1 SINGLE CONTACT GRILL

Dimensions: (HxWxD) 200x290x370mm Plate Dimensions: 230x238mm

Weight: 16kg

- Stainless Steel Interior
- Ribbed Upper and Ribbed bottom Grill Plates

Manual Thermostat

Temp Range +50 to 300°C

Supplied with Wire Cleaning Brush

Cast Iron Plates

Counter Balanced **Top Plate**

Removable Drip Tray

220-240v/50Hz/13amp **Power Supply**

1800 watts



BRSCG2 DOUBLE CONTACT GRILL

Dimensions: (HxWxD) 200x580x370mm Plate Dimensions: 335x490mm

Weight: 28Kg

- Stainless Steel Construction
- Ribbed Upper and Flat Lower Grill Plate
- Manual Thermostat
- Temp Range +50 to 300°C
- Supplied with Wire Cleaning Brush
- Cast Iron Plates
- **Counter Balanced Top Plates**
- Removable Drip Tray
- 220-240v/50Hz/13amp Power Supply
- 1800 + 1800 watts



BRRCG2 DOUBLE CONTACT GRILL

Dimensions: (HxWxD) 200x580x370mm Plate Dimensions: 335x490mm

Weight: 28Kg

- Stainless Steel Construction
- Ribbed Upper and Ribbed Lower Grill Plate
- Manual Thermostat
- Temp Range +50 to 300°C
- Supplied with Wire Cleaning Brush
- Cast Iron Plates
- **Counter Balanced Top Plates**
- Removable Drip Tray
- 220-240v/50Hz/13amp Power Supply
- 1800 + 1800 watts





CATERING EQUIPMENT The Smart Buyers Choice

BF6 SINGLE TANK ELECTRIC FRYER

Dimensions: (HxWxD) 285x310x410mm Basket Dimensions: H: 240 W: 185 D: 100mm Weight: 5.5kg

- Stainless Steel Construction
- 2500 watts
- 6 litre Capacity Tank (Removable for easy cleaning)
- Temp Range +50 to 190°C
- Mesh Batter Plate
- Lid and Basket Supplied
- Safety Cut Out

Adjustable Manual Thermostat



Additional **Baskets** Available



BF6+6 TWIN TANK ELECTRIC FRYER

Dimensions: (HxWxD) 285x540x410mm Basket Dimensions: H: 240 W: 185 D: 100mm Weight: 12kg

- Stainless Steel Construction
- 2500+2500 watts
- 2 x 6 litre Capacity Tank (Removable for easy cleaning)
- Temp Range +50 to 190°C
- Mesh Batter Plate
- Lids and Baskets Supplied
- Safety Cut Out
- Adjustable Manual Thermostat
- 220-240v/50Hz/13amp Power Supply
- Additional Baskets Available



BF8 SINGLE TANK ELECTRIC FRYER WITH TAP

Dimensions: (HxWxD) 400x300x435mm Basket Dimensions: H: 400 W: 300 D: 435mm Weight: 10kg

- Stainless Steel Construction
- 3000 watts
- 8 litre Capacity Tank
- Temp Range +50 to 190°C
- Mesh Batter Plate
- Lid and Basket Supplied
- Drain Tap
- Safety Cut Out
- Adjustable Manual Thermostat
- 220-240v/50Hz/ 13amp Power Supply
- Additional **Baskets Available**



BF8+8 TWIN TANK ELECTRIC FRYER WITH TAP

Dimensions: (HxWxD) 400x580x435mm Basket Dimensions: H: 230 W: 190 D: 140mm Weiaht: 17.5Ka

- Stainless Steel Construction
- 3000 + 3000 watts
- 2 x 8 litre Capacity Tanks
- Temp Range +50 to 190°C
- Mesh Batter Plate
- Lids and Baskets Supplied
- **Drain Tap**

- Safety Cut Out
- Adjustable Manual **Thermostat**
- 220-240v/50Hz/ 13amp Power Supply
- Additional **Baskets Available**





CATERING EQUIPMENT The Smart Buyers Choice

www.pentlandwholesale.co.uk