

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Olympia Gel Chafing Fuel  
Product code : CE241

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Fuels

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Nisbets Limited Catering Equipment Supplies  
Fourth Way, Avonmouth  
UK- BS11 8TB Bristol  
United Kingdom  
T 01173165000  
[service@uropa-service.co.uk](mailto:service@uropa-service.co.uk) - [nisbets.co.uk](http://nisbets.co.uk)

### 1.4. Emergency telephone number

| Country/Area   | Organisation/Company                                                                | Address                            | Emergency number | Comment                           |
|----------------|-------------------------------------------------------------------------------------|------------------------------------|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service<br>(Belfast Centre)<br>Royal Victoria Hospital | Grosvenor Road<br>BT12 6BA Belfast | 0344 892 0111    | Only for healthcare professionals |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Flammable liquids, Category 2 H225  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

### 2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



Signal word (GB CLP)

: Danger

Hazard statements (GB CLP)

: H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.

Precautionary statements (GB CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P280 - Wear protective clothing, eye protection.

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

P337+P313 - If eye irritation persists: Get medical advice.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

#### Component

|                                                                                                  |                                                                             |
|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII  | ethanol; ethyl alcohol (64-17-5), 2-Propenoic acid, homopolymer (9003-01-4) |
| Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII | ethanol; ethyl alcohol (64-17-5), 2-Propenoic acid, homopolymer (9003-01-4) |

#### Component

|                                                                                                                                                                                                                                                                                                                   |                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP | ethanol; ethyl alcohol(64-17-5), 2-Propenoic acid, homopolymer(9003-01-4) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                | Product Identifier                                                  | %       | Classification according to GB CLP (SI 2019:720 as amended)                                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| ethanol; ethyl alcohol<br>stof met grenswaarde(n) voor blootstelling op de werkplek | CAS-No.: 64-17-5<br>EC-No.: 200-578-6<br>UK Index-No.: 603-002-00-5 | 50 – 70 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319                                                                                                        |
| 2-Propenoic acid, homopolymer                                                       | CAS-No.: 9003-01-4                                                  | 0,5 – 1 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |

#### Specific concentration limits:

| Name                   | Product Identifier                                                  | Specific concentration limits (%) |
|------------------------|---------------------------------------------------------------------|-----------------------------------|
| ethanol; ethyl alcohol | CAS-No.: 64-17-5<br>EC-No.: 200-578-6<br>UK Index-No.: 603-002-00-5 | (50 ≤ C ≤ 100) Eye Irrit. 2; H319 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |                                                                                                                                   |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                                                  |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing.                                                   |

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

|                                      |                                                                                                                                                                                  |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion   | : Rinse mouth out with water. Do not induce vomiting without medical advice. Call a POISON CENTER/doctor if you feel unwell.                                                     |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                    |                   |
|------------------------------------|-------------------|
| Symptoms/effects after eye contact | : Eye irritation. |
|------------------------------------|-------------------|

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                       |
|--------------------------------------------------|---------------------------------------|
| Fire hazard                                      | : Highly flammable liquid and vapour. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.        |

### 5.3. Advice for firefighters

|                                |                                                                                                                                                                       |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.                              |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. |
|----------------------|---------------------------------------------------------------------------------------------------------|

#### 6.1.2. For emergency responders

|                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                                               |
|-------------------------|---------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information       | : Dispose of materials or solid residues at an authorized site.                                               |

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof equipment. Ensure good ventilation of the work station. Flammable vapours may accumulate in the container. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.

Incompatible products

: Oxidizing agent. Pyrophoric or self-heating substances.

Heat and ignition sources

: Keep away from heat and direct sunlight.

Packaging materials

: Aluminium. Stainless steel.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

##### ethanol; ethyl alcohol (64-17-5)

##### United Kingdom - Occupational Exposure Limits

|                      |                                       |
|----------------------|---------------------------------------|
| Local name           | Ethanol                               |
| WEL TWA (OEL TWA)    | 1920 mg/m <sup>3</sup>                |
|                      | 1000 ppm                              |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

##### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Protective clothing. Safety glasses.

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses. DIN EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. EN 340

##### Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

| Hand protection |                      |                   |                |             |            |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Gloves          | Nitrile rubber (NBR) | 6 (> 480 minutes) | > 0,11         |             | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Provide sufficient air exchange and/or exhaust. Do not breathe gas/vapour/aerosol

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                        |
|-------------------------------------------------|------------------------|
| Physical state                                  | : Solid                |
| Appearance                                      | : Paste.               |
| Colour                                          | : Colourless.          |
| Odour                                           | : alcohol odour.       |
| Odour threshold                                 | : Not available        |
| pH                                              | : Not available        |
| pH solution                                     | : Not available        |
| Melting point                                   | : Not available        |
| Freezing point                                  | : Not available        |
| Boiling point                                   | : 85 °C                |
| Flash point                                     | : 18 °C                |
| Lower explosion limit                           | : 0,56 vol %           |
| Upper explosion limit                           | : 8 vol %              |
| Vapour pressure                                 | : Not available        |
| Vapour pressure at 50°C                         | : 0,6 hPa              |
| Relative vapour density at 20°C                 | : Not applicable       |
| Relative density                                | : Not available        |
| Density                                         | : 0,803 g/cm³          |
| Solubility                                      | : Water: 0 g/l (20 °C) |
| Partition coefficient n-octanol/water (Log Kow) | : Not available        |
| Auto-ignition temperature                       | : 425 °C               |
| Decomposition temperature                       | : Not available        |
| Viscosity, kinematic                            | : 3,97 mm²/s (25 °C)   |

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Explosive properties : Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### ethanol; ethyl alcohol (64-17-5)

|                       |             |
|-----------------------|-------------|
| LD50 oral rat         | 10470 mg/kg |
| LC50 Inhalation - Rat | 124,7 mg/l  |

#### 2-Propenoic acid, homopolymer (9003-01-4)

|                    |              |
|--------------------|--------------|
| LD50 dermal rabbit | > 2000 mg/kg |
|--------------------|--------------|

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

#### 2-Propenoic acid, homopolymer (9003-01-4)

|                      |                                   |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

### Olympia Gel Chafing Fuel

|                      |                                 |
|----------------------|---------------------------------|
| Viscosity, kinematic | 3,97 mm <sup>2</sup> /s (25 °C) |
|----------------------|---------------------------------|

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### Other information

#### Endocrine disrupting properties

No additional information available

#### Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

#### ethanol; ethyl alcohol (64-17-5)

|                      |                                                   |
|----------------------|---------------------------------------------------|
| LC50 - Fish [1]      | 14,2 g/l (EPA method E03-05; Pimephales promelas) |
| EC50 - Crustacea [1] | 5012 mg/l (ASTM E729-80; Ceriodaphnia dubia)      |
| NOEC chronic fish    | 250 mg/l (OECD 212; Danio rerio)                  |
| NOEC chronic algae   | 280 mg/l (EPA OTS 797.1160; Lemna gibba)          |

### 12.2. Persistence and degradability

#### Olympia Gel Chafing Fuel

|                               |                                               |
|-------------------------------|-----------------------------------------------|
| Persistence and degradability | Biodegradability in water: no data available. |
|-------------------------------|-----------------------------------------------|

#### ethanol; ethyl alcohol (64-17-5)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

#### 2-Propenoic acid, homopolymer (9003-01-4)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

### 12.3. Bioaccumulative potential

#### ethanol; ethyl alcohol (64-17-5)

|                                                 |                       |
|-------------------------------------------------|-----------------------|
| Partition coefficient n-octanol/water (Log Pow) | -0,35 (24 °C; pH 7,4) |
|-------------------------------------------------|-----------------------|

#### 2-Propenoic acid, homopolymer (9003-01-4)

|                                                 |                              |
|-------------------------------------------------|------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 0,27 (20 °C; pH 3,59 - 3,63) |
|-------------------------------------------------|------------------------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Component

|                                  |                                                                                                                                                                                                                                                   |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ethanol; ethyl alcohol (64-17-5) | This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII<br>This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| Component                                 |                                                                                                                                                                                                                                                   |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2-Propenoic acid, homopolymer (9003-01-4) | This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII<br>This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII |

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods

Additional information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Flammable vapours may accumulate in the container.
- : HP3 - "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq 75$  °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

| ADR                                                                                        | IMDG                                                                                  | IATA                                                                                  | RID                                                                                   |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>14.1. UN number</b>                                                                     |                                                                                       |                                                                                       |                                                                                       |
| UN 1325                                                                                    | UN 1325                                                                               | UN 1325                                                                               | UN 1325                                                                               |
| <b>14.2. UN proper shipping name</b>                                                       |                                                                                       |                                                                                       |                                                                                       |
| FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol)                       | FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol)                  | Flammable solid, organic, n.o.s. (CONTAINS : ethanol; ethyl alcohol)                  | FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol)                  |
| <b>Transport document description</b>                                                      |                                                                                       |                                                                                       |                                                                                       |
| UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol), 4.1, II, (E) | UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol), 4.1, II | UN 1325 Flammable solid, organic, n.o.s. (CONTAINS : ethanol; ethyl alcohol), 4.1, II | UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (CONTAINS : ethanol; ethyl alcohol), 4.1, II |
| <b>14.3. Transport hazard class(es)</b>                                                    |                                                                                       |                                                                                       |                                                                                       |
| 4.1                                                                                        | 4.1                                                                                   | 4.1                                                                                   | 4.1                                                                                   |
|         |    |   |  |

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| ADR                                     | IMDG                                                            | IATA                                    | RID                                     |
|-----------------------------------------|-----------------------------------------------------------------|-----------------------------------------|-----------------------------------------|
| <b>14.4. Packing group</b>              |                                                                 |                                         |                                         |
| II                                      | II                                                              | II                                      | II                                      |
| <b>14.5. Environmental hazards</b>      |                                                                 |                                         |                                         |
| Dangerous for the environment:<br>False | Dangerous for the environment:<br>False<br>Marine pollutant: No | Dangerous for the environment:<br>False | Dangerous for the environment:<br>False |
| No supplementary information available  |                                                                 |                                         |                                         |

### 14.6. Special precautions for user

#### Overland transport

|                                                           |               |
|-----------------------------------------------------------|---------------|
| Classification code (ADR)                                 | : F1          |
| Special provisions (ADR)                                  | : 274         |
| Limited quantities (ADR)                                  | : 1kg         |
| Excepted quantities (ADR)                                 | : E2          |
| Packing instructions (ADR)                                | : P002, IBC08 |
| Special packing provisions (ADR)                          | : B4          |
| Mixed packing provisions (ADR)                            | : MP10        |
| Portable tank and bulk container instructions (ADR)       | : T3          |
| Portable tank and bulk container special provisions (ADR) | : TP33        |
| Tank code (ADR)                                           | : SGAN        |
| Vehicle for tank carriage                                 | : AT          |
| Transport category (ADR)                                  | : 2           |
| Special provisions for carriage - Packages (ADR)          | : V11         |
| Hazard identification number (Kemler No.)                 | : 40          |
| Orange plates                                             | :             |



|                               |      |
|-------------------------------|------|
| Tunnel restriction code (ADR) | : E  |
| EAC code                      | : 1Z |

#### Transport by sea

|                                 |           |
|---------------------------------|-----------|
| Special provisions (IMDG)       | : 274     |
| Limited quantities (IMDG)       | : 1 kg    |
| Excepted quantities (IMDG)      | : E2      |
| Packing instructions (IMDG)     | : P002    |
| IBC packing instructions (IMDG) | : IBC08   |
| IBC special provisions (IMDG)   | : B21, B4 |
| Tank instructions (IMDG)        | : T3      |
| Tank special provisions (IMDG)  | : TP33    |
| EmS-No. (Fire)                  | : F-A     |
| EmS-No. (Spillage)              | : S-G     |
| Stowage category (IMDG)         | : B       |
| Segregation (IMDG)              | : SG72    |

#### Air transport

|                                              |            |
|----------------------------------------------|------------|
| PCA Excepted quantities (IATA)               | : E2       |
| PCA Limited quantities (IATA)                | : Y441     |
| PCA limited quantity max net quantity (IATA) | : 5kg      |
| PCA packing instructions (IATA)              | : 445      |
| PCA max net quantity (IATA)                  | : 15kg     |
| CAO packing instructions (IATA)              | : 448      |
| CAO max net quantity (IATA)                  | : 50kg     |
| Special provisions (IATA)                    | : A3, A803 |
| ERG code (IATA)                              | : 3L       |

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### Inland waterway transport

|                                   |        |
|-----------------------------------|--------|
| Classification code (ADN)         | : F1   |
| Special provisions (ADN)          | : 274  |
| Limited quantities (ADN)          | : 1 kg |
| Excepted quantities (ADN)         | : E2   |
| Equipment required (ADN)          | : PP   |
| Number of blue cones/lights (ADN) | : 1    |

### Rail transport

|                                                           |               |
|-----------------------------------------------------------|---------------|
| Classification code (RID)                                 | : F1          |
| Special provisions (RID)                                  | : 274         |
| Limited quantities (RID)                                  | : 1kg         |
| Excepted quantities (RID)                                 | : E2          |
| Packing instructions (RID)                                | : P002, IBC08 |
| Special packing provisions (RID)                          | : B4          |
| Mixed packing provisions (RID)                            | : MP10        |
| Portable tank and bulk container instructions (RID)       | : T3          |
| Portable tank and bulk container special provisions (RID) | : TP33        |
| Tank codes for RID tanks (RID)                            | : SGAN        |
| Transport category (RID)                                  | : 2           |
| Special provisions for carriage – Packages (RID)          | : W1          |
| Colis express (express parcels) (RID)                     | : CE10        |
| Hazard identification number (RID)                        | : 40          |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

##### UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

##### UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

##### UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

##### GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

##### POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

##### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

##### Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

##### Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 15.1.2. Other Information

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Abbreviations and acronyms:

|       |                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------|
| ADR   | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ADN   | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ATE   | Acute Toxicity Estimate                                                                           |
| CLP   | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| IATA  | International Air Transport Association                                                           |
| IMDG  | International Maritime Dangerous Goods                                                            |
| LD50  | Median lethal dose                                                                                |
| PBT   | Persistent Bioaccumulative Toxic                                                                  |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID   | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| SDS   | Safety Data Sheet                                                                                 |
| vPvB  | Very Persistent and Very Bioaccumulative                                                          |

Data sources

: ECHA (European Chemicals Agency). GB MCL.

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Full text of H- and EUH-statements:

|                     |                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                                          |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1                            |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2                          |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1                                              |
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2                                              |
| Flam. Liq. 2        | Flammable liquids, Category 2                                                              |
| STOT SE 3           | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |
| H225                | Highly flammable liquid and vapour.                                                        |
| H302                | Harmful if swallowed.                                                                      |
| H318                | Causes serious eye damage.                                                                 |
| H319                | Causes serious eye irritation.                                                             |

# Olympia Gel Chafing Fuel

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

| Full text of H- and EUH-statements: |                                                  |
|-------------------------------------|--------------------------------------------------|
| H335                                | May cause respiratory irritation.                |
| H400                                | Very toxic to aquatic life.                      |
| H411                                | Toxic to aquatic life with long lasting effects. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |      |                    |
|---------------------------------------------------------------------------------------------------------------------------|------|--------------------|
| Flam. Liq. 2                                                                                                              | H225 | Expert judgement   |
| Eye Irrit. 2                                                                                                              | H319 | Calculation method |

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)858881927 | info@chemprosbv.nl