

NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.



Order no. 1.428-509.0

Technical data

EAN code		4039784724235
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Air flow	l/s	72
Vacuum	mbar / kPa	249 / 24.9
Container capacity	l	27
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	71
Colour		anthracite
Weight without accessories	kg	7.1
Weight incl. packaging	kg	11.1
Dimensions (L × W × H)	mm	420 × 420 × 525

Equipment

Suction hose length	m	2.5
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Steel, chrome-plated
Quantity of filter bags	Piece(s)	1
Filter bag material		Paper
Wet/dry floor nozzle width	mm	300
Crevice nozzle		■
Cartridge filter		PES
Sturdy bumper		■
Protection class		II
Stop swivel castor		■

■ Included in delivery.



Moisture-resistant PES cartridge filter

- Suction power remains at a consistently high level.
- The float system interrupts the suction flow after reaching the maximum capacity.



Robust metal latches

- The extremely robust metal latches lock more reliably.



Robust bumper

- A bumper protects the vacuum as well as walls, machines and other items against damage.

EQUIPMENT FOR NT 27/1

1.428-509.0



		Order no.	Description	
CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Cartridge filter PES				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
BENDS				
Plastic bend				
Elbow packaged NW35 1K	2	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	■
Elbow complete packaged NW35 2K	3	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NT Entry Class NW35	4	2.899-691.0		■
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	5	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
All-purpose brushes				
All-purpose brush	6	6.900-425.0	All-purpose brush PPN_Bristle	□
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	7	2.889-356.0		□
Suction brushes				
Suction brush DN35	8	6.903-862.0	Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	□
SUCTION TUBES				
Suction tubes metal				
Set suction tube chromed NW35 550mm	9	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	■
Suction tubes stainless steel				
Set suction tube stainless steel NW35 55	10	2.889-192.0	Stainless steel suction tube set (2 × 0.55 m)	□
Suction tubes plastic				
Set suction tube DN35 505mm	11	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose	12	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	■
Electrically conductive suction hose	13	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Extension hose packaged NW35 2.5m	14	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 27/1 1.428-509.0



		Order no.	Description	
VACUUMS				
Nozzles				
Flexible Crevice Nozzle	15	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	☐
FILTER BAGS				
Paper filter bags				
Paper filter bags, 5 Piece(s), NT 27/1	16	6.904-290.0	5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for NT 27/1/Me Advanced.	☐
FILTER T/ NT				
Coarse filter for wet pickup				
Filter	17	5.731-595.0		☐
Special filter bags, wet filter bags				
Special filter bag, wet filter bag	18	6.904-171.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	☐
Membrane filter / fabric filter				
Membrane filter, NT 27/1, NT 48/1	19	6.906-103.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	☐
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	20	5.407-005.0		☐
OTHER ACCESSORIES FOR T AND NT				
Adapter connection old elektr. leitend	21	5.031-436.0		☐

■ Included in delivery. □ Available accessories.