



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- LK06 OPUS 800 LEG KIT
- OA8901 SPLASHBACK/SHELF - OG8001

PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Right hand opening door
- Powerful 6.8kW oven

The first thing that strikes you about this Opus 800 gas oven is its power. It's built to withstand the rigours of even the busiest kitchen. Whether you're cooking in a restaurant, a large pub, or a school canteen, the large 2 x GN1/1 capacity oven is up to the task of delivering high volumes of top quality food. The oven's mighty dual concentric burners are built for focused heat distribution from a fast boil to a low simmer, while there's a low flue to allow use of the complete hob top. Strong and sturdy, the oven is accessed via a right hand door, and also comes with individual heavy-duty single cast iron supports.



LINCAT OPUS NATURAL GAS FREE-STANDING OVEN RANGE [R/ HAND DOOR] - 4 BURNERS - W 600 MM - 36.8 KW

MODEL: OG8001/N/RHD

WEIGHTS & DIMENSIONS

Width	600 mm
Depth	800 mm
Height	920 mm
Weight	117 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	800 cm
Ship Height	105 cm
Ship Weight	128.7 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Gas	Gas Type	Natural Gas
Electrical Kilowatts	36.8 kW	Gas Total BTUs	125561 BTU
Electrical Plug Type	Not Applicable	Gas Inlet Size	0.75 in
Number of Electrical Plugs	Not Applicable	Gas Inlet Pressure Required	20 mBar
Electrical Connection Type	Not Applicable	Gas Consumption at Max Use Per Hour	3.51 m ³
Dedicated Circuit Required	No	Total Heat Input at Max Use	36.8 kW, 125561 BTU per hour

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Open or Sealed Burners	Sealed
Control Type	Mechanical	Oven Power Rating	6.8 kW
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Temperature Minimum	120 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Maximum	260 °C
Gastronorm Capacity	2 x GN1/1	Shelf Depth	530 mm
High Altitude Kit Available	No	Shelf Width	480 mm
Number of Heating Zones	4	Ventless Cooking Technology	No
Number of Hot Top Burners	4	Cooking Equipment	Sealed Burner
Number of Shelf Positions	5	BTUs Per Burner	7.5 KW
Number of Shelves	2		

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 09, 2025



LINCAT OPUS NATURAL GAS FREE-STANDING OVEN RANGE [R/
HAND DOOR] - 4 BURNERS - W 600 MM - 36.8 KW

MODEL: OG8001/N/RHD

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		4	Center	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1	495 mm	530 mm	405 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.



TECHNICAL DRAWING

