



PRODUCT OPTIONS AND ACCESSORIES

- OA8902 SPLASHBACK/SHELF

PRODUCT FEATURES

- Powerful 6kW burners - the pan will heat up quicker, speeding up processes such as boiling and sautéing, achieving a caramelised colour faster
- Fully pressed hob - Simpler and quicker to clean
- Twin heavy-duty cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue, hob top accommodates larger pans
- Flame failure protection
- Powerful 9.5kW oven - the oven will heat up faster and recover more quickly when loaded. Large 4 x GN1/1 capacity enabling four different foods to be cooked simultaneously
- 2 shelves and 5 shelf positions maximise oven space
- Castors supplied as standard, not as a chargeable extra

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	800 mil
Height	900 mil
Weight	125 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	85 cm
Ship Height	105 cm
Ship Weight	137.5 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Gas	Gas Type	Propane
Kilowatts	15.5 kW	Gas Inlet Size	0.75 in
Electrical Connection Type	Not Applicable	Gas Inlet Pressure Required	37 mBar
Electrical Plug Type	Not Applicable	Gas Total BTUs	155246 BTU
Number of Electrical Plugs	Not Applicable	Gas Consumption at Max Use Per Hour	3.44 m ³
Dedicated Circuit Required	No	Total Heat Input at Max Use	45.5 kW, 155246 BTU per hour

ADDITIONAL SPECIFICATIONS

Control Type	Mechanical	Open or Sealed Burners	Sealed
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Power Rating	9.5 kW
Exterior Finish Color	Stainless Steel	Oven Temperature Maximum	260 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Minimum	120 °C
Gastronorm Capacity	4 x GN1/1	Restaurant or Heavy Duty	Yes
High Altitude Kit Available	No	Shelf Depth	512 mm
Number of Heating Zones	6	Shelf Width	710 mm
Number of Hot Top Burners	6	Watts Per Element	6000
Number of Shelf Positions	5	Cooking Equipment	Sealed Burner
Number of Shelves	2	BTUs Per Burner	6 KW



LINCAT PHOENIX PROPANE GAS FREE-STANDING OVEN RANGE -
6-ZONE - W 900 MM - 45.5 KW

MODEL: PHGR01/P

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		6	Center	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1	715 mm	530 mm	400 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.



TECHNICAL DRAWING

