

SILVERLINK 600



GS6/T/E - Silverlink 600 Electric Counter-top Griddle - Steel Plate -Twin Zone - Extra Power -W 600 mm - 5.6 kW Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- Extra powered element for maximum output for a busy kitchen
- Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- Hard wearing 12 mm think machined steel plate providing even heat distribution and excellent heat retention
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications				
Summary		Power and Performance		
Range Name	Silverlink 600	Total Power kW	5.6	
Power Type	Electric	Temperature Range °C	50-250	
Unit Type	Counter-top	IP Rating	IP33	
Available in UK Only	No	Cooking Area (Width x Depth) mm	562 x 405	
UK Warranty	2 Years Parts and Labour Warranty	Temperature Control	Mechanical	
Export Warranty	Contact your local dealer			
GTIN Code	5056105104834			
Key Specifications		Weights and Dimensions		
Number of Heat Zones	2	Unit Height (External) mm	330	
Grill Plate Surface Type	Smooth	Unit Width (External) mm	600	
Grill Plate Material	Steel	Unit Depth (External) mm	620	
		Net Weight Kg	39.7	
Supply Connections		Shipping		
Requires Installation	Yes	Packed Weight Kg	55	
Requires Electrical Supply	Yes	Packed Height cm	63.5	
UK 3 Pin Plug	No	Packed Width cm	70	
Requires Hardwiring	Yes	Packed Depth cm	70	
Electrical Supply Rating Watts	5,600			
Single Phase Amps	24.3			
Single Phase Voltage	230			
Three Phase Amps	L1=12.2; L2=12.2; L3=N/A			
Three Phase Voltage	400			

Available Access	sories
CC6	Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW




SILVERLINK 600


Available Accessories


SB6 600 GRIDDLE SPLASHB

SLS6 Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: GS6/T/E Page Number: 3 Print Date: 02/08/2019