



SEAL

PRODUCT OPTIONS AND ACCESSORIES

- BSG4 BACK SERVE GL. FDB4
- DBWB FDB WALL BRACKET
- SGP1004A GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH ACRYLIC LIDS
- SGP1004 GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH STAINLESS STEEL LIDS
- DBL4 S/S LID FOR FDB4

PRODUCT FEATURES

- The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- Holds food at 3°C-7°C in ambient conditions up to 25°C
- The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- Fully welded stainless steel construction, which gives the unit a stylish look but also means that it's hygienic and easy to clean
- Optional back service glass; self-service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids
- Its low profile enables it to hold 100 mm gastronorm containers

Prepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Display Bar. Holding food at 3°C-7°C in ambient conditions up to 25°C, its low profile enables it to hold 100 mm gastronorm containers.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SEAL COUNTER-TOP FOOD DISPLAY BAR - REFRIGERATED - W 1045 MM - 0.175 KW

MODEL: FDB4

WEIGHTS & DIMENSIONS

Width	1056 mil
Depth	377 mil
Height	245 mil
Weight	22 kg

SHIPPING DETAILS

Ship Width	120 cm
Ship Depth	56 cm
Ship Height	40 cm
Ship Weight	24.2 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	0.8 A
Electrical Volts	230V
Electrical Total Wattage	175 W
Electrical Kilowatts	0.175 kW
Electrical Phase	1-Phase

Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel
Control Type	Electronic
Gastronorm Capacity	4 x GN1/3

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

