

## Product Code: HR150D

# Refrigerated Undercounter Cabinet with Drawers



### Features & Benefits

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- · Roller castors to rear for ease of movement
- High quality magnetic door gasket
- Operate to ISO Climate class 4 up to 32°C ambient
- Three easy to use drawers give simple access to inventory

Base Fittings		Doors		Refrigeration	
Castors - Rear Fixed	Standard	Solid	Standard	Care30	Standard
Levelling Bolts	Standard	Specification		R134a - Industry Standard	Option
Electrical & Service Data		Refrigerator +3/+5°C	Standard	Integral Refrigeration System	Standard
230/50/1	Standard	Width	605	Finish	
Fuse Required (A)	13	Depth	640	s/s ext & alu int	Standard
Refrigerant Charge (kg)	0.065	Height	830		
Energy		Gross Volume (Ltr) Noise dBA @ 1m	150 68.8		
kWh (24 hours)	0.82				
AEC	320.29				
Nett Volume	45.7				
Energy Grade	Α				
Global Warming Potential	3				
Energy Efficiency Index	16.80				

### Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for airflow, ensure that 25mm clearance is allowed above the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet

## Energy Performance Data and information



Foster Refrigerator- a division of ITW Ltd Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU Tel: 0843 216 8800 Fax: 0843 216 4700 Registered in England No. 00559693 VAT No. GB 792 4414 16



#### **Application**

This appliance is intended for use in ambient temperatures up to 40°C **Safety** 

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

#### Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies











