

LINCAT LYNX ELECTRIC COUNTER-TOP HEAVY DUTY RIBBED GRILL - RIBBED UPPER & SMOOTH LOWER PLATES - W 395 MM - 3.0 KW

MODEL: GG1R



Lock in maximum flavour with the 3kW Lynx 400 Panini Grill. Designed to seal in the juices, the quick-heating grill produces mouthwatering results every time, whether you're making toasted sandwiches or grilling succulent meats. Perfect for cafes and pubs, the compact yet sturdy grill is high-powered and delivers greater capacity during busy periods. Featuring ribbed plates for attractive branding marks, the grill is designed to plug in and play, so you'll be delivering delicious dishes in no time.

PRODUCT OPTIONS AND ACCESSORIES

- OS1 OMELETTE SPACER FOR GG1
- SS1 SANDWICH SPACER FOR GG1

PRODUCT FEATURES

- · Heavy duty, higher powered griddle
- Ribbed upper and smooth lower plate for attractive branding marks
- Higher capacity for increased output in busy periods
- · Ideal for front of house use
- Great for sealing in juices and flavour for succulent results and minimal shrinkage
- · Cast aluminium plates give an even heat distribution
- · Non stick coated plates for easy cleaning
- · Plug and play for an easy installation







LINCAT LYNX ELECTRIC COUNTER-TOP HEAVY DUTY RIBBED GRILL - RIBBED UPPER & SMOOTH LOWER PLATES - W 395 MM - 3.0 KW

MODEL: GG1R

WEIGHTS & DIMENSIONS	
Width	395 mil
Depth	356 mil
Height	276 mil
Weight	23.1 kg

48.5 cm
48.5 cm
42 cm
25.41 kg
1
LN6 3QZ, UNITED KINGDOM
No
No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	13
Electrical Voltage	230 volts
Electrical Watts	3000
Electrical Phase	Single
Kilowatts	3 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Dedicated Circuit Required	No
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Control Type	Rotary Control Knob
Lower Platen Surface Type (multi- select)	Grooved, Iron
Panini Top Type	Single Top
Timer Type	Mechanical/Traditional Timer
Upper Platen Surface Type (multi- select)	Grooved, Iron

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024










MODEL: GG1R

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

