




The Refrigeration Experts

## Product specification

---



### F202: 220kg Air Cooled Ice Cuber

28-128

Modular air cooled ice cuber – head only

#### **About the product**

Foster Ice Machines produce high quality ice, free from impurities.

Available to finance with our award-winning [interest-free credit](#) and [leasing](#)

Learn more about our [Drinks Service range](#)

## Why choose this product

- Innovatively designed with new user-friendly electro-mechanical controls to ensure reliability
- Ice machine head only
- Hygienic food safe production of ice ensure ice can be enjoyed by consumer
- Provides 220kg per 24hrs of quality, clear ice.

## Specification

Technical		Dimensions	
<b>Refrigerant</b>	R290	<b>Height (mm)</b>	575
<b>Electrical supply</b>	220-240/50/1	<b>Width (mm)</b>	760
<b>Fuse rating (A)</b>	16	<b>Depth (mm)</b>	620
<b>Current (A)</b>	5.2	<b>Gross weight (kg)</b>	85
<b>Power (W)</b>	1100	<b>Net weight (kg)</b>	70
<b>Refrigerant mass (g)</b>	149		

Build		Energy	
<b>Finish ext/int</b>	S/S	<b>Climate Class</b>	5
<b>Section configuration</b>		<b>AEC (kWh)</b>	8210.31
<b>System</b>	Machine Unit	<b>GWP</b>	3
		<b>Energy consumption (kWh/24hr)</b>	22.494

#### Footnotes

- A minimum clearance of 15cm (6") must be left at the sides of the machine for routing cooling air drawn into and exhausted out of the compartment to maintain a proper condensing operation
- Maximum ambient air temperature 40°C; maximum input water temperature 35°C
- 150mm gap required either side for airflow Water: 3/4" BSP
- Please remember to include appropriate collar size at the time of your ice machine purchase.
- Dimension specification refers to overall size of ice maker product including head, collar and bin.
- Drain: 20mm
- Ice cubed: 24 x 22 x 22mm
- SB205 Bin designed to accommodate F132, F202 and F302 Ice Machine Head
- Image gallery includes all configurable head and bin options

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.



The Refrigeration Experts

## Product specification

---



### SB205: 181kg Ice Machine Bin

28-109

Modular air cooled ice cuber - bin only

#### About the product

Foster Ice Machines produce high quality ice, free from impurities.

Available to finance with our award-winning [interest-free credit](#) and [leasing](#).

Learn more about our [Drinks Service range](#)

## Why choose this product

- Stainless steel, food safe hygienic finish bin for clean and safe storage of ice
- Effectively stores ultra cold square cubes to ensure that they last longer in the glass
- High storage capacity in dedicated storage bins
- KM205/255 collar must be purchased with F132 bin option

## Specification

## Dimensions

<b>Height (mm)</b>	1048
<b>Width (mm)</b>	768
<b>Depth (mm)</b>	848
<b>Net volume (ltr)</b>	368
<b>Bin Capacity (kg)</b>	181
<b>Leg type</b>	Legs
<b>Gross weight (kg)</b>	56
<b>Net weight (kg)</b>	43

## Build

<b>Finish ext/int</b>	S/S
<b>Section configuration</b>	
<b>System</b>	Integral

## Footnotes

- A minimum clearance of 15cm (6") must be left at the sides of the machine for routing cooling air drawn into and exhausted out of the compartment to maintain a proper condensing operation
- Maximum ambient air temperature 40°C; maximum input water temperature 35°C
- 150mm gap required either side for airflow Water: 3/4" BSP
- Please remember to include appropriate collar size at the time of your ice machine purchase.
- Dimension specification refers to overall size of ice maker product including head, collar and bin.
- Drain: 20mm
- Ice cubed: 24 x 22 x 22mm
- SB205 Bin designed to accommodate F132, F202 and F302 Ice Machine Head
- Images gallery includes all configurable head and bin options

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.