



Design Excellence : Cool Technology

Gem Multidecks

M Series
R Series

Grab & Go Refrigerated Display Merchandiser

A man and a woman are smiling and looking at a display case filled with pastries. The man is wearing a plaid shirt and the woman is wearing a light-colored sweater. The background is a bright, modern interior with recessed ceiling lights.

Gem from Williams: the comprehensive range of front of house refrigerated display merchandisers

Perfectly suited to the fast-growing 'grab & go' sector, with standard and slimline multidecks, sandwich chillers and pastry chillers

Williams Refrigeration is a leading manufacturer of commercial refrigeration with a global reputation for delivering excellence.

Our extensive product range includes high performance, energy efficient and environment friendly refrigerated cabinets and counters, blast chillers, coldrooms, backbar and specialist bakery equipment.

Our customer commitment helps you meet the demands of food safety and energy efficiency legislation. Our competitive pricing, professional advice, innovative design and focus on service and support attracts customers from all sectors of the market – including many of the world's leading hospitality and retail organisations.

Williams 'right first time' philosophy means that its products provide years of trouble-free operation and are easy to service and maintain.

Through the Greenlogic initiative, Williams is committed to supplying the most energy efficient and sustainable commercial refrigeration in today's market. For more information visit www.greenlogic.info

GEM MULTIDECKS

Williams' Gem Multidecks are one of the most popular refrigerated merchandisers for coffee shops, supermarkets, hotels, schools, universities, delicatessens, restaurants and hospitals.

With the increase in 'grab & go' service, our Gem Multidecks have never been in such demand!

Their designer style improves your front of house, while their clever layout maximises every millimetre of retail space.

Williams offers the Multideck range in a choice of slimline or standard versions, to suit the available room.

Both formats are perfect for front of house display, enhancing presentation and giving customers open, easy access to drinks, pre-packed snacks and dairy products.



Features at a glance

	Security Shutter Models	Night Blind Models	Sliding Front Door Models
✓ Standard - Not available ○ Optional extra			
Operating temperature +3/+5°C in 25°C ambient (Climate Class 3)	✓	✓	✓
Solid rear loading doors	-	○	○
Glass rear loading doors	-	○	○
Panoramic glass	○	○	○
Double wheel castors	✓	✓	✓
Chrome impulse snack basket	○	○	○
Remote refrigeration system	○	○	○
Adjustable shelves	✓	✓	✓
Additional shelves	○	○	○
Meat Temperature	○	○	○
Removable EPOS tickets	✓	✓	✓
Glass shelves	○	○	○
Ceiling mounted LED lighting	✓	✓	✓
Undershelf LED lighting	○	○	○
Full range of colours	○	○	○
Food tray slide	○	○	○



Removable EPOS ticket strips



Tray slide



Chrome snack basket



LED Lights

FEATURES AND BENEFITS

- Rear loading doors provide easy access for quick restocking of merchandise
- Panoramic glass sides / glass shelves for maximum all round visibility - perfect for grab & go
- Adjustable shelving for maximum flexibility
- Advanced airflow technology guarantees consistent temperature control, between +3°C / +5°C. Products are kept fresh and safe, while your business conforms to HACCP legislation with minimal effort.
- Digital controller with clear temperature display
- Double wheel castors for easy positioning and levelling feet for guaranteed stability
- Double lock security shutter for increased overnight protection
- Chrome impulse snack basket to maximise and improve merchandising potential
- A full range of colours to suit your décor or to truly stand out from the crowd
- Sliding front doors - smooth operating, easy access and guaranteed uniform temperatures, keeping products fresh and in clear view, while significantly reducing your energy consumption.
- LED strip lighting fitted as standard – offering great energy savings and superb visibility of merchandise
- Removable EPOS ticket strips for improved merchandising
- Remote refrigeration for noise sensitive areas and easy access for servicing



SLIDING FRONT DOORS OFFER UP TO 50% ENERGY SAVINGS AND GUARANTEE UNIFORM TEMPERATURES

Product On Demand

ENERGY SAVING: SETTING NEW STANDARDS

To help reduce energy consumption we've introduced LED lighting as standard across the entire Multidecks range. As well as cutting power consumption, they make the display look even more attractive. And if you want the ultimate in energy efficiency, our optional sliding front doors deliver substantial energy savings.

WILLIAMS AT PWC

The new building for professional services provider PwC in London is the first major office in the UK to be awarded the BREEAM 'Outstanding' rating. Five Multidecks were part of a complete Williams integrated solution, all run from a remote glycol system.



A GEM FOR EVERY OCCASION

The Gem Multidecks range is designed to suit any environment and application. The choice of size ranges from the slimline R70, with its compact footprint, up to the M180, which has a capacity of over 32 cubic litres. Now available in a vast range of striking coloured finishes to suit your décor or to truly stand out from the crowd.

TECHNICAL DATA

R Series - Night Blind

Model	Temp °C	Width (mm)	Depth (mm)	Height (mm)	HP	Running Amps	Shelves	Capacity ltrs(<i>cu.ft</i>)
R70-SCN	+3/+5	710	615	1825	1/2	6.5	3	201(7.1)
R100-SCN	+3/+5	960	615	1825	3/4	4.5	3	279(10)
R125-SCN	+3/+5	1250	615	1825	1	6.0	3	370(13)
R150-SCN	+3/+5	1510	615	1825	1	6.0	3	451(16)
R180-SCN	+3/+5	1856	615	1825	1, 1/8	6.5	3	559(19.7)

R Series - Security Shutter

Model	Temp °C	Width (mm)	Depth (mm)	Height (mm)	HP	Running Amps	Shelves	Capacity ltrs(<i>cu.ft</i>)
R70-SCS	+3/+5	710	670	1865	1/2	6.5	3	201(7.1)
R100-SCS	+3/+5	960	670	1865	3/4	4.5	3	279(10)
R125-SCS	+3/+5	1250	670	1865	1	6.0	3	370(13)
R150-SCS	+3/+5	1510	670	1865	1	6.0	3	451(16)
R180-SCS	+3/+5	1856	670	1865	1, 1/8	6.5	3	559(19.7)

R Series - Sliding Front Doors

Model	Temp °C	Width (mm)	Depth (mm)	Height (mm)	HP	Running Amps	Shelves	Capacity ltrs(<i>cu.ft</i>)
R100-SFD	+3/+5	960	615	1825	3/4	4.5	3	279(10)
R125-SFD	+3/+5	1250	615	1825	1	6.0	3	370(13)
R150-SFD	+3/+5	1510	615	1825	1	6.0	3	451(16)
R180-SFD	+3/+5	1856	615	1825	1, 1/8	6.5	3	559(19.7)

M Series - Night Blind

Model	Temp °C	Width (mm)	Depth (mm)	Height (mm)	HP	Running Amps	Shelves	Capacity ltrs(<i>cu.ft</i>)
M100-SCN	+3/+5	960	770	2080	3/4	4.5	4	458(16.2)
M125-SCN	+3/+5	1250	770	2080	1	6.0	4	607(21.15)
M150-SCN	+3/+5	1510	770	2080	1	6.0	4	740(26)
M180-SCN	+3/+5	1856	770	2080	1, 1/8	6.5	4	917(32.4)

M Series - Security Shutter

Model	Temp °C	Width (mm)	Depth (mm)	Height (mm)	HP	Running Amps	Shelves	Capacity ltrs(<i>cu.ft</i>)
M100-SCS	+3/+5	960	825	2115	3/4	4.5	4	458(16.2)
M125-SCS	+3/+5	1250	825	2115	1	6.0	4	607(21.15)
M150-SCS	+3/+5	1510	825	2115	1	6.0	4	740(26)
M180-SCS	+3/+5	1856	825	2115	1, 1/8	6.5	4	917(32.4)



Design Excellence : Cool Technology

greenlogic



www.williams-refrigeration.co.uk

Installation of all Williams products requires adequate ventilation.

Williams reserves the right to modify the design, materials and finish in accordance with its progressive development policy.

Williams Refrigeration

Bryggen Road
North Lynn Industrial Estate
King's Lynn
Norfolk PE30 2HZ

T +44 (0) 1553 817 000

F +44 (0) 1553 817 111

E info@williams-refrigeration.co.uk