

Mobile Wash Basin

MWBT/MWBTD/MWBTL/MWBTC

Extra suffixes to these codes denote unit colour



British Built for Purpose.







Parry is one of the UK's foremost manufacturers of high-quality Stainless Steel Fabricated Products with a 40-year heritage rooted in British craftsmanship.

At Parry, quality and service are second nature. Striving to exceed our customers' expectations is not just our motto; it's the very heartbeat of our business. Our commitment to our customers is reflected in the Parry 4E Standard Inspection Body stating that all our products are:







Easy to maintain



Easy to clean



Easy to repair

Our ranges of Stainless Steel Products have been specifically designed with the consumer in mind and are tailored and compliant to your specific industry sector. All our products are 4E Compliant and meet EU & UK regulations, where applicable. The Parry brand stands for quality, reliability and value.

Our British designed products have been created by our expert in-house development team and manufactured to exacting standards using Industry specified grade of European stainless steel and holding relevant EU & UK certification for all product.

ISO9001 certification and continual investment in the training and development of our highly skilled, artisan workforce means that our clients have genuine peace of mind that they are buying hand crafted, quality products supported by five-star customer service. All Parry products meet EU regulations for their respective sector.

We are LEAN manufacturers, minimising waste, maximising productivity. We are proud to run an operation that is committed to minimising our impact on the environment.

Our equipment and furniture are manufactured in our 45,000 sq ft manufacturing facility in Draycott, Derbyshire in England's industrial heartland. Products are made to order if not available in our stocked items which means you can choose from 600 products, offering over 3,500 variants, with short lead times to suit your specific needs. That means you get exactly what you need when you need it.

Our product information can be found here, in our brochure or on our website www.parry.co.uk.

You have my personal commitment that Parry will exceed your expectations. Should you have any questions please contact your distributor. Alternatively, our customer services team will be happy to help you on **01332 875544**.

Mark Banton MBA
Managing Director

Contents

Contents	1
Product Overview	2
Safety Instructions	3
Installation Instructions	4
Operating Instructions	5
Cleaning Instructions	6
Maintenance Instructions	6
Fault Finding	7
Service Information	7
Wiring Diagram	8
Exploded View	9
Parts List	10-11
Warranty Information	12
Disposal & Pacycling	12

Parry Catering Equipment (Midlands) Ltd, Town End Road, Draycott, Derby, DE72 3PT.

Sales Tel: 01332 875544



Product Overview

Reliable, hygienic and easy to use, this fully transportable mobile wash basin is ideal for outdoor occasions where there is no water connection available. The tank holds 15 litres of water and the tap is operated by a foot pump, while fitted wheels allow for quick and easy movement. The unit is available with or without a door (MWBT/MWBTD).

	MWBT/MWBTD	MWBTL	MWBTC
Dimensions (w x d x h) mm	450 x 600 x 900	450 x 600 x 750	450 x 600 x 900
Water Tank Capacity	15 litre	12 litre	15 litre
Plug	Yes		N/A
Power rating	3kW		N/A
	220-240V 50Hz ~		
Warranty	2 years		



The unit leads the industry in:

- Property Design and aesthetic appeal
- Performance
- Power
- Functionality
- After sales support





Safety Instructions

IMPORTANT: PLEASE READ INSTRUCTIONS FULLY BEFORE USE

Please be aware that surfaces on this machine may get warm during, and after use.

ALL APPLIANCES OTHER THAN THOSE FITTED WITH A SEALED MOULDED PLUG MUST BE FITTED BY A QUALIFIED ELECTRICIAN, IN ACCORDANCE WITH CURRENT REGULATIONS.

The unit should be installed in compliance with the INSTALLATION INSTRUCTIONS and the NATIONAL REGULATIONS in force at the time. Particular attention should be paid to the Health and Safety at Work Act.

To prevent shocks, all appliances whether gas or electric, must be earthed.

To avoid scratching the highly polished exterior surface of this equipment whilst in transit, the protective film on the exterior surfaces has NOT been removed.


It is IMPORTANT that this protective film is peeled off before the equipment is used.

ENSURE THE APPLIANCE IS ISOLATED FROM THE POWER SUPPLY BEFORE INSTALLING, CLEANING OR MAINTAINING THE APPLIANCE



Installation Instructions

This unit is supplied with a moulded plug




A = Splash Back
B = Soap Dispenser Holder
C = Paper Towel Holder
(all optional extras)

Optional Extra Fitting Instructions

- Remove screws from handle (A).

 Note above only o model prior to

 10/6/2019
- Remove both screws from each side (B).
- Place the splashback (C) on to unit and replace screws from (B)
- Fitting Soap / Towel holders
- 2 Loosen screws (D) in splashback.
- E Locate Soap holder / Towel holder on to the screws and tighten.






Operating Instructions

- Position the mobile wash basin in the desired location
- Remove water tank cover by turning the knob to gain access to the tank.
- Fill with water to the maximum water level grooves as shown in the image below.

 The lower set of grooves indicate the minimum amount of water required.



Ensure the waste bucket is in position and the waste pipe is placed inside the bucket.

MWBT/MWBTD/MWBTL (Warm Water Units Only)

- Plug unit into a suitable 13amp protected supply.
- Ensure the switch is in the 'on' position and that the red neon light is illuminated.
- Allow 20 minutes for the water to reach temperature before use.
- To fill the basin with water, use the foot pump at the front of the machine.
- Do not attempt to overfill.
- Do not move the unit when it is full of water.
- The waste bucket should be emptied regularly.
- Prior to moving the unit, all water needs to be drained using the tap located at the bottom of the water tank. The unit must firstly be disconnected from the electrical supply (Warm Water Units Only) before the water is drained.

IMPORTANT NOTE

Water must be drained from the tank after use.

Please note: The unit is protected from overheating by a control stat. Should the water level in the tank become too low, a pressure switch will cut the electrical supply to the element to prevent it boiling dry which would damage the element.



Cleaning Instructions

The appliance should be cleaned after every use.

IMPORTANT NOTE

Water must be drained from the tank after use.

- Turn off unit at the mains power.
- Wipe down the machine with a soft cloth, do not use abrasive materials.
- Stainless steel cleaners maybe used and cleaning instructions on the product must be adhered to.
- Never clean the unit with water jets.



Maintenance Instructions

Ensure the appliance is isolated from the power supply before installing, cleaning or maintaining the appliance.

Maintenance and service must only be undertaken by a qualified electrician.



Parry Catering provides a complete after-sales service by offering the sales of spare parts directly to customers. Buying spares straight from the manufacturer allows customer to experience exceptional value and speedy delivery on all spare parts.

For more information on buying spares visit:

www.parry.co.uk/parry-commercial-catering-spares



Fault Finding

Fault	Check	Solution
Mains lamp does not illuminate	 The socket is turned on Try a different appliance in the socket Try the unit in a different socket. The fuse in the plug 	If the problem continues please contact your distributor
Foot pump fails to supply water		Contact your distributor



Service Information

Enhanced 1 Year Warranty

Parry Catering (Midlands) Ltd offer an enhanced warranty of one year (including parts and labour) on all of the Parry manufactured fabrication products. To take advantage of this you should register your warranty by logging onto the company website and filling out our simple form. www.parry.co.uk/the-parry-warranty

If you have any issues with your product and wish to request a warranty call you can contact our friendly team who will organize a Parry approved service engineer to attend and fix your problem.


All warranty requests can be sent to warranty@parry.co.uk alternatively call our warranty department for technical assistance on 01332875544



Wiring Diagram




MWBT/MWBTD/MWBTL





Exploded View



Parts List



Part Number	Description	Code
1	M16 Gland & Nut	GLAND0M16
2	Plastic Bush	LOCKNTM16 BUPL50006
3	*Gear Tray	*NO CODE
4	Terminal Block	TB3POLETB
5	Pressure Switch	10706/A
6	Thermostat	MWB44CSTAT
7	Barbed Tail	MWBBSPTAIL (Not required after serial No. 150060449 Date: 30/8/18)
8	Sealing Washer (x2)	MWBSEALWASH (Not required after serial No. 150060449 Date: 30/8/18)
9	Brass Lock Nut	MWBLOCKNUT (Not required after serial No. 150060449 Date: 30/8/18)
10	Switch	SWRE06165
11	Switch Cover	LE25COVER
12	Ball Valve	VALVEB12N
13	Nut for Bowl Insert	NUT4BOWLSSS
14	Washer for Bowl Insert	WASS14022
15	Bowl Insert	BOWLINSSL
16	*Air Tray Assembly	*NO CODE
17	Element	ELBW03000
18	*Tank Assembly	*NO CODE
19	Bowl	MWBBOWL
20	Swivel Tap	MWBSWTAPS
21	*Lid	*NO CODE
22	Tap Adaptor & O Ring Please note MWBOEING is not require to be purchased as the MWBTAPFITT design has changed to incorporate washer.	MWBTAPFITT MWBORING
23	Pull Handle Please note: No longer used 10/6/2019	P6BOHANDL
24	Waste Fitting	MWBWASTE
25	*Top	*NO CODE

Pa Pa

Parts List

		<u>,</u>
Part Number	Description	Code
26	Waste Tube (630mm Length)	MWB24TUBE
27	½" Tube (1060mm Length)	MWB1/2TUBE
28	½" Tube (770mm Length)	MWB1/2TUBE
29	Wheel Bracket (RH)	MWBWHBRKT
30	Castor Wheel	MWBWHEEL
31	Wheel Bracket (LH)	MWBWHBRKT
32	*Body	*NO CODE
33	*Base	*NO CODE
34	Trim (440mm Length)	CARTBLACKTRIM
35	Foot Pump	MWBFOOTPUMP
36	Waste Bucket	MWBUCKET
37	Mains Lead	MLEAD25
38	Vacuum Tube	MWBVACTUBE
	Loom	W1 (x2) W2 (x2) W17 (x2)

^{*}Metalwork Components

P

Warranty Information

The manufacturer's warranty is only valid in the UK mainland. Northern Ireland, Western Isles, Inner Hebrides and Islands are parts only warranty. Please be aware that the warranty starts from the date of purchase from Parry and not the sale or installation date of the equipment.

To be eligible for a 2 year warranty, products must be serviced at least once within the first 12 months of purchase.

All service calls will be carried out between 8am and 5pm, Monday to Friday.

Your warranty is invalid if your equipment has not been installed in accordance with the manufacturer's instructions. The misuse, alteration or unauthorised repairs of the equipment will also invalidate the warranty.

During the warranty period it is at Parry's discretion whether to repair or replace the equipment.

The warranty only applies if the equipment has been used in a professional manner following the manufacturer's instructions and maintenance guidelines.

The warranty covers defects in the material and component failure only. We are not liable for trading loss, loss of perishable items, water damage or loss due to injury or fire damage.

Please ensure you have referred to the manufacturer's instruction before placing a warranty call.

Contact our warranty department on **01332 875544** for technical assistance.

Please have your model number ready before calling.

All warranty requests must be submitted to warranty@parry.co.uk.

Failure to pay any warranty charges will result in your warranty being put on hold until the bill has been settled. Any issues regarding the raised charges should be put in writing to our warranty department for further investigation.

Register your product by visiting our website **www.parry.co.uk**

Not covered under warranty

- Fault due to incorrect installation, poor maintenance or equipment abuse.
- Resetting of equipment or circuit breakers.
- Faulty electrics e.g. customer's plug socket, plug, wiring, junction box fault, wrong fuse.
- Products must be serviced within the first 12 months to be eligible for the 2 year warranty
- Product not covered by warranty if combustible materials have been used, e.g. plastic trays.
- Foil used on racks, blockages and lime scale issues.

- Failure to grant access for pre-arranged service call.
- Equipment that has been set up or used incorrectly e.g. dishwasher detergents, levelling and setting up of doors on a six burner cooker.
- Excessive carbon build-up on griddle plates or overuse of lava rock on chargrills. (Recommended use by Parry no more than 2kg.)
- All of the above points are not covered by warranty and any costs incurred, because of the above, will be forwarded to the parties responsible for placing the call.



Disposal & Recycling

This appliance is marked according to the European Directive 2002/96/EC on Waste Electrical and Electronic Equipment (WEEE).

By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health which could otherwise be caused by inappropriate waste handling of this product.

A symbol on the product, or on the documents accompanying the product, indicates that



this appliance may not be treated as household waste. Instead it should be handed over to the applicable collection point for the recycling of electrical and electronic equipment.

Disposal must be carried out in accordance with local environmental regulations for waste disposal.

For more detailed information about treatment, recovery and recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Parry Catering recognises our obligations to the EU DIRECTIVE covering the waste disposal of electrical and electronic equipment (WEEE). Parry Catering are committed to this policy in order to help conserve the environment.

At the end of this unit's life you MUST dispose of it in an approved manner. You MUST not discard the unit or place it in the refuse bin.

You have several options:

- Take the unit to an approved WEEE scheme company, there will be one in your area.
- Take the unit to an approved waste disposal site; many sites are managed by your local authority.
- Contact the units manufacturer, importer or their agent; the contact details will be on the unit.

There will probably be a charge for this service which will depend on the physical size and location of the unit. You will be given a collection price for a curb side collection based on commercial rates prevailing at the time.

It should be noted that the unit to be collected should be suitably packed and sealed to prevent dangerous gases and fluids from escaping. The condition of the unit must also be clean to comply with health and safety regulations.