



Product Code: XR1300L

xtra by Foster 1300 Litre Upright Freezer Cabinet



Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

Shelving

6 shelves (GN2/1) Standard

Electrical & Service Data

230/50/1 Standard

220/60/1 Electrical Supply Option

Fuse Required (A) 10

Refrigerant Charge (kg) 0.435

Energy

kWh (24 hours) 12.19932854

AEC 6627.78

Nett Volume 901.2

Energy Grade G

Global Warming Potential 3922

Energy Efficiency Index 112.08

Doors

Left and right hinged door Standard

Solid Standard

Specification

Freezer -18/-21°C Standard

Width (mm) 1390

Depth (mm) 850

Height (mm) 1985

Gross Volume (Ltr) 1300

Refrigeration

R290 - Energy Efficient Standard

R404a - Industry Standard Option


Integral Refrigeration System Standard

Finish

s/s ext & alu int Standard

Footnotes

- Extra shelf and pair of trayslides available as an option
- Supplied with side integrated door handles in lieu of recessed black plastic handles.



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.