LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/N



Cook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range. The six gas burners not only offer power, but also come with a flame failure device for added safety. Then there's the high power gas oven with side opening doors for easy access. The oven range, perfect for cafe bars, care homes and small restaurants, also comes with a low level flue which maximises the working area and enables you to use large stock pots. The fully pressed and sealed hob tops make for easy cleaning, and there are four shelf positions with two removable shelves.

SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Rear castors to make moving oven range out for deeper cleaning easier
- Six powerful gas burners with flame failure device for added safety
- High power gas oven with side opening doors for easy access
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves





LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/N

WEIGHTS & DIMENSIONS

Width	900 mil
Depth	600 mil
Height	956 mil
Weight	89.9 kg

SHIPPING DETAILS	
Ship Width	100 cm
Ship Depth	81 cm
Ship Height	100 cm
Ship Weight	98.89 lb
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Gas
Kilowatts	35.5 kW
Electrical Connection Type	Not Applicable
Electrical Plug Type	Not Applicable
Number of Electrical Plugs	Not Applicable
Gas Type	Natural Gas

ADDITIONAL SPECIFICATIONS

Control Type Mechan		
Cooking Plate Finish Material Type	Cast Iron Plate	
Exterior Finish Color	Stainless Steel	
Exterior Trim Finish Color	Stainless Steel	
High Altitude Kit Available	No	
Number of Heating Zones	6	
Number of Hot Top Burners	6	
Number of Shelf Positions	4	
Number of Shelves	2	
Open or Sealed Burners	Sealed	

Gas Inlet Size	0.5 in
Gas Inlet Pressure Required	20 mBar
Gas Total BTUs	121131 BTU
Gas Consumption at Max Use Per Hour	3.38 m ³
Total Heat Input at Max Use	35.5 kW, 121131 BTU per hour
Energy Saving	No

Oven Power Rating	8.5 kW
Oven Temperature Maximum	250 °C
Oven Temperature Minimum	130 °C
Restaurant or Heavy Duty	Yes
Shelf Depth	342 mm
Shelf Width	700 mm
Watts Per Element	4500
Cooking Equipment	Sealed Burner
BTUs Per Burner	4.5 KW

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



Whisby Road, Lincoln, LN6 3QZ, UK

LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/N

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		6		Center	300 mm	300 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1		725 mm	342 mm	400 mm

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

www.lincat.co.uk | p: +44 1522 875500




Whisby Road, Lincoln, LN6 3QZ, UK


LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/N

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



Whisby Road, Lincoln, LN6 3QZ, UK