



FDB4 - Lincat Seal Counter-top Food Display Bar - Refrigerated - W 1045 mm - 0.175 kW

Prepare perfect pizzas and sandwiches either at the front of house or back of house with the Seal Food Display Bar.

- ✓ The unit has precise thermostatic control of temperature with digital display and high/low temperature warning, which gives the user confidence that their food will stay fresh
- ✓ Fully welded stainless steel construction, which gives the unit a stylish look but also means that it's hygienic and easy to clean
- ✓ Holds food at 3°C-7°C in ambient conditions up to 25°C
- ✓ Optional back service glass; self-service glass; stainless steel hinged lid; wall brackets; gastronorm containers and lids
- ✓ The unit is refrigerated from the sides and also the well basins giving even cool air distribution throughout the bar length
- ✓ Its low profile enables it to hold 100 mm gastronorm containers

Specifications

| Summary | | Power and Performance | |
|-----------------------------|-----------------------------------|-----------------------------|------------|
| Brand | Lincat | Total Power kW | 0.175 |
| Range | Seal | Temperature Range °C | 3-7 |
| Power Type | Electric | IP Rating | IP21 |
| Unit Type | Counter-top | Temperature Control | Electronic |
| Available in UK Only | No | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105104186 | | |

| Key Specifications | | Capacity | |
|-------------------------|-------|----------------------------|-----------|
| Refrigerant Type | R134a | Gastronorm Capacity | 4 x GN1/3 |

| Weights and Dimensions | | Supply Connections | |
|----------------------------------|------|---------------------------------------|------|
| Unit Height (External) mm | 245 | Requires Installation | No |
| Unit Width (External) mm | 1056 | Requires Electrical Supply | Yes |
| Unit Depth (External) mm | 377 | UK 3 Pin Plug | Yes |
| Net Weight Kg | 22 | Requires Hardwiring | No |
| | | Electrical Supply Rating Watts | 175 |
| | | Single Phase Amps | 0.80 |
| | | Single Phase Voltage | 230 |

| Shipping | |
|-------------------------|------|
| Packed Weight Kg | 26.5 |
| Packed Height cm | 40 |
| Packed Width cm | 120 |
| Packed Depth cm | 56 |




| Available Accessories | |
|-----------------------|--|
| BSG4 | BACK SERVE GL. FDB4 |
| DBL4 | S/S LID FOR FDB4 |
| DBWB | FDB WALL BRACKET |
| SGP1004 | GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH STAINLESS STEEL LIDS |
| SGP1004A | GN PACK FOR FDB4 - 4 X 100mm DEEP 1/3 GN WITH ACRYLIC LIDS |

Available Accessories

SSG4

SELF SERVE GL. FDB4

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm