

MODEL: 0E8018



Combining raw power with energy efficiency, the Opus 800 2 Zone Induction Hob delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob. Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals, the hob is suitable for any busy commercial kitchen, large pubs and restaurants, large hospitals, school canteens, care homes and high volume production kitchens. The hob features an automatic pan detection function which cuts power when no pan is present, preventing harm to users and saving energy at the same time. Built to last, it also comes with multiple internal cooling fans and overheat protection.



PRODUCT OPTIONS AND ACCESSORIES

- OA8921 Lincat Opus 800 Free-standing Floor Stand with Legs for units W 400 mm
- OA8971 Lincat Opus 800 Free-standing Pedestal with Doors and Legs

 for units W 400 mm

PRODUCT FEATURES

- Two powerful 5.3kW, 270mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Easy to change filter built into the base of the unit
- No open flames so no radiating heat reduce ambient temperature of kitchen for a more comfortable working temperature
- Delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob
- Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals









MODEL: 0E8018

WEIGHTS & DIMENSIONS	
Width	400 mil
Depth	800 mil
Height	308 mil
Weight	24 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	63 cm
Ship Weight	26.4 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	L1=15.3; L2=15.3; L3=15.3
Electrical Voltage	400 volts
Electrical Watts	10600
Electrical Phase	Three
Kilowatts	10.6 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Dedicated Circuit Required	Yes
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS	
Control Type	Electronic
Cooking Plate Finish Material Type	Ceran Glass
Exterior Finish Color	Stainless Steel
Exterior Trim Finish Color	Stainless Steel
High Altitude Kit Available	No
Number of Heating Zones	2

Number of Hot Top Burners	2
Number of Shelves	Not Applicable
Open or Sealed Burners	Not Applicable
Style	Countertop
Watts Per Element	5300

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RA	TING	ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		2	5.3	Center	270 mm	270 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 400 **MM - 10.6 KW**

MODEL: 0E8018

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

Not Applicable For This Item

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.







MODEL: 0E8018

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

