



MASTER SERIES

MX 410

Ref : MX004



DESCRIPTION

- Micro switch automatic locking system with rubber protection against moisture.
- Continuous function auto run button allows to mix continuously or pulse (a mixer support is recommended in this case).
- Ergonomic design for easy handling and easy cleaning.
- Higher ventilation point.
- Variable speed optional.
- Indicator light : for your safety the light indicates that the unit is plugged in and ready for operation.
- Stainless steel mixer tube, guard and whisks for easy cleaning and perfect hygiene.
- Titanium-plated blade easily dismantled without any special tool.

USE

It allows to mix, directly in the pots, many applications including : fish soups, panades (thick soup reduced to puree), salad dressings, pancakes paste, gravies, sauces, mayonnaise, puree of vegetables lightly pulverized, porridge, raw carrots puree, fruits cream ...

Capacity : 40 to 100 Liters

MAINTENANCE

Clean the outside of the tube and the blade protector by passing it under the faucet.

Beware of splashing that could penetrate through the engine's ventilation slots and damage it.

Put the tube with the blade protector in clear water and start the machine for 3 seconds or more to clean the inside of the blade protector.

Wash the motor block with a sponge or with a slightly damp cloth.

Never clean this machine with a water jet spray or in the dishwasher.



TECHNICAL DATA

OUTPUT MAX	600 W
SPEED	10500 R.P.M.
TENSION	110 - 120 V or 220 - 240 V
TOTAL LENGTH	720 mm
SHAFT LENGTH	410 mm
DIAMETER	122 mm
ACTUAL WEIGHT	3,5 kg

www.dynamicmixers.com

Dynamic - 518 rue Léo Baekeland BP57 - 85290 Mortagne sur Sèvre

Tél : +33 (0)2 51 63 02 72 • E-mail : contact@dynamicmixers.com

Follow us on social networks !




TECHNICAL SHEET

Parts list	Code
Carbon brushes (2)	0504
Ball bearing	0601
Self-lubricating ring	0603
Waterproof seal	0607
O. ring	0610
Rubber washer	0726
Safety button, return spring	0768
Strain relief 230 V	0950
Strain relief 115 V	0950.1
Dynamic label	1021
Bearing holder + seal	1186
Control lever	2001
Safety control lever	2002
Circuit board 230 V (4 switches + capacitor)	2003
Circuit board 115 V (4 switches + capacitor)	2003.1
Upper half handle	2004
Lower half handle	2005
Motor housing brush holder	2006
Complete foot assembly	2007
Speed control plug	2008
Foot assembly w/ bearing assembly	2009
Complete handle w/ power cord 230 V	2010
Complete handle w/ power cord 115 V	2010.1
Stator 115 V	2011.1
Stator 230V	2011.22
Power cord 230 V > 2002	2012
Power cord 115 V > 2002	2012.1
Power cord (UK) > 2002	2012.2
Power cord (Australia) > 2002	2012.3
Variable speed knob	2021
Speed variator 230 V	2023
Speed Variator 115 V	2023.1
Brace screws (4)	7903
Lower bearing assembly	7916
Cutter blade w/ screw	7917
Fan	7933
Master turbine	7933.1
Rotor 115 V	9008.11
Rotor 230 V	9008.22
Handle screws (4)	9014
Field brace screws (2)	9023
Ball bearing ring	9025
Braces (4)	9026
Fitted shaft	9131
Lower bearing screws - Stainless steel (3)	9902
Handle cap protectors (unit)	45710

Wall bracket

Parts list	Code
Wall bracket	0862



TECHNICAL SHEET

