



SILVERLINK 600

Create that distinctive chargrilled flavour and branded appearance without the need for messy lava rocks with the Silverlink 600 Gas Chargrill. Utilising innovative radiants instead, the chargrill experience is much cleaner, while the twin zones make for maximum flexibility. The variable heat control and heat retaining cooking grids produce the clean, sharp chargrilled marks that will make your dishes even more appetizing. It's perfect for cafes, bars and restaurants.

**PRODUCT OPTIONS AND ACCESSORIES**

- CG4/N CH01 CATERFLEX HOSE 1/2" 1 METRE
- CG4/N CH02 CATERFLEX HOSE 1/2" 1.5 METRE
- CG4/N CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- CG4/N SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

**PRODUCT FEATURES**

- Uses radiants which replaces the need for using messy lava rocks
- Twin zones for maximum flexibility
- The variable heat control and heat retaining cooking grids produce the clean, sharp chargrilled marks
- Splashguard to protect surrounding surfaces from splashes
- Removable branding bars to allow for easy cleaning and access
- Drip draw to collect all the cooking liquids to reduce cleaning times

**WEIGHTS & DIMENSIONS**

Width	450 mil
Depth	652 mil
Height	414 mil
Weight	27 kg

**SHIPPING DETAILS**

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	63.5 cm
Ship Weight	29.7 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Source Type	Gas	Gas Inlet Size	0.5 in
Kilowatts	16.4 kW	Gas Inlet Pressure Required	20 mBar
Number of Electrical Conductor Wires	1	Gas Total BTUs	55956 BTU
Electrical Connection Type	Not Applicable	Gas Consumption at Max Use Per Hour	1.56 m <sup>3</sup>
Electrical Plug Type	Not Applicable	Total Heat Input at Max Use	14.3 kW, 48800 BTU per hour
Number of Electrical Plugs	Not Applicable	Energy Saving	No
Gas Type	Natural Gas		

**ADDITIONAL SPECIFICATIONS**

Base Type	Not Applicable	Grate Type	Cast Iron
Burner Material	Stainless Steel	Ignition Type	Pilot Light
Charbroiler Type	Countertop	Legs or Casters	Not Applicable
Control Type	Mechanical, Rotary Control Knob	Number of Burners	2
Cooking Area Plate Depth	440 mm	Number Of Controls	2
Cooking Area Plate Width	375 mm	Number of Heating Zones	2
Food Production Rate	70 x 115g [4oz] burgers [frozen] per hour	Radiant Material	Stainless Steel
		Slide Out Warming Rack	No
		Towel Bar	No

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**

