



Hot cookline

Standard drawer + heat shield



Applications

- Bulk storage at the point of use in the cookline
- Designed for heavy cooking equipment, mounted on either a Heat Shield or Solid Worktop
- Ideal for meat and fish at the optimum storage temperature for each

Storage Capacity

Gastronorm (GN) Pans
4 x 1/1 GN
100 mm Deep
or equivalent (per Drawer)

Maximum Weight
40 kg of Food (per Drawer)


Volume
86 Litres (per Drawer)

Hydrocarbon R600a Refrigerant

Standard drawer

'B' Energy Rating
in Freezer Mode

'A' Energy Rating
in Fridge Mode
(Consumption 307
kWh/annum)



Climate Testing

Tested to **Climate Class 4**
(30°C & 55% relative humidity)
for temperature and energy
consumption and to **Climate
Class 5** (40°C & 40% relative
humidity) for temperature

Electrical

Mains Supply
230 Vac 50 Hz

Power Socket (included)
Correct 2 or 3 Pin Plug
fitted for each country

Mains Lead (included)
2 Metre Coiled Lead

+15°C ↔ -22°C






Options

| CHEF BASE + HEAT SHIELD (HS) | High castor base (HC) | | Standard castor base (C) | | Small castor base (SC) | | Rollers & feet base (R) | | Small rollers & feet base (SR) | | Fixed frame base (FF) | |
|------------------------------|-----------------------|-----------|--------------------------|----------|------------------------|-----------|-------------------------|----------|--------------------------------|-----------|-----------------------|-----------|
| Finished height | 616 mm | VCRI/HCHS | 545 mm | VCRI/CHS | 524 mm | VCRI/SCHS | 501 mm | VCRI/RHS | 491 mm | VCRI/SRHS | 590-900 mm | VCRI/FFHS |
| Load-bearing capacity | 196 kg | | 273 kg | | 498 kg | | 299 kg | | 300 kg | | 185 kg | |

For full options please see our [Drawer Customising](#) and [Accessories](#) pages


Plan View

Chef base (VCRI)
With open drawer



Elevation

Chef base - hot cookline (VCRI)
High castors (HC)
Heat shield (HS)
VCRI/HCHS



Tops



Drawer Module



Base

