GB

KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Version number 5

Revision: 28.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: CarpetPro Cleaner iCapsol RM 768 OA
- · UFI: RKE0-40TT-P007-CSJ7
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Carpet shampoo
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-2548 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

according to 1907/2006/EC, Article 31


Printing date 19.02.2021

KARCHER

Version number 5

Revision: 28.07.2020

Trade name: CarpetPro Cleaner iCapsol RM 768 OA



- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Cleaning agent

Dangerous components:				
CAS: 68439-57-6	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodiu	m 5-10%		
EINECS: 270-407-8	salts			
Reg.nr.: 01-2119513401-57-0001	♦ Eye Dam. 1, H318; (1) Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ %			
	Eye Dam. 1; H318: C ≥ 38 %			
	Eye Irrit. 2; H319: 5 % ≤ C < 38 %			
CAS: 68439-50-9	fatty alcohol C12-14, ethoxylated	1-5%		
NLP: 500-213-3	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319			
CAS: 69011-36-5	isotridecanolethoxylate + 5 EO	0.1-1%		
EC number: 931-138-8	Eye Irrit. 2, H319; Aquatic Chronic 3, H412			
· Regulation (EC) No 648/2004	on detergents / Labelling for contents			
anionic surfactants ≥5		≥5 - <15%		
polycarboxylates, phosphonates, non-ionic surfactants <5		<5%		
perfumes (GERANIOL, AMYL CINNAMAL)				
(Contd. on				

according to 1907/2006/EC, Article 31

Printing date 19.02.2021

KÄRCHER

Version number 5

Revision: 28.07.2020

(Contd. of page 2)

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Involve doctor immediately.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Do not allow to penetrate the ground/soil.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Version number 5

Revision: 28.07.2020

(Contd. of page 3)

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eves and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Hand protection

Synthetic rubber gloves

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021

KÄRCHER

Version number 5

Revision: 28.07.2020

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 4) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

* butyl rubber 0,7 mm, 480 min

- As protection from splashes gloves made of the following materials are suitable: * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and chemical properties		
· General Information		
· Physical state	Fluid	
· Colour:	Light yellow	
· Odour:	fresh	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	0° 0	
· Boiling point or initial boiling point and boiling]	
range	100 °C	
· Flammability	Not applicable.	
 Lower and upper explosion limit 		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable	
 Auto-ignition temperature: 	Product is not selfigniting.	
 Decomposition temperature: 	Not determined.	
· pH at 20 °C	8.5	
· pH 1 % dem.	8.4	
· Viscosity:		
 Kinematic viscosity 	Not determined.	
· dynamic at 20 °C:	4 mPas	
· Solubility		
· Water:	Fully miscible	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021

KÄRCHER

Version number 5

Revision: 28.07.2020

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

	(Contd. of pag
Density and/or relative density	
Density at 20 °C:	1.046 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	not applicable
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.2 %
VOC (EC)	0.21 %
Solids content:	17.9 %
Change in condition	17.5 %
Softening point/range	
Oxidising properties	20
Evaporation rate	no Not determined.
•	
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammat	ble
gases in contact with water	Void
	Void
Oxidising liquids	
	Void
Oxidising solids	Void Void
Oxidising liquids Oxidising solids Organic peroxides Corrosive to metals	

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Revision: 28.07.2020

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 6)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

Dermal LD50 6,300 mg/kg (Rabbit) (OECD 402)

69011-36-5 isotridecanolethoxylate + 5 EO

Oral LD50 >5,000 mg/kg (Rat)

· Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

LC50/96 h 4.2 mg/l (Danio rerio) (OECD 203)

EC50/48 h 4.53 mg/l (Daphnia sp.) (OECD 202)

(Contd. on page 8) GB



Version number 5



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Version number 5

Revision: 28.07.2020

(Contd. of page 7)

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

EC50/72 h 5.2 mg/l (Algae) (OECD 201)

EC50 230 mg/l (bacteria) (OECD 209)

69011-36-5 isotridecanolethoxylate + 5 EO

LC50/96 h 1-10 mg/l (Leuciscus idus)

EC50/48 h 1-10 mg/l (Aquatic invertebrates)

EC50/72 h 1-10 mg/l (Aquatic plants)

• 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

- · Additional ecological information:
- · COD-value: 250000 mg/l

· General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Version number 5

Revision: 28.07.2020

(Contd. of page 8)

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

· European waste catalogue

20 01 29* detergents containing hazardous substances

· Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

[•] Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)

according to 1907/2006/EC, Article 31

Printing date 19.02.2021

Version number 5

Revision: 28.07.2020

(Contd. of page 9)

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

· National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information	ation			
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.				
 Relevant phrases H315 Causes skin irritation. H318 Causes serious eye damage H319 Causes serious eye irritation H412 Harmful to aquatic life with log 				
· Classification according to Regu	Ilation (EC) No 1272/2008			
Skin corrosion/irritation Serious eye damage/eye irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2004	8.		
 Department issuing SDS: CSD-D Contact: Department CSD-D Tel.: +49-7195-14-2548 productsafety.management@de.kaercher.com Version number of previous version: 1 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods ENECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European Inventory of percent L50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPW: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered. 				
· 0.011-336.0 RM 76	8 OA/5 2·366			

