lincat

LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 300 MM - 10.6 KW

MODEL: 0E8013



Combining raw power with energy efficiency, the Opus 800 2 Zone Induction Hob delivers 90% efficiency compared to 55% with a solid electric hot plate and 50% with a gas hob. Designed to suite with Opus 800 series and available with Opus 800 stands and pedestals, the hob is suitable for any busy commercial kitchen, large pubs and restaurants, large hospitals, school canteens, care homes and high volume production kitchens. The hob features an automatic pan detection function which cuts power when no pan is present, preventing harm to users and saving energy at the same time. Built to last, it also comes with multiple internal cooling fans and overheat protection.

Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- FI36 AIR FILTER OPUS INDUCTION
- OA8934 Lincat Opus 800 Free-standing Floor Stand with Legs for units W 300 mm
- OA8970 Lincat Opus 800 Free-standing Pedestal with Doors and Legs for units W 300 mm
- LK11 OPUS 800 LONG LEG KIT

PRODUCT FEATURES

- Powerful 5kW, 220mm width induction zones
- Automatic pan detection function cuts power when no pan is present, preventing harm to users, while saving energy
- Multiple internal cooling fans and overheat protection for long service life
- Easy to change filter built into the base of the unit







LINCAT OPUS ELECTRIC COUNTER-TOP INDUCTION HOB - W 300 MM - 10.6 KW

MODEL: 0E8013

WEIGHTS & DIMENSIONS

Width	300 mil
Depth	800 mil
Height	300 mil
Weight	24 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	63 cm
Ship Weight	26.4 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity
Electrical Amps	L1=15.3; L2=15.3; L3=15.3
Electrical Voltage	400 volts
Electrical Watts	10600
Electrical Phase	Three
Kilowatts	10.6 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Dedicated Circuit Required	Yes
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS

Control Type	Electronic	Number of Hot Top Burners	2
Cooking Plate Finish Material Type	Ceran Glass	Number of Shelves	Not Applicable
Exterior Finish Color	Stainless Steel	Open or Sealed Burners	Not Applicable
Exterior Trim Finish Color	Stainless Steel	Restaurant or Heavy Duty	Yes
High Altitude Kit Available	No	Style	Countertop
Number of Heating Zones	2	Watts Per Element	5300

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING		ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		2	5.3	Center	220 mm	220 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





MODEL: 0E8013

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated January 23, 2024






MODEL: 0E8013

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024



Whisby Road, Lincoln, LN6 3QZ, UK