



Product Code: XR2H 33-188

xtra by Foster 1/2 Refrigerated Counter



Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

Shelving

2 shelves GN1/1	Standard
Additional S/S Trayslides	Option
Additional GN1/1 Shelf	Option

Refrigeration

R290 - Energy Efficient	Standard
--------------------------------	----------

Specification

Refrigerator +2/+8°C	Standard
Width (mm)	1330
Depth (mm)	700
Height (mm)	855
Gross Volume (Ltr)	280

Base Fittings

Remote Refrigeration System	Option
Legs 100mm	Option
Legs 150mm	Option

Electrical & Service Data

Connect Load	425
230/50/1	Standard
220/60/1 Electrical Supply	Option
Fuse Required (A)	10

Finish

s/s ext & alu int	Standard
------------------------------	----------

Doors

Solid	Standard
Basket drawers	Option

Product Extras

Splashback	Option
Stainless steel rear	Option


Energy

AEC	1127.81
Nett Volume	192.9
Energy Grade	C
Global Warming Potential	3
Energy Efficiency Index	49.40

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, King's Lynn, Norfolk PE30 4JU
Tel: +44(0) 1553 691122
Registered in England No. 00559693
VAT No. GB 792 4414 15



Application

This appliance is intended for use in ambient temperatures up to 40°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



The Refrigeration Experts

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.