

Opus 700 Fryers

Key Features

- Type: Gas
- Piezo ignition
- Drainage tap in cabinet
- Deep cool zone
- Thermostatic temperature control (130 – 190°C)
- Supplied with baskets, lids and batter plates
- Fail-safe top temperature cut-out
- Heavy duty finned heat exchange system
- Millivolt temperature control system (does not require electrical connection)



OG7111

Construction

- Body: stainless steel grade 430
- Hob top: Stainless steel grade 430
- Tank: steel
- Baskets: Chrome plated

Available Options


- Natural gas
- Propane gas
- Butane gas
- 300 and 400mm wide units (supplied on rear castors and height adjustable legs)
- 600mm wide units (supplied on castors)

Available Accessories

- BA83 – half size baskets

Specifications

Model	OG7110	OG7111	OG7106	OG7107
External height (mm)	1050 - 1105			
External width (mm)	300	600	400	600
External depth (mm)	760			
Height to hob	900-950			
Oil capacity (litres)	14	2 x 14	16	20
No. of tanks	1	2	1	1
No. of baskets	1	2	2	2
Net weight unpacked (kg)	65	118	76	112
Gross weight packed (kg)	75	128	86	122
Shipping volume (m ³)	0.678	0.678	0.495	0.683
Heat input per tank Natural (kW)	16.0	16.0	30.0	32.0
Heat input per tank Propane (kW)	16.0	16.0	30.0	32.0
Heat input per tank Butane (kW)	16.0	16.0	30.0	32.0
Total heat input Natural (kW)	16.0	32.0	30.0	32.0
Total heat input Propane (kW)	16.0	32.0	30.0	32.0
Total heat input Butane (kW)	16.0	32.0	30.0	32.0
Gas consumption at full rate Natural (m ³ h ⁻¹)	1.52	3.05	2.86	3.05
Gas consumption at full rate Propane (kg h ⁻¹)	1.14	2.29	2.14	2.29
Gas consumption at full rate Butane (kg h ⁻¹)	1.16	2.33	2.18	2.33
Gas inlet	G ½ male			
Btu/h conversion	kW x 3412			





**Lincat Limited, Whisby Road,
Lincoln LN6 3QZ,
United Kingdom**

UK Sales Tel: 01522 875500 UK Spares Tel: 01522 875510 UK General Tel: 01522 875555
UK Fax: 01522 875530 International Sales Tel: +44 1522 503250 International Fax: +44 1522 875530
Website: www.lincat.co.uk UK Sales e-mail: sales@lincat.co.uk International Sales e-mail: export@lincat.co.uk



Document ref:
OPUSGASFRYERS
Issue date: Oct-09