

Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Floor cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

#### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

### Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

#### · Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

#### 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 1)

### · Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labelling:

isotridecanolethoxylate + 8 EO

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

· Description: Cleaning agent

Dangerous components:		
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	1-5%
EINECS: 203-961-6	(t) Eye Irrit. 2, H319	
Index number: 603-096-00-8	, , , , , , , , , , , , , , , , , , , ,	
Reg.nr.: 01-2119475104-44-xxxx		
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO	≥3-≤5%
	🥎 Eye Dam. 1, H318; 🐠 Acute Tox. 4, H302	

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information Immediately remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 2)

#### · After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed.
   No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

## · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

See Section 13 for disposal information.

(Contd. of page 3)

## **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## · 8.1 Control parameters

### Ingredients with limit values that require monitoring at the workplace:

### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Avoid close or long term contact with the skin.

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2.

(Contd. on page 5)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 4)

· Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not applicable.

Not determined.

- For the permanent contact gloves made of the following materials are suitable:
- \* butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
- \* nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

· **Body protection:** Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Blue · Odour: citrus-like · Odour threshold: Not determined.

Melting point/freezing point: -5°C · Boiling point or initial boiling point and boiling range 100 °C

· Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Auto-ignition temperature: not applicable Decomposition temperature: Not determined.

· pH at 20 °C 12.2 · pH-value 1 %: 7-9

· Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: · Density and/or relative density

Density at 20 °C: 1.041 g/cm<sup>3</sup>

(Contd. on page 6)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

	(Contd. of page 5
· Relative density	Not determined.
· Vapour density	Not determined.
Relative gas density	Not determined.
Particle characteristics	Not applicable.
9.2 Other information	
Appearance:	
- Form:	Fluid
	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	4 <b>-</b> 4.04
Solids content:	15.1 %
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	<b>3</b>
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

Desensitised explosives

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- · 10.3 Possibility of hazardous reactions Reacts with strong acids
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 6)

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	LD/LC50 values relevant for classification:		
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2410 mg/kg (mouse) (OECD 401)	
Dermal	LD50	2764 mg/kg (Rabbit)	
69011-3	69011-36-5 isotridecanolethoxylate + 8 EO		
Oral	ATE	500 mg/kg (Rat)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties		
541-02-6 decamethylcyclopenta	siloxane	List II
540-97-6 Dodecamethylcyclohex	kasiloxane	List II

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic t	· Aquatic toxicity:	
112-34-5 2-(2-butoxyethoxy)ethanol		
LC50/96 h	1300 mg/l (Lepomis macrochirus)	
EC10/16 h	1170 mg/l (Pseudomonas putida)	
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)	
NOEC	>100 mg/l (Desmodesmus subspicatus)	
69011-36-	5 isotridecanolethoxylate + 8 EO	
LC50/96 h	>1-10 mg/l (Leuciscus idus)	
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)	
	(Contd. on page 8)	

Contd. on page i



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 7)

EC50/72 h >1-10 mg/l (Aquatic plants)

### 12.2 Persistence and degradability

### 69011-36-5 isotridecanolethoxylate + 8 EO

Bismuth-act. sup. ≥90 % (mod. OECD 301 E)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

#### · European waste catalogue

20 01 29\* detergents containing hazardous substances

(Contd. on page 9)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 8)

- · Uncleaned packaging:
- Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3267
· 14.2 UN proper shipping name · ADR	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methylglycine diacetic acid, trisodium salt, solution)
· 14.3 Transport hazard class(es)	
·ADR	
Class	8 (C7) Corrosive substances.
· Label 	8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.

(Contd. on page 10)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

	(Contd. of page 9)
· Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according instruments	g to IMO  Not applicable.
Transport/Additional information:	
· ADR	
· Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (METHYLGLYCINE DIACETIC ACID, TRISODIUM SALT, SOLUTION), 8, III

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

#### · Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 11)



Printing date 23.02.2024 Version number 7 (replaces version 6) Revision: 19.10.2021

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 10)

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Data compared to the previous version altered.

0.011 - 328.0RM69Eco/6 2.454