

ABOUT FALCON



Market-leading

Falcon Foodservice Equipment is the UK's leading manufacturer of high quality professional cooking equipment.

We've been in business for almost 200 years, providing the UK and International catering industry with a comprehensive range of reliable, practical and proven products, all made to the highest quality standards in our modern manufacturing facility in Scotland.

We have invested significantly in manufacturing processes to ensure that our highly skilled, flexible and committed workforce have the best possible tools and equipment to continue to produce outstanding products to meet the needs of the catering industry now and in the future.

Your partner

Falcon is more than just a manufacturer and supplier of equipment. Buying from us is just the start of the experience.

Award-winning customer service, responsive technical support and a team of highly knowledgeable and dedicated sales professionals are available to provide information that allow you to make the correct choice for your business and kitchen.

Being a market leader is more than just sales - it's about setting the standard. We are at the forefront of delivering customer focussed solutions. Whether it be menu development, bespoke product solutions or energy efficiency, we have the capabilities at Falcon to deliver.



F900

Where Form

Meets Function

| ABOUT F900 SERIES 04 | INDUCTION 10 |
|------------------------|---------------------------|
| DYNAMIC LINK SYSTEM 07 | GAS CHARGRILLS 18 |
| GAS OPEN TOPS 08 | GRIDDLES 20 |
| GAS SOLID TOPS 10 | COMPLEMENTARY PRODUCTS 22 |
| ELECTRIC HOTPLATES11 | BULK COOKING 24 |
| FRYERS 12 | STANDS / CABINETS 25 |
| F900 FEATURES 14 | PRODUCT RANGE 20 |

ABOUT F900 SERIES

The F900 Series has been designed to provide chefs with a range of stylish, versatile and practical cooking equipment that delivers flexibility, capacity and functionality to any kitchen, resulting in a five star cooking experience.



Form

Good design is when form and function come together in perfect balance. This is illustrated with the **F900 Series**. Modern manufacturing processes such as projection welding allow clean, distinctive styling and precision build. This, combined with optional extras such as hob rails, kick strips and end panels result in a product range that is ideal for front of house.

Function

Subtle and intelligent design, constructed using proven industry-leading components makes the **F900 Series** the perfect choice for busy kitchens. 304 culinary grade stainless steel combined with a 2mm thick hob ensure products will withstand even the most harsh kitchen environments.

F900 Series offers a comprehensive range of gas, electric and unheated models. With features such as high-power burners offering fast heat-up times and fryers with built in filtration to extend oil life, functionality is at the heart of **F900** design.

Functionality isn't only for cooking performance. All **F900** gas models can be converted onsite quickly and easily to operate using natural, propane or butane gas. Servicing can be carried out from the front of the unit, saving time and causing the minimum of disruption to busy working kitchens. They can also be connected to the gas supply from below or the rear of the unit, again offering choices at the installation stage.



ABOUT F900 SERIES



Hygienic

Good design makes the chef's job easier and more pleasurable. The F900 Series does exactly that. Cleaning appliances and keeping them clean is easier with F900.

- Edge to edge suiting of units means no more gaps between equipment for grease and debris to build up.
- Open top models have a one-piece hob with sealed burner wells to contain spillages.
 With wide radiused corners, individual pan supports and removable burners cleaning is no longer a chore.
- Griddle plates are completely surrounded by a grease trough. This enables quick and easy cleaning of the plate, ready for the next menu item.
- Most units with electrics are IPX5 water resistant certified.
- Chargrill brander bars are reversible. This means food items can be cooked on cleaner bars even during busy service periods. With all major components easily removable brander bars, radiants, burners, sidescreens, grease container and debris collection traycleaning is simpler, therefore performance can be maintained for years to come.

DYNAMIC LINK SYSTEM



The Dynamic Link System (DLS)* allows the F900 Series range of equipment to be joined tightly together quickly and without fuss. This provides the look, feel and hygiene advantages of a single piece top with the many benefits of separate units, such as ease of installation, service and maintenance.

*Patent pending, application no. GB 1511389.7

GAS OPEN TOPS

Chefs can depend upon F900 open top models to cope with the busiest of demands under the most harsh conditions.

Each unit features powerful 9.5kW twin flame burners as standard, individual cast iron pan supports and sealed burner wells with radiused corners. These help make the hobs easy to clean and keep clean. Oven range models feature a 2/1 gastronorm compatible oven with a metal to metal door seal, ensuring heat is kept where you need it - in the oven.











- **Fast heat up** with powerful 9.5kW burners as standard
- Configure individual burners to suit your
 needs choice of 9.5kW or 4.2kW burners
 on all models
- Individual cast iron pan supports easilycope with tough treatment
- **Easy to clean,** one-piece pressed hob with sealed burner wells
- Individually protected burner pilots
- Oven temperature of 80-280°C is ideal for variety of food items



GAS SOLID TOPS


Perfect for multi-pot cooking, the cast iron plate provides up to 450°C heat at the centre, graduating outwards.

The chef's solid top is the ideal choice for most kitchens, particularly those offering á la carte and requiring lots of pan work and high temperatures. The plate is level with the surrounding hob - creating a larger work area.

The oven range model features a 2/1 gastronorm compatible oven with a metal to metal door seal, temperature range of 80-280°C and piezo ignition.











- Powerful, central cast iron burner delivers
 graduated heat across the cooking surface
- Removable centre section for direct heat to pans
- Heavy cast iron plate able to withstand harsh pan work
- Oven range models feature an easy to light
 2/1 gastronorm oven with piezo ignition as standard
- Oven range models feature 5 shelf positions, with 2 shelves supplied as standard

ELECTRIC HOTPLATES



F900 electric boiling tops and ranges feature high performance cast iron hotplates.

Each unit features powerful 4kW square hotplates with six heat positions as standard, set in pressed hob wells with radiused corners. These contain spillages, helping make the hobs easy to clean and keep clean. Oven range models feature a 2/1 gastronorm compatible oven with a metal to metal door seal, ensuring heat is kept where you need it - in the oven.







- Fast heat up with powerful 4kW hotplates as standard
- Square cast iron hotplates easily cope with tough treatment
- Each hotplate has six heat positions for added temperature control
- Easy to clean, one-piece pressed hob with deep drawn wells to contain spillages
 - Oven temperature of 80-300°C is ideal for variety of food items



FRYERS

Enjoy fast and fuss-free frying with F900 gas and electric fryers.

High output and fast recovery times, combined with the option of inbuilt filtration make the F900 fryer 'The Ultimate Frying Machine'.

The open pan design with integrated debris collection zone create the perfect frying environment to create crisp, high quality food, time and time again.













- Fast heat up and recovery times deliverhigh quality food and greater output
- Reduced running costs due to low oil capacity to power ratio
- Increase oil longevity and food quality with optional integrated filtration model
- Supplied with pan lid as standard to preserve oil when not in use



F900 SERIES FEATURES





Edge to edge suiting with Dynamic Link System (DLS)* **F900**

Where Form Meets Function

^{*}Patent pending, application no. GB 1511389.7

INDUCTION

Energy efficient, fast heat up, instant and precise control plus low heat emissions combine to deliver the perfect cooking experience.

Manufactured from commercial, industry-leading induction components that are guaranteed to last, **F900** induction delivers the professional kitchen a true alternative to traditional gas tops.











- Move from gentle simmer to a rolling boil in seconds with instant temperature control
- Choice of 3.5 or 5kW heat zone options to suit available kitchen power
- Hob simply wipes clean, no need to scrub
- Cooler kitchen environment as minimal heat emissions
- Safer for kitchen staff as no flames means less chance of burns
- Induction ranges feature 2/1 GN ovens



GAS CHARGRILLS

Chargrilling food? The F900 chargrill is everything you could possibly want in a chargrill, delivering perfectly cooked and branded food for your customers to enjoy.

Chefs will love the full-width cooking zone, easy-clean pressed drip tray and reversible cast iron brander bars. The entire cooking surface is evenly heated to maximise cooking area. Chef's can also create different temperature zones with variable height brander positions and individually controlled burners.











- Higher output with full width cooking
- Reversible brander bars offer two-sided
 cooking perfect for those long service periods
- Temperature is maintained by cast iron radiants that protect burners from food debris while also preventing flare up
- Resting area keeps food warm without overcooking
- Brander bars, radiants, burners, grease collection tray and debris collection tray all removable for ease of cleaning




GRIDDLES

From pancakes and eggs to steaks and chicken, F900 has a model to suit all your griddling needs.

A choice of smooth, ribbed or chromed finish in either 400 or 800mm widths, all in either gas or electric, are available to best suit your own individual requirements.

Achieve perfect results every time from the thermostatically controlled polished steel or chromed plate with temperatures of 90 - 300 °C.











- Choice of 18mm thick polished steel, chromed or ribbed plate
- Easy to clean as grease trough completely surrounds plate
- Thermostatically-controlled to deliver more even cooking and precise temperature control across the entire griddle surface
- Temperature range of 90-300 °C makes the range of F900 griddles perfect for all kinds of food items



COMPLEMENTARY PRODUCTS

Finish your F900 cookline with one of our fantastic electric complementary products.

The **E9241 pasta cooker** is ideal for kitchens producing plenty of pasta, while the **E9641 wet well bain marie** and **E9646 chip scuttle** hold food at optimum temperature. The **E600 rise and fall grill** is deal for heating, holding or finishing food.

Pasta Cooker

- Makes producing bulk quantities or individual portions simple
 - 1/3 and 1/6 baskets available to suit specific requirements
- This unit can also be used to cook other foods, such as eggs or vegetables
 - Powerful elements ensure faster heat-up times
 - Starch draw-off ensures clean water during cooking





Rise and Fall Grill

- Instant heat delivered by powerful infra-red elements
- Automatic plate sensing technology saves time and energy
- 1/1 GN compatible, making it easy to transfer food directly from other equipment for finishing
- Precise control of time, temperature and element height ensures perfect cooking results

F900




Chip Scuttle

- Chips heated from above and below to ensure they are kept at optimum temperature
- Simple on/off switch operation
- Supplied with removable, angled,
 perforated base to make it easier to scoop up chips
- Can be supplied on **fixed** or **mobile stand** if required







Bain Marie

- Accommodates 1/1 GN containers up to 150mm deep
 - Manual fill well means no water supply required
 - Drain water easily through valve located at front of unit
- Temperature range of 70-90°C ensures food held at ideal temperature
 - Full height model



BULK COOKING

When large quantities of food need to be produced look no further than F900 to provide the solution.

F900 gas and electric boiling and bratt pans are ideal to suit bulk production kitchens, with capacities large enough to deliver.

Both models feature an integrated water faucet for ease of filling and cleaning.



- 80 litre capacity
- Features an integrated water faucet for ease of fill and cleaning
- 304 grade stainless steel pan with duplex steel base provides added longevity
 - Manual tilting allows precise decanting of food
 - Counter-balanced lid enables
 incremental opening as required







Boiling Pan

- **100 litre capacity** 316 stainless steel pan
- Features an integrated water faucet and drain for ease of use
- Dual pan delivers indirect heat to ensure your food is protected from fierce direct heat
- Counter-balanced lid enables
 incremental opening as required
- Square-casing allows for fully integrated cookline

STANDS, CABINETS & INFILLS



F900 cabinets and infill units finish off the cookline, provide additional workspace and storage and can be suited with other models in the F900 portfolio.

Cabinets have the option of pressed runner shelves, creating storage space for 1/1 or 2/1 gastronorm trays.

A cabinet designed to locate a standard size Falcon combination oven is also available. This makes the combi a part of the stylish **F900** cookline.



- Two door cabinet available for **standard**Falcon combination ovens to sit upon
- Infill units of 100 and 200mm available to complete the cookline
- Stands are available for all countertop units -400, 600, 800, 900 and 1200mm

- Front hob rail
- Side hob extension
- Factory fitted castors
- Rear blanking plate
- Kick strip

PRODUCT RANGE

| Model | Decorintion | Fuel | Width |
|--|--|--|---|
| | Description | Fuel | Width |
| Oven Ranges E9184 | Four hatalata ayan ranga | Electric | 800mm |
| G9184 | Four hotplate oven range Oven range, (4 x 9.5kW) | Gas | 800mm |
| | , | | |
| G9184A | Oven range, (2 x 9.5kW, 2 x 4.2kW) | Gas | 800mm |
| G9184B | Oven range, (3 x 9.5kW, 1 x 4.2kW burner) | Gas | 800mm |
| G9181 | Solid top oven range | Gas | 800mm |
| Boiling Tops | Two betalete beiling ten | Flootrio | 400000 |
| E9042 | Two hotplate boiling top | Electric | 400mm |
| E9084 | Four hotplate boiling top | Electric | 800mm |
| G9042 | Boiling top (2 x 9.5kW burner) | Gas | 400mm |
| G9042A | Boiling top (1 x 9.5kW, 1 x 4.2kW burner) | Gas | 400mm |
| G9084 | Boiling top (4 x 9.5kW burner) | Gas | 800mm |
| G9084A | Boiling top (2 x 9.5kW burner 2 x 4.2kW) | Gas | 800mm |
| G9084B | Boiling top (3 x 9.5kW, 1 x 4.2kW burner) | Gas | 800mm |
| G90126 | Boiling top (6 x 9.5kW burner) | Gas | 1200mm |
| G90126A | Boiling top (3 <i>x</i> 9.5 <i>kW</i> , 3 <i>x</i> 4.2 <i>kW</i> burner) | Gas | 1200mm |
| G90126B | Boiling top (5 \times 9.5 \times W, 1 \times 4.2 \times W burner) | Gas | 1200mm |
| G9081 | Solid top boiling top | Gas | 800mm |
| Fryers | | | |
| E9341 | Twin basket fryer | Electric | 400mm |
| E9341F | Twin basket fryer with inbuilt filtration | Electric | 400mm |
| G9341 | Twin basket fryer | Gas | 400mm |
| G9341F | Twin basket fryer with inbuilt filtration | Gas | 400mm |
| Chip Scuttle | | | |
| E9646 | Chip Scuttle | Electric | 400mm |
| Chargrills | | | |
| G9440 | Chargrill (1 x burner, 4 x brander bars) | Gas | 400mm |
| G9460 | Chargrill (2 x burners, 6 x brander bars) | Gas | 600mm |
| G9490 | Chargrill (3 x burners, 9 x brander bars) | Gas | 900mm |
| G94120 | Chargrill (4 x burners, 12 x brander bars) | Gas | 1200mm |
| Induction | | | |
| i91104 | Induction range (4 x 3.5kW) | Electric | 1000mm |
| i91105 | Induction range (4 x 5kW) | Electric | 1000mm |
| i9042 | Induction boiling top (2 x 3.5kW zones) | Electric | 400mm |
| i9043 | Induction boiling top (2 x 5kW zones) | Electric | 400mm |
| i9084 | Induction boiling top (4 x 3.5kW zones) | Electric | 800mm |
| i9085 | _ , , | Electric | 800mm |
| Griddles | | | |
| E9541 | Machined steel griddle - smooth | Electric | 400mm |
| E9541R | | Electric | 400mm |
| E9541CR | _ | Electric | 400mm |
| E9581 | Machined steel griddle - smooth | Electric | 800mm |
| G9460 G9490 G94120 Induction i91104 i91105 i9042 i9043 i9084 i9085 Griddles E9541 E9541R | Chargrill (2 x burners, 6 x brander bars) Chargrill (3 x burners, 9 x brander bars) Chargrill (4 x burners, 12 x brander bars) Induction range (4 x 3.5kW) Induction range (4 x 5kW) Induction boiling top (2 x 3.5kW zones) Induction boiling top (2 x 5kW zones) Induction boiling top (4 x 3.5kW zones) Induction boiling top (4 x 3.5kW zones) Induction boiling top (4 x 5kW zones) Machined steel griddle - smooth Machined steel griddle - ribbed Machined steel griddle - chrome | Gas Gas Gas Electric Electric Electric Electric Electric Electric Electric Electric Electric | 600mm 900mm 1200mm 1000mm 400mm 400mm 800mm 800mm 400mm 400mm 400mm |

| Model | Description | Fuel | Width |
|------------------|---|----------|----------|
| Griddles | | | |
| E9581R | Machined steel griddle - half ribbed | Electric | 800mm |
| E9581CR | Machined steel griddle - chrome | Electric | 800mm |
| G9541 | Machined steel griddle - smooth | Gas | 400mm |
| G9541R | Machined steel griddle - ribbed | Gas | 400mm |
| G9541CR | Machined steel griddle - chrome | Gas | 400mm |
| G9581 | Machined steel griddle - smooth | Gas | 800mm |
| G9581R | Machined steel griddle - half ribbed | Gas | 800mm |
| G9581CR | Machined steel griddle - chrome | Gas | 800mm |
| Bratt Pan | madimida dedor gridaro dinome | Gue | 20011111 |
| E9881 | Bratt pan (80 litres) | Electric | 800mm |
| G9881 | Bratt pan (80 litres) | Gas | 800mm |
| Boiling Pan | Brace pair (00 marcs) | duo | Coomin |
| E9781 | Boiling pan (100 litres) | Electric | 800mm |
| G9781 | Boiling pan (100 litres) | Gas | 800mm |
| Pasta Cooker | Boiling pair (100 litres) | dus | GOOMIN |
| E9241 | Pasta cooker | Electric | 400mm |
| Bain Marie | 1 data cooker | LICCUIC | 40011111 |
| E9641 | Bain Marie | Electric | 400mm |
| Rise and Fall Gr | | LICCUIC | 40011111 |
| E600 | Rise and fall grill | Electric | 600mm |
| Cabinets / Work | - | LICCUIC | OOOMIN |
| N940 | Cabinet | n/a | 400mm |
| N940D | Cabinet with door | n/a | 400mm |
| N941 | Cabinet with door | n/a | 400mm |
| N960 | Cabinet | n/a | 600mm |
| N960D | Cabinet with door | n/a | 600mm |
| N961 | Cabinet with door | n/a | 600mm |
| N9100 | Combi oven cabinet | n/a | 1000mm |
| N940T | Worktop unit | n/a | 400mm |
| N980T | Worktop unit | n/a | 800 |
| N990T | Worktop unit | n/a | 900mm |
| Infill Units | Worktop unit | ii/ a | 90011111 |
| N910 | Infill unit | n/a | 100mm |
| N920 | Infill unit | n/a | 200mm |
| Stands | mini unit | ii/ a | 20011111 |
| ST40 | Stand for 400mm wide units | n/a | 400mm |
| ST60 | Stand for 400mm wide units | n/a | 600mm |
| ST80 | Stand for 800mm wide units | n/a | 800mm |
| ST90 | Stand for 900mm wide units | n/a | 900mm |
| ST120 | Stand for 1200mm wide units | n/a | 1200mm |
| ST40D | Stand for 1200mm wide units Stand with door for 400mm wide units | • | 400mm |
| ST60D | Stand with door for 600mm wide units | n/a | |
| | | n/a | 600mm |
| ST80D | Stand with door for 800mm wide units | n/a | 800mm |
| ST90D | Stand with door for 900mm wide units | n/a | 900mm |





Falcon Foodservice Equipment

Wallace View
Hillfoots Road
Stirling
FK9 5PY
Scotland
United Kingdom

T: +44 (0)1786 455 200 F: +44 (0)1786 469 454 info@FalconF900.com

FalconF900.com

F900-SB-03-17

an Ali Group Company

