



LYNX⁴⁰⁰

PRODUCT OPTIONS AND ACCESSORIES

- SH139 Shelf for LCOT oven 378mm x 330mm

Whether you're making croissants, rolls, pies, pastries, pizzas our new plug and play Lynx 400 Series Tall Convection Oven is a fantastic addition to your kitchen if you're short of space.

PRODUCT FEATURES

- Powerful fan assisted cooking for uniform heat, and consistent cooking results
- Powerful 2.5kW oven allows rapid heat up time
- Accommodates 4 x 2/3 gastronorms placed directly on shelf runners
- Easy plug and play operation - 13A plug
- Temperature range 50 - 250°C
- Simple dial controls with 60 minute timer enabling accurate cooking time
- Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- Two removable chromed rod shelves
- User-replaceable inner door glass, light bulb and door seal

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	495 mil
Depth	570 mil
Height	520 mil
Weight	29.3 kg

SHIPPING DETAILS

Ship Width	68.5 cm
Ship Depth	81.3 cm
Ship Height	76.5 cm
Ship Weight	32.23 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	10.9	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2500	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2.5 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Capacity Volume	53.64 l	Full-Size Or Half-Size	Full-Size
Control Type	Rotary Control Knob	Gastronorm Capacity	4 x GN2/3
Convection Oven Fan Type	Single Direction	Interior	Stainless Steel
Cooking Chamber Depth	390 mm	Number Of Cooking Chambers	1
Cooking Chamber Height	362 mm	Number of Pans	0
Cooking Chamber Width	380 mm	Number of Wire Racks	2
Cooking Rack Depth	326 mm	Standard Depth Or Bakery Depth	Standard Depth
Cooking Rack Width	378 mm	Temperature Maximum	250 °C
Door Construction	Single Door	Temperature Minimum	50 °C
Door Hinge Type	Left Hang Hinge	Type of Lighting	Halogen
Door Type	Stainless Steel With Viewing Glass		

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

