








CONTENTS







UNDERCOUNTER REFRIGERATORS & FREEZERS

Medium Duty Undercounter Refrigerators & Freezers

This medium duty range of undercounter refrigerators and freezers incorporates energy efficient refrigerant and represents outstanding value for money. This range is designed for commercial use in less demanding environments and operates effectively in kitchens of up to 30°C.

- 143 Litres capacity
- White aluminium interior
- 2 x full size shelves & 1 x half shelf
- Lockable right-hand hinged door
- Digital thermometer display and controller
- Supplied with adjustable front feet, with rollers at the rear
- Incorporates energy efficient refrigerant
- Manual defrost
- Operates in up to 30°C Ambient conditions











HEC907

Refrigerators (+2°C to +8°C)

HEC906 Refrigerator White Exterior Finish - 595 x 653 x 870mm

Refrigerator Stainless Steel Exterior Finish - 595 x 653 x 870mm **HEC907**

Freezers (-18°C to -22°C)

Freezer White Exterior Finish - 595 x 653 x 870mm HEC908

Freezer Stainless Steel Exterior Finish - 595 x 653 x 870mm **HEC909**









UNDERCOUNTER REFRIGERATORS & FREEZERS

Heavy Duty Undercounter Refrigerator & Freezer

This new heavy-duty range of undercounter refrigerator and freezer is designed for busy kitchens, where the units are continuously in use. As well as incorporating energy efficient refrigerant, the units are full stainless steel interior/exterior finish and operate effectively in kitchens of up to 40°C.

- 145 Litres capacity
- Stainless steel interior & exterior
- Supplied with 2 shelves /6 shelf positions
- Lockable right-hand hinged door
- Digital thermometer display and controller
- Supplied on castors (two braked)
- Incorporates energy efficient refrigerant
- Manual defrost on HEF138
- Auto defrost on HEF139
- Operates in up to 40°C Ambient conditions

FEATURES





Climate Class 5
Designed to operate
in high ambient conditions



Fully Supported
3 year warranty





Refrigerator (+2°C to +8°C)

• Eco Design: Rating A+, Climate Class 5, Heavy Duty

HEF138 Refrigerator Stainless Steel Exterior Finish - 605 x 635 x 825mm

Freezer (-17°C to -22°C)

Eco Design: Rating C, Climate Class 5, Heavy Duty

HEF139 Freezer Stainless Steel Exterior Finish - 605 x 635 x 825mm











Medium Duty - 356 Ltr Capacity Upright Refrigerators & Freezers

A range of medium duty upright cabinets that incorporates energy efficient refrigerant and represents outstanding value for money. This range is designed for commercial use in less demanding environments and operates effectively in kitchens of up to 30°C.

- 356 Litres capacity
- White aluminium interior
- 3 x full size shelves & 1 x half shelf on refrigerators
 6 x full size shelves & 1 x half shelf on freezers
- Lockable right-hand hinged door
- Digital thermometer display and controller
- Supplied with adjustable front feet, with rollers at the rear
- Incorporates energy efficient refrigerant
- Eco Design: Rating D, Climate Class 4, Normal Duty
- Manual defrost (Auto on freezer models)
- Operates in up to 30°C Ambient conditions







Refrigerators (+2°C to +8°C)

HEC910 Refrigerator White Exterior Finish - 595 x 653 x 1840mm

HEC911 Refrigerator Stainless Steel Exterior Finish - 595 x 653 x 1840mm

Freezers (-18°C to -22°C)

HEC912 Freezer White Exterior Finish - 595 x 653 x 1840mm

HEC913 Freezer Stainless Steel Exterior Finish - 595 x 653 x 1840mm









Medium Duty - 580 Ltr Capacity Upright Refrigerators & Freezers

A range of medium duty upright cabinets that incorporates energy efficient refrigerant and represents outstanding value for money. This range is designed for commercial use in less demanding environments and operates effectively in kitchens of up to 30°C.

- 580 Litres capacity
- White aluminium interior
- 3 x full size shelves & 1 x half shelf on refrigerators
 6 x full size shelves & 1 x half shelf on freezers
- Lockable right-hand hinged door
- Digital thermometer display and controller
- Supplied with adjustable front feet, with rollers at the rear
- Incorporates energy efficient refrigerant
- Eco Design: Rating D, Climate Class 4, Normal Duty
- Manual defrost (Auto on freezer models)
- Operates in up to 30°C Ambient conditions



Refrigerators (+2°C to +8°C)

HED105 Refrigerator White Exterior Finish - 775 x 723 x 1840mm

HED106 Refrigerator Stainless Steel Exterior Finish - 775 x 723 x 1840mm

Freezers (-18°C to -22°C)

HED107 Freezer White Exterior Finish - 775 x 723 x 1840mm

HED108 Freezer Stainless Steel Exterior Finish - 775 x 723 x 1840mm









Medium Duty – Stainless Steel Upright Refrigerator & Freezer

A new range of medium duty gastronorm compatible upright cabinets, all stainless steel finish and representing outstanding value for money.

- 600 Litres capacity
- 2/1 GN Compatible
- Stainless steel interior & exterior
- Supplied with 3 x shelves/ 20 shelf positions
- Lockable right-hand hinged door
- Digital thermometer display and controller
- LED interior lighting
- Supplied with castors (two braked)
- Incorporates energy efficient refrigerant
- Eco Design: Rating D, Climate Class 4, Normal Duty
- Auto defrost
- Operates in up to 30°C Ambient conditions



FEATURES



All Stainless Steel
Interior/ exterior finish



Climate Class 4



LEDInterior Lighting



Fully Supported 2 year warranty

Refrigerator (+2°C to +8°C)

HEF136 Refrigerator Stainless Steel Exterior Finish - 680 x 810 x 2010mm

Freezer (-15°C to -20°C)

HEF137 Freezer Stainless Steel Exterior Finish - 680 x 810 x 2010mm









Medium Duty – Stainless Steel Upright Refrigerator & Freezer

A new range of medium duty gastronorm compatible upright cabinets, all stainless steel finish and representing outstanding value for money.

- 1200 Litres capacity
- 2/1 GN Compatible
- Stainless steel interior & exterior
- Supplied with 3 x shelves/ 20 shelf positions per door section
- Lockable doors
- Digital thermometer display and controller
- LED interior lighting
- Supplied with castors (two braked)
- Incorporates energy efficient refrigerant
- Eco Design: Refrigerator: Rating E, Climate Class 4, Normal Duty
 Freezer: Rating D, Climate Class 4, Normal Duty
- Operates in up to 30°C Ambient conditions



FEATURES



All Stainless Steel Interior/ exterior finish



Climate Class 4



LED
Interior Lighting



Fully Supported 2 year warranty

Refrigerator (+2°C to +8°C)

HEF544 Refrigerator Stainless Steel Exterior Finish - 1340 x 810 x 2010mm

Freezer (-15°C to -20°C)

HEF545 Freezer Stainless Steel Exterior Finish - 1340 x 810 x 2010mm









Heavy Duty - Stainless Steel **Upright Refrigerators & Freezers**

The Arctica Heavy Duty cabinets are some of most energy efficient cabinets in the UK market. These units are ideal for any busy commercial kitchen environment and they operate in ambient temperatures up to 40°C. Fully supported with a full onsite 3 year warranty.

- 2/1 GN Compatible
- Stainless steel interior & exterior
- Supplied with 3 x shelves/18 shelf positions
- Lockable right-hand hinged door
- Digital thermometer display and controller
- LED interior lighting
- Supplied with castors (two braked)
- Incorporates energy efficient refrigerant
- Eco Design: Rating B, Climate Class 5, Heavy Duty
- Auto defrost
- Operates in up to 40°C Ambient conditions





HFD236

Refrigerators (0°C to +8°C)

HED235 Refrigerator Single Door 730 x 805 x 2065mm – 670 Litres Capacity

HED237 Refrigerator Double Door 1314 x 805 x 2065mm - 1240 Litres capacity

Freezers (-17°C to -22°C)

HED236 Freezer Single Door 730 x 805 x 2065mm - 670 Litres capacity

HED238 Freezer Double Door 1314 x 805 x 2065mm - 1240 Litres capacity











Heavy Duty – Refrigerated Plain Top Preparation Counters

The Arctica Heavy Duty preparation counters are some of the most energy efficient counters in the UK market. These units are ideal for any busy commercial kitchen environment and they operate in ambient temperatures up to 40°C. Fully supported with a full on-site 3-year warranty.

- 1/1 GN Compatible
- Stainless steel interior & exterior
- Supplied with 1 x shelves/9 shelf positions per door section
- Digital thermometer display and controller
- Supplied with castors (front braked)
- Incorporates energy efficient refrigerant
- Eco Design: Rating A, Climate Class 5, Heavy Duty
- Auto defrost
- Operates in up to 40°C Ambient conditions









FULLY SUPPORTED3 YEAR WARRANTY



FEATURES



All Stainless Steel
Interior/ exterior finish



Climate Class 5
Designed to operate
in high ambient conditions



Fully Supported 3 year warranty

Preparation Counters (0°C to +8°C)

HED496 Preparation Counter 2 Door, 280 Litres capacity - 1360 x 700 x 840mm

HED497 Preparation Counter 3 Door, 420 Litres capacity - 1795 x 700 x 840mm

HED498 Preparation Counter 4 Door, 560 Litres capacity - 2230 x 700 x 840mm











Heavy Duty - Refrigerated Plain Top Preparation Counters with Upstands

The Arctica Heavy Duty preparation counters are some of the most energy efficient counters in the UK market. These units are ideal for any busy commercial kitchen environment and they operate in ambient temperatures up to 40°C. Fully supported with a full on-site 3-year warranty.

- 1/1 GN Compatible
- Stainless steel interior & exterior
- 100mm Upstand to rear
- Supplied with 1 x shelves/9 shelf positions per door section
- Digital thermometer display and controller
- Supplied with castors (front braked)
- Incorporates energy efficient refrigerant
- Eco Design: Rating A, Climate Class 5, Heavy Duty
- Auto defrost
- Operates in up to 40°C Ambient conditions









FEATURES



All Stainless Steel Interior/ exterior finish



Climate Class 5 Designed to operate in high ambient conditions



Fully Supported 3 year warranty

Preparation Counters (0°C to +8°C)

HEF140 Preparation Counter With Upstand 2 Door, 280 Litres capacity - 1360 x 700 x 940mm

HEF141 Preparation Counter With Upstand 3 Door, 420 Litres capacity - 1795 x 700 x 940mm











Refrigerated Compact Preparation Counters

The Arctica compact preparation counters are ideal where space is at a premium. With a stainless-steel worktop and refrigerated section below, your ingredients are close to hand.

- Stainless steel interior & exterior
- Supplied with 1 x shelf/2 shelf positions per door section
- Digital thermometer display and controller
- Visual alarm
- Supplied on castors as standard
- Incorporates energy efficient refrigerant
- Eco Design: Rating A, Climate Class 4, Normal Duty
- Auto defrost
- Operates in up to 30°C Ambient conditions.



HED499



Compact Preparation Counters (+2°C to +8°C)

HED499 Compact Preparation Counter 2 Door, 300 Litres capacity - 900 x 700 x 943mm

HED500 Compact Preparation Counter 3 Door, 380 Litres capacity - 1365 x 700 x 943mm











Refrigerated 4 & 6 Drawer Compact Preparation Counters

These counter units provide refrigerated drawer storage below, with a stainless-steel work surface on top.

- Stainless steel interior & exterior
- Drawers accept GN 1/1 Containers
- Digital thermometer display and controller
- Temperature range +2°C to +8°C
- Supplied on castors as standard
- Note GN Containers not included



Compact Preparation Counters (+2°C to +8°C)

HEF959 4 Drawer Compact Preparation Counters - 900 x 700 x 943mm

HEF960 6 Drawer Compact Preparation Counters - 1365 x 700 x 943mm











NEW

Refrigerated Pizza Preparation Counters

These counter units provide refrigerated storage below, with space on the top of the unit for gastronorm pans. This allows for a variety of toppings/fillings to be kept within easy reach.

- Stainless steel interior & exterior
- Digital thermometer display and controller
- Supplied with 1 x shelf/2 shelf positions per door section
- Covered prep top unit is ambient storage only
- Prep top unit: Capacity 5 x 1/6 GN or
 7 x 1/3 GN up to 100mm deep (not included)
- Temperature range +2°C to +8°C
- Supplied on castors as standard

*Note GN Containers not included



Pizza Counters (+2°C to +8°C)

HED501 Pizza Preparation Counter 2 Door, 5 x 1/6 GN - 900 x 700 x 1105mm

HEF570 Pizza Preparation Counter 3 Door, 7 x 1/3 GN - 1365 x 700 x 1105mm









REFRIGERATED SALADETTE PREPARATION COUNTERS

Refrigerated Saladette Preparation Counters

These counter units provide refrigerated storage below, with easy access to chilled ingredients above. The top section allows the flexibility to add GN containers, compete with drop down lid for overnight storage and polypropylene prep work surface at the front of the counter.

- Stainless steel interior & exterior
- Digital thermometer display and controller
- Supplied with 2 x shelf/4 shelf positions per door section
- Drop-down stainless steel lid
- Polypropylene work surface to front of counter
- Temperature range +2°C to +8°C
- Supplied on castors as standard

*Note GN Containers not included



Saladette Counters (+2°C to +8°C)

HEF568 Saladette Preparation Counter 2 Door, 7 x 1/3 GN & 1 x 1/6 GN - 900 x 700 x 950mm

HEF569 Saladette Preparation Counter 3 Door, 12 x 1/3 GN - 1380 x 700 x 950mm









REFRIGERATED PREPARATION TOPS

Refrigerated Preparation Tops with Glass Sneeze Screen

NEW

Ideal for holding pizza toppings, sandwich fillings or any other chilled ingredients you need quick access to.

- Stainless steel interior and exterior
- Glass sneeze guard (Requires self-assembly)
- Digital temperature display and controller
- Temperature range 0°C to +2°C
- Note GN Containers not included



HFF966

Refrigerated Preparation Tops with Stainless Steel Cover

Ideal for holding pizza toppings, sandwich fillings or any other chilled ingredients you need quick access to.

- Stainless steel interior and exterior
- Hinged stainless steel lid
- Digital temperature display and controller
- Temperature range 0°C to +2°C
- Note GN Containers not included



HEF964

Refrigerated Preparation Tops



HEF965 With Glass Sneeze Screens 5 x 1/4 GN - 1205 x 335 x 465mm

HEF966 With Glass Sneeze Screens 7 x 1/4 GN - 1605 x 335 x 465mm

NEW NEW **HEF963** With Stainless Steel Cover 5 x 1/4 GN - 1205 x 335 x 300mm



HEF964 With Stainless Steel Cover 7 x 1/4 GN - 1605 x 335 x 300mm







NEW



CHEST FREEZERS

Chest Freezers

Perfect for all large frozen storage needs.

- Available in 3 sizes offering flexibility and large storage space of up to 568 Ltr
- Operating temperature range of -18°C to -22°C
- Operates in an ambient temperature of up to 25°C
- Fitted lock to keep contents secure
- Comes complete with internal storage basket
- Stainless steel lid
- Low energy refrigerant



FULLY SUPPORTED

3 YEAR

WARRANTY



HEC916

Chest Freezers (-18°C to -22°C)

HEC916 Chest Freezer 370 Ltr - 1270 x 755 x 840mm

HEC917 Chest Freezer 465 Ltr - 1530 x 755 x 840mm

HEC918 Chest Freezer 568 Ltr - 1810 x 755 x 840mm









BOTTLE COOLERS

Single Door & Double Door Bottle Coolers

The Arctica range of bottle coolers is perfect for the display of chilled drinks. These units are energy efficient, incorporating environmentally friendly refrigerant & internal LED lighting.

- Black metal exterior/Aluminium stippled interior
- Self-closing, double glazed lockable door(s)
- Supplied with 2 x shelves/4 shelf positions per door section
- Internal digital thermometer display and controller
- Internal LED illumination
- Incorporates energy efficient refrigerant
- Fan assisted cooling for rapid temperature recovery
- Auto defrost
- Operates in up to 30°C Ambient conditions



HEC814



HEC816







HEC818

Single Door (0°C to +10°C)

NEW

HEF971 Low Height - Hinged Door, Capacity up to 140 x 330ml bottles - 555 x 496 x 846mm

HEC814 Standard Height - Hinged Door, Capacity up to 168 x 330ml bottles - 555 x 496 x 892mm

Double Door (0°C to +10°C)



HEF972 Low Height - Hinged Doors, Capacity up to 218 x 330ml bottles - 865 x 496 x 846mm

HEC816 Standard Height - Hinged Doors, Capacity up to to 262 x 330ml bottles - 865 x 496 x 892mm

HEC818 Standard Height - Hinged Doors, Capacity up to to 262 x 330ml bottles - 865 x 512 x 892mm



Internal LED Illumination



Lockable Door(s)



Internal Digital Display and Temperature Control









BOTTLE COOLERS

Triple Door Bottle Coolers

The Arctica range of bottle coolers is perfect for the display of chilled drinks. These units are energy efficient, incorporating environmentally friendly refrigerant & internal LED lighting.

- Black metal exterior/Aluminium stippled interior
- Self-closing, double glazed lockable door(s)
- Supplied with 2 x shelves/4 shelf positions per door section
- Internal digital thermometer display and controller
- Internal LED illumination
- Incorporates energy efficient refrigerant
- Fan assisted cooling for rapid temperature recovery
- Auto defrost
- Operates in up to 30°C Ambient conditions



Internal LED Illumination



Lockable Door(s)



Internal Digital Display and Temperature Control



HEF969 - Hinged Door model

Triple Doors (0°C to +10°C)

HEF969 Standard Height - Hinged Doors, Capacity up to 452 x 330ml bottles - 1350 x 496 x 892mm

HEF970 Standard Height - Sliding Doors, Capacity up to 452 x 330ml bottles - 1350 x 512 x 892mm









UPRIGHT BOTTLE COOLERS

Upright Bottle Coolers

The Arctica upright coolers offer high capacity storage, with adjustable chrome shelves and attractive, low energy LED lighting. They are perfect for front of house display or bar areas, for maximising sales potential.

- Black stelvetite exterior, stainless steel interior
- Hinged, lockable double-glazed door(s)
- 5 adjustable chrome shelves per door section
- Temperature range +2°C to +8°C
- LED interior lighting
- Digital thermometer display and controller
- Supplied with adjustable feet (not on castors)
- Auto defrost
- Operates in up to 30°C Ambient conditions







HEF547

Bottle Coolers (+2°C to +8°C)

HEF546 Bottle Cooler 1 Door - Capacity up to 324 x 275ml bottles - 600 x 515 x 1815mm

HEF547 Bottle Cooler 2 Door - Capacity up to 492 x 275ml bottles - 920 x 515 x 1815mm









GLASS DOOR DISPLAY REFRIGERATOR

Glass Door Display Refrigerator

- 143 Litre capacity
- Temperature range 0°C to +8°C
- Lockable right-hand hinged double-glazed glass door
- White aluminium exterior casing and interior
- 2 x full size shelves and 1 x half shelf
- LED interior lighting
- Digital thermometer display and controller
- Supplied with adjustable front feet, with rollers at the rear
- Auto defrost
- Operates in up to 30°C Ambient conditions



Display Refrigerator (0°C to +8°C)

HEF540 Glass Door Display Refrigerator - 595 x 635 x 870mm









UPRIGHT DISPLAY REFRIGERATORS

Upright Glass Door Display Refrigerators

These Arctica display refrigerators, are ideal for beverage merchandising or chilled food. Features include double glazed lockable door, LED internal lighting and high storage capacity.

- Temperature range 0°C to +8°C
- Lockable right-hand hinged double-glazed glass door
- White aluminium exterior casing and interior
- 3 x full size shelves and 1 x half shelf
- LED interior lighting
- Digital thermometer display and controller
- Supplied with adjustable front feet, with rollers at the rear
- Auto defrost
- Operates in up to 30°C Ambient conditions



HEF541

Upright Display Refrigerators (0°C to +8°C)

HEF541 Upright Display Refrigerator 356 Litres - 595 x 653 x 1840mm

HEF542 Upright Display Refrigerator 580 Litres - 775 x 723 x 1840mm









UPRIGHT DISPLAY REFRIGERATORS

Upright Display Refrigerators With Illuminated Canopy

Arctica upright display refrigerators with illuminated top panel are ideal for beverage merchandising. Features include double glazed doors. LED internal lighting and high storage capacity.

- Aluminium exterior casing and interior
- LED interior lighting/canopy
- Digital thermometer display and controller
- Auto defrost
- Operates in upto 30°C ambient conditions



HEF543



Also available in Black

Single Door Models (+2°C to +10°C)

HEF543 238 Litres, white finish - 555 x 540 x 1780mm

NEW

HEF957 278 Litres, black finish - 590 x 610 x 1905mm









UPRIGHT DISPLAY REFRIGERATORS

Upright Display Refrigerators With Illuminated Canopy

Arctica upright display refrigerators with illuminated top panel are ideal for beverage merchandising. Features include double glazed doors. LED internal lighting and high storage capacity.

- Aluminium exterior casing and interior
- LED interior lighting/canopy
- Digital thermometer display and controller
- Auto defrost
- Operates in upto 30°C ambient conditions





HEF958

Double Door Models (Sliding) (+2°C to +10°C)



HEF956 880 Litres, white finish - 1295 x 695 x 2010mm

HEF958 880 Litres, black finish - 1295 x 695 x 2010mm







NEW



COUNTERTOP MANUAL ICE MAKERS

12KG Output Countertop Manual Ice Maker

- Stainless steel body, ABS lid
- Supplied with ice scoop
- Easy cleaning
- 12kg/day output
- Ambient temp 40°C
- Cycle time 6 to 13 minutes
- Produces hollow bullet-type ice
- size approx 2.3cm x 2cm





HEA653

18KG Output Countertop

Manual Ice Maker

- Stainless steel body, ABS lid
- Supplied with ice scoop
- Easy cleaning
- 18kg/day output
- Ice bucket capacity 1.1 kg
- Ambient Temp 32°C
- Cycle time 15 to 20 minutes
- Produces square shape ice cubes







ABS lid

NEW



HEF955

Countertop Manual Ice Makers

HEA653 12KG Output Countertop Manual Ice Maker - 242 x 358 x 328mm



HEF955 18KG Output Countertop Manual Ice Maker - 257 x 473 x 522mm









BLAST CHILLER / FREEZERS

Blast Chiller/Freezers

Arctica blast chillers are simple to use. Quickly reduces the core temperature of products, whether they are cooked or fresh, conserving their fresh texture, hygiene, and quality, whilst reducing the risk of bacteria generating. It's a perfect appliance to help you adhere to food hygiene regulations.

- Cycle times: Blast chill cycle +70°c to +3°c in 90 minutes, Blast freeze cycle +70°c to -18°c in 240 minutes
- Stainless steel interior & exterior
- Accepts 1/1 GN trays (25mm deep) or 600mm x 400mm shelves (not supplied)
- Self-closing, right-handed door
- Digital controller with temperature display
- Built-in temperature probe
- Auto defrost
- Supplied on castors (2 braked)





NEW



Blast Chiller / Freezers

HEF967 20kg Chill Capacity / 15kg Freeze Capacity model - 800 x 800 x 1000mm

HEF968 40kg Chill Capacity / 15kg Freeze Capacity model - 800 x 800 x 1490mm











For more information call 0330 0585 700 or e-mail sales@factory1st.co.uk

Head Office: Factory1st, Brunel Road, Theale, Berkshire, RG7 4XE.

Terms & Conditions: All prices are strictly nett and excluding VAT. All specifications and prices detailed are correct at the time of going to press, errors and omissions excepted, but are subject to alteration by us without prior notice. A copy of our full terms & conditions is available on request.