# Bar Aid by HOBART





#### BarAíd 400S Glasswasher

A compact and efficient 400 x 400mm basket glasswasher capable of up to 48 cycles per hour.

#### Ease of Operation

- Electronic controls simple to use, easy to understand
- Easy to clean just six components to remove
- Automatic drain down and self flushing cycle fast, efficient and promotes good hygiene standards
- Comprehensive specification all pumps and dosing equipment fitted as standard



### Consistently outstanding wash results

- Separate upper and lower wash and rinse arms 100% glass coverage for outstanding results
- Standard built in softener ensures optimum water quality to deliver a sparkling finish
- Integral detergent and rinse aid pumps precise dosing for streak free results
- Choice of 75 or 150 second cycles fast cycles, high output



#### Energy saving features

- Multi phasing power options can be reconfigured to suit different electrical requirements
- Compact L shaped 8 litre wash tank and economical 2.3 litre rinse ensures lowest running costs



#### Points to remember

Using the correct glass racks will significantly improve washed results.

A tilted and divided rack promotes rapid drying and safer handling of glasses and helps eliminate breakages.

**Supplied as standard with:** 1 x 4 Division Tilt Rack, 1 x Open Rack



#### BarAíd 500S Glasswasher

A high performance, high capacity 500 x 500mm basket glasswasher with a comprehensive specification capable of washing up to 40 cycles per hour.

#### Ease of Operation

- Single button control easy to use and understand
- Chamber and wash tank with smooth, rounded corners and polished interior no dirt traps and easy to access
- Easy to clean only 6 removable items for cleaning
- Automatic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard

#### Consistently outstanding wash results

- Separate upper and lower wash and rinse arms complete glass coverage ensuring perfect wash results
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 90 or 120 second cycles fast cycles, high output
- Interlocked strainer ensures correct location and operation of filter system
- Two stage strainer system removes debris and helps to protect the wash pump





#### Energy saving features

- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Double skinned construction keeps radiated heat and noise levels to a minimum and reduces energy loss
- Wash tank capacity of just 10.8 litres, saves on water, energy and detergent

Supplied as standard with: 1 x 4 Division Tilt Rack



#### BarAíd 800S

A versatile and economical front loading dishwasher capable of washing up to 40 cycles per hour (approx. 160 covers per hour)

#### Ease of Operation

- Single button control easy to use and understand
- Chamber and wash tank with smooth, rounded corners and polished interior no dirt traps and easy to access
- Easy to clean only 6 removable items for cleaning
- Hygienic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard



#### Consistently outstanding wash results

- Powerful 0.6 kW pump delivers total wash coverage via separate upper and lower wash and rinse arms
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 90 or 180 second cycles standard cycle for crockery and cutlery plus a longer cycle for heavy soiling, containers, etc
- Interlocked strainer ensures correct location and operation of filter system
- Two stage strainer system removes debris and helps to protect the wash pump

#### Energy saving features

- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Double skinned construction keeps radiated heat and noise levels to a minimum and reduces energy loss
- Wash tank capacity of just 10.8 litres, saves on water, energy and detergent



## Bar Aid by HOBART

#### BarAíd 900S

A powerful Hood Type Dishwasher capable of washing up to 60 racks per hour (approx. 240 covers per hour)

#### Ease of Operation

- Hood mounted single button control with colour cycle indication easy to use and understand
- Hygienic self flushing drain cycle on machine shut down
- Comprehensive specification all pumps and dosing equipment fitted as standard
- 440mm Hood Opening Height allows double racking of cups, saucers, etc and easy loading of trays
- Comprehensive specification all pumps fitted as standard

#### Consistently outstanding wash results

- Powerful 0.73 kW pump delivers total wash coverage via separate upper and lower wash and rinse arms
- Standard built in softener ensures optimum water quality
- Integral detergent and rinse aid pumps precise dosing for guaranteed quality results
- Choice of 60, 90 or 120 second cycles to suit a variety of ware and degree of soiling
- Interlocked strainer ensures correct location and operation of filter system
- Two stage filter system removes debris and helps to protect the wash pump
- The advanced rinse system delivers optimised water distribution at a constant 82°C

#### Energy saving features

- Unique 4 sided fully enclosed hood prevents heat and steam escaping when the hood is raised saving energy
- 440mm high hood opening, high enough to allow double racking
- Economical rinse system uses just 2.5 litres of fresh water per cycle saving on water, energy, detergent and rinse aid costs
- Wash tank capacity of just 21 litres saves on water, energy and detergent consumption











## Technical Specification

	Model	BarAid 400S	BarAid 500S	BarAid 800S	BarAid 900S
	Water Connection	3/4" BSP	3/4" BSP	3/4" BSP	3/4" BSP
	Water Pressure	0.6 - 6.0 Bar	0.6 - 6.0 Bar	0.6 - 6.0 Bar	0.6 - 6.0 Bar
	Max Water Temperature	60°c	60°c	60°c	60°c
	Water Consumption Per Cycle	2.3 litres	2.5 litres	2.5 litres	2.5 litres
	Wash Tank Volume	8 litres	10.8 litres	10.8 litres	21 litres
	Supply Hose Length	2000mm	2000mm	2000mm	2000mm
	Drain Outlet (pumped)	28mm	28mm	28mm	25mm
	Hose Length	1750mm	2000mm	2000mm	2000mm
	Electrical Leading	2.1kW (1 x 13A)	5.6kW (1 x 25A)	5.6kW (1 x 25A)	7.0kW (3 x 16A)
	Switchable to	4.3kW (1 x 32A)	7.7kW (3 x 16A)	7.7kW (3 x 16A)	4.9kW (1 x 25A)
		-	2.9kW (1x13A)	2.9kW (1x13A)	-
	Pump Rating	0.1kW	0.6kW	0.6kW	0.7kW
	Power Cable Length	2000mm	2500mm	2500mm	2500mm
	Detergent Hose Length	2500mm	2500mm	2500mm	2500mm
	Rinse Aid Hose Length	2500mm	2500mm	2500mm	2500mm
	Programme (secs) PO1	75	90	90	60
	P02	120	120	180	90
	P03	120 (extended rinse)	-	-	120
	Rack Size	400 x 400mm	500 x 500mm	501 x 500mm	500 x 500mm
	Machine Dims (w x d x h)	460 x 590 x 700 (+80)	600 x 600 x 830 (+80)	600 x 600 x 830 (+80)	635 x 740 x 1517 (1997)
	Machine Weight	50kg	87kg	87kg	135kg
	Noise Level	62dB(A)	63dB(A)	63dB(A)	65dB(A)
	Supplied As Standard With	1 x 4 Division Rack	1 x 4 Division Rack	1 x Plate Rack	1 x Plate Rack
		1 x Open Rack	-	1 x Open / Cup Rack	1 x Open / Cup Rack
				1 x Cut <b>l</b> ery Basket	1 x Cutlery Basket



HOBART INDEPENDENT

Southgate Way, Orton Southgate, Peterborough PE2 6GN

Tel: 0870 168 8881

Email: indsales@hobartindependent.com
Web: www.hobartindependent.com