



F58/901 - IMC SP12 Floor-mounted Potato Peeler - 3 Phase - H 1120 mm - 0.37 kW

Compact and flexible, the SP12 (3PH) peeler has a high output and small footprint, making it ideal for medium and large operations with three-phase power.

- ✓ Able to peel 12kg of potatoes in 2 minutes - up to 220kg per hour.
- ✓ Upright design with small footprint, ideal for medium and large operations.
- ✓ Low pedestal for quick and easy discharge of potatoes.
- ✓ Lubricated, heavy-duty gearbox makes peeling operation smooth and reliable.
- ✓ Dual position waste outlets and smooth cylinder base for quick, easy cleaning.
- ✓ Long-lasting, rust-proof plate and replaceable liners for effective peeling.
- ✓ Suitable for kitchens with three-phase power supply.
- ✓ WRAS-compliant Class A air-break and brass spray nozzle to prevent water escape.

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.37
Range	SP Peeler	HP	0.5
Power Type	Electric	IP Rating	IP55
Unit Type	Floor-mounted		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
Mounting	Floor-mounted		
GTIN	5056105198789		

Key Specifications		Capacity	
Operator Safety	User Guide	Capacity Kg per Hour	220
Timer	Yes		
Drain Location	Right or left		
WRAS Approved	WRAS Compliant		
Airbreak	Yes		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1109	Requires Installation	Yes
Unit Width (External) mm	530	Requires Electrical Supply	Yes
Unit Depth (External) mm	624	UK 3 Pin Plug	No
Net Weight Kg	48.5	Requires Hardwiring	Yes
		Motor Rating Watts	370
		Three Phase Amps	1.1
		Three Phase Voltage	400
		Water Connection Pressure Bar	2.7-3.8 [40-55 psi]
		Drain Connection	54mm
		Water Connection	12mm




Shipping

Packed Weight Kg	58.5
Packed Height cm	148
Packed Width cm	57
Packed Depth cm	68

Available Accessories

A29/003	Lid Retaining Strap for SP/VQ Potato Peeler
S58/568	Filter Basket - Integral - for SP Potato Peeler
S58/569	Interceptor Tank - for SP Potato Peeler [pedestal mounted/2" BSP]
S58/570	Waste Ejector for SP Potato Peeler [2" BSP]
S61/168	Stand for SP Potato Peeler

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm