



Electric Oven

P9EO/P9EOD



British Built for Purpose.





Welcome to Parry

Parry is one of the UK's foremost manufacturers of high-quality Stainless Steel Fabricated Products with a 40-year heritage rooted in British craftsmanship.

At Parry, quality and service are second nature. Striving to exceed our customers' expectations is not just our motto; it's the very heartbeat of our business. Our commitment to our customers is reflected in the **Parry 4E Standard Inspection Body stating that all our products are:**



Easy to use



Easy to maintain



Easy to clean



Easy to repair

Our ranges of Stainless Steel Products have been specifically designed with the consumer in mind and are tailored and compliant to your specific industry sector. All our products are 4E Compliant and meet EU & UK regulations, where applicable. The Parry brand stands for quality, reliability and value.

Our British designed products have been created by our expert in-house development team and manufactured to exacting standards using Industry specified grade of European stainless steel and holding relevant EU & UK certification for all product.

ISO9001 certification and continual investment in the training and development of our highly skilled, artisan workforce means that our clients have genuine peace of mind that they are buying hand crafted, quality products supported by five-star customer service. All Parry products meet EU regulations for their respective sector.

We are LEAN manufacturers, minimising waste, maximising productivity. We are proud to run an operation that is committed to minimising our impact on the environment.

Our equipment and furniture are manufactured in our 45,000 sq ft manufacturing facility in Draycott, Derbyshire in England's industrial heartland. Products are made to order if not available in our stocked items which means you can choose from 600 products, offering over 3,500 variants, with short lead times to suit your specific needs. That means you get exactly what you need when you need it.

Our product information can be found here, in our brochure or on our website **www.parry.co.uk**.

You have my personal commitment that Parry will exceed your expectations. Should you have any questions please contact your distributor. Alternatively, our customer services team will be happy to help you on **01332 875544**.

Mark Banton MBA
Managing Director



Contents

Contents.....	1
Product Overview	2
Safety Instructions	3
Technical Data	3
Installation Instructions	4-5
Operating Instructions	6
Cleaning Instructions	7
Maintenance Instructions.....	8
Fault Finding	9
Service Information.....	10
Wiring Diagram	11
Exploded View.....	12
Parts List	13-15
Warranty Information.....	15
Disposal & Recycling	16

Parry Catering Equipment (Midlands) Ltd, Town End Road, Draycott, Derby, DE72 3PT.
Sales Tel: 01332 875544








Product Overview

The Parry P9EO fan assisted electric oven is versatile and powerful. The stainless steel exterior features a flat counter top, able to accommodate other products – hobs, griddles and bain maries, for example – as well as doubling as a worktop. The oven itself features two separate 2.5kW fan assisted elements, providing a total of 5kW of cooking power. The stainless steel construction and castors ensure the unit is durable and easy to clean, while the simple dial controls and side hinged doors make it incredibly user friendly. The P9EOD oven is simply two P9EO models stacked on top of one another.

Features	P9EO	P9EOD
Unpacked Weight (kg)	45	90
Dimensions (w x d x h) mm	900 x 815 x 700	900 x 815 x 1400
Plug	Hard wired	Hard wired
Power Rating	5kW	2 x 5kW
Warranty	2 years	2 years

Please note: P9EOD is factory assembled and comes with base unit with locating pins in position and top unit without castors.

It leads the industry in:

-  Design and aesthetic appeal
-  Performance
-  Power
-  Functionality
-  After sales support



Safety Instructions

SAFETY INSTRUCTIONS

IMPORTANT: PLEASE READ INSTRUCTIONS FULLY BEFORE USE

Please be aware that surfaces on this machine may get very hot during, and after use.

ALL APPLIANCES OTHER THAN THOSE FITTED WITH A SEALED MOULDED PLUG MUST BE FITTED BY A QUALIFIED ELECTRICIAN, IN ACCORDANCE WITH CURRENT REGULATIONS.

The unit should be installed in compliance with the INSTALLATION INSTRUCTIONS and the NATIONAL REGULATIONS in force at the time. Particular attention should be paid to the Health and Safety at Work Act.

To prevent shocks, all appliances whether gas or electric, must be earthed.

To avoid scratching the highly polished exterior surface of this equipment whilst in transit, the protective film on the exterior surfaces has NOT been removed.

It is IMPORTANT that this protective film is peeled off before the equipment is used.

ENSURE THE APPLIANCE IS ISOLATED FROM THE POWER SUPPLY BEFORE INSTALLING, CLEANING OR MAINTAINING THE APPLIANCE



Technical Data

The oven works as a fan oven and it contains 2 x 2.5kw elements. These are mounted at the rear and work in conjunction with 2 x fans, these blow the heated air from the element around the oven cavity. This gives improved efficiency and in general, enables the use of lower temperatures for cooking. It also means that there is less need to be specific about shelf positions. Since the distribution of heat in the oven is very even, most foods will cook satisfactorily on any shelf position, but the shelves should be spaced evenly if possible.

Rating Data

Voltage: 240v ~ AC - 50Hz

Amps: 21.25 A

Watts: 5100 W




Installation Instructions

THIS APPLIANCE MUST BE FITTED BY A QUALIFIED ELECTRICIAN, IN ACCORDANCE WITH CURRENT REGULATIONS.

Please ensure the unit is sited in a position that doesn't obstruct any of the ventilation holes. We would advise that the unit should be positioned 6 inches away from any combustible material. The castors should be locked before operating the unit.

Electrical connection

- Remove the side panel to gain access to the terminal block.
- Feed electricity supply cable through the cable gland fitted at the rear of the appliance.
- Connect cable up to the terminal block as shown.




- Replace the side panel.
- Connect the supply cable to an isolator switch.








Installation Instructions

Optional

Fitting instructions for P9EO supplied with 1870, 1871 Units. (P9EOFIXPACK)







ID	Description
1	P9EO Electric Oven
2	1871 4 Hob Unit
3	1870 2 Hob Unit
4	P9EO Surround Kit
5	1870 Large Flue
6	1871 Large Flue

-  To fit the P9EO Surround to the unit unscrew the 4 x screws on the sides of the top of the P9EO and attach each surround to the sides of the unit using the 4 x screws.
-  Unscrew the small back plate from 1870 and replace with 1870 Large Flue
-  Unscrew the small back plate from 1871 and replace with 1871 Large Flue
-  Locate each unit side by side on top of the P9EO.
-  Follow the installation instruction for power requirements for N1870 & N1871



Operating Instructions

-  Ensure that all the packaging is removed, and all the shelves are firmly in place. Ensure that the operation thermostat is switched off.
-  Turn on isolator switch.
-  Located on the front panel there are two knobs and two neons. The first knob controls the power On/Off this also turns on the fans inside the oven. The Power to the appliance is also indicated by the illumination of the red neon on the front panel.
-  The second knob controls the temperature. This is marked from 0°C to 280 °C. The power to the elements is also indicated by the illumination of the green neon on the front panel.

Since the fan assisted oven heats up more quickly and generally cooks food at a lower temperature than a conventional oven, preheating the oven is often unnecessary. However, food such as bread, scones and Yorkshire puddings, do prefer to be placed in a pre-heated oven.

Frozen Meat and Poultry

Joints of meat and whole birds should be defrosted slowly, preferably in a domestic refrigerator (allowing 5-6 hours per 450g (1lb)), or at room temperature (allowing 2-3 hours per 450g (1lb)). If, however, it is found necessary to accelerate this process, frozen food can be defrosted in the fan oven at a temperature of 70/80 degrees C (150 / 175 degrees F). A 1.5 kg (3 lb) oven- ready chicken, placed in the meat pan, will defrost in approximately 1 ¼ -1 ½ Hours. Food should not be placed directly on the floor of the oven.

Warming Dishes







Take care particularly with delicate tableware. Place the dishes to be warmed in the oven. Turn the oven control to 50-90°C



Cleaning Instructions

The appliance should be cleaned after every use.

Turn off the isolator switch before commencing cleaning

-  Allow unit to cool down before cleaning.
-  Turn off unit at the mains power.
-  Wipe down the machine with a soft cloth, do not use abrasive materials.
-  The internal fan cover can be removed by unscrewing the thumb screws located at the bottom of the fan cover.
-  Stainless steel cleaners maybe used and cleaning instructions on the product must be adhered to.
-  Never clean the unit with water jets.



Maintenance and service must only be undertaken by a qualified electrician.



For more information on buying spares visit:

www.parry.co.uk/parry-commercial-catering-spares



Fault Finding

Fault	Check	Solution
No power light	Check that the power is turned ON	Turn OFF/ON switch on unit.
		Turn ON isolator switch
		Turn on electrical trip. If problem persists, contact distributor for an engineer.
Power light on, but when operating the thermostat there is no green light	Possible thermostat fault	Contact distributor for an engineer.
Uneven cooking to either side	Possible element or fan motor failure	Contact distributor for an engineer.



Service Information

This appliance should be routinely serviced to prolong its lifetime. Parry recommends that the appliance is serviced every 12 months by a Parry authorised engineer. Failure to service your product within the initial 12 month warranty period will cause the 24 month warranty to become void.

If the supply cord becomes damaged, it must be replaced by the manufacturer, it's service agent, or a similarly qualified person.

Enhanced 2 Years Warranty

Parry Catering (Midlands) Ltd offer an enhanced warranty of two years (including parts and labour) on all of the Parry manufactured products. To take advantage of this you should register your warranty by logging onto the company website and filling out our simple form.

www.parry.co.uk/the-parry-warranty


If you have any issues with your product and wish to request a warranty call you can contact our friendly team who will organize a Parry approved service engineer to attend and fix your problem.

All warranty requests can be sent to warranty@parry.co.uk alternatively call our warranty department for technical assistance on **01332 875544**






Wiring Diagram





Exploded View





Parts List

Part Number	Description	Code
1	TOP LH HINGE	ULTHINGETL
2	*ROLLER CATCH	
3	*DOOR CATCH PLATE	
4	*FAN COVER	
5	*OVEN CARCASS	
6	*EXTERIOR TOP	
7	*BACK PANEL	
8	CABLE GLAND	ULTBUNGFIT + ULTBUNG
9	*COMPARTMENT COVER	
10	TERMINAL BLOCK	TB6POLETB
11	N/A	N/A
12	N/A	N/A
13	2.5KW RING ELEMENT	P9EOELEM
14	FAN MOTOR	P9EOMOTOR
15	N/A	N/A
16	75MM CASTOR	CASTOR75SW
17	75MM BRAKED CASTOR	CASTOT75BR
18	*CONTROL FASCIA	
19	TOP RH HINGE	ULTHINGETR
20	DOOR SEAL	SEALPGS10
21	BOTTOM RH HINGE	ULTHINGEBR
22	POWER SWITCH	108048200260
23	326 °C THERMOSTAT	TMST34062
24	RED ROUND NEON	LNRE2211P
25	GREEN ROUND NEON	LNGN2211P



Parts List

26	CONTROL KNOB	ULTKNOB1
27	*RH DOOR ASSEMBLY	
28	BOTTOM LH HINGE	ULTHINGEBL
29	*LH DOOR ASSEMBLY	
30	DOOR HANDLE	GB6HANDLE
31	BRASS BUSH	ULTHINGEBUSH
32	WIRE SHELF	TRWCP9EO

*Metalwork Components



Warranty Information

The manufacturer's warranty is only valid in the UK mainland. Northern Ireland, Western Isles, Inner Hebrides and Islands are parts only warranty. Please be aware that the warranty starts from the date of purchase from Parry and not the sale or installation date of the equipment.

To be eligible for a 2 year warranty, products must be serviced at least once within the first 12 months of purchase.

All service calls will be carried out between 8am and 5pm, Monday to Friday.

Your warranty is invalid if your equipment has not been installed in accordance with the manufacturer's instructions. The misuse, alteration or unauthorised repairs of the equipment will also invalidate the warranty.

During the warranty period it is at Parry's discretion whether to repair or replace the equipment.

The warranty only applies if the equipment has been used in a professional manner following the manufacturer's instructions and maintenance guidelines.

The warranty covers defects in the material and component failure only. We are not liable for trading loss, loss of perishable items, water damage or loss due to injury or fire damage.

Please ensure you have referred to the manufacturer's instruction before placing a warranty call.

Contact our warranty department on **01332 875544** for technical assistance.











Please have your model number ready before calling.

All warranty requests must be submitted to warranty@parry.co.uk.

Failure to pay any warranty charges will result in your warranty being put on hold until the bill has been settled. Any issues regarding the raised charges should be put in writing to our warranty department for further investigation.

Register your product by visiting our website **www.parry.co.uk**

Not covered under warranty

- | | |
|---|--|
|  Fault due to incorrect installation, poor maintenance or equipment abuse. |  Failure to grant access for pre-arranged service call. |
|  Resetting of equipment or circuit breakers. |  Equipment that has been set up or used incorrectly e.g. dishwasher detergents, levelling and setting up of doors on a six burner cooker. |
|  Faulty electrics – e.g. customer's plug socket, plug, wiring, junction box fault, wrong fuse. |  Excessive carbon build-up on griddle plates or overuse of lava rock on chargrills. (Recommended use by Parry no more than 2kg.) |
|  Products must be serviced within the first 12 months to be eligible for the 2 year warranty |  All of the above points are not covered by warranty and any costs incurred, because of the above, will be forwarded to the parties responsible for placing the call. |
|  Product not covered by warranty if combustible materials have been used, e.g. plastic trays. | |
|  Foil used on racks, blockages and lime scale issues. | |




Disposal & Recycling

This appliance is marked according to the European Directive 2002/96/EC on Waste Electrical and Electronic Equipment (WEEE).

By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health which could otherwise be caused by inappropriate waste handling of this product.

A symbol on the product, or on the documents accompanying the product, indicates that



this appliance may not be treated as household waste. Instead it should be handed over to the applicable collection point for the recycling of electrical and electronic equipment.

Disposal must be carried out in accordance with local environmental regulations for waste disposal.






For more detailed information about treatment, recovery and recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Parry Catering recognises our obligations to the EU DIRECTIVE covering the waste disposal of electrical and electronic equipment (WEEE). Parry Catering are committed to this policy in order to help conserve the environment.

At the end of this unit's life you **MUST** dispose of it in an approved manner. You **MUST** not discard the unit or place it in the refuse bin.

You have several options:

-  Take the unit to an approved WEEE scheme company, there will be one in your area.
-  Take the unit to an approved waste disposal site; many sites are managed by your local authority.
-  Contact the units manufacturer, importer or their agent; the contact details will be on the unit.

There will probably be a charge for this service which will depend on the physical size and location of the unit. You will be given a collection price for a curb side collection based on commercial rates prevailing at the time.

It should be noted that the unit to be collected should be suitably packed and sealed to prevent dangerous gases and fluids from escaping. The condition of the unit must also be clean to comply with health and safety regulations.